



<b>EAN:</b>	4013288179906	<b>Size:</b>	0x0x0 mm
<b>Part number:</b>	05057404001	<b>Weight:</b>	0 g
<b>Article number:</b>	Bit-Check 6 PH Diamond 1	<b>Country of origin:</b>	
		<b>Customs tariff number:</b>	82079030

- Upright positionable Bit-Checks convince due to their functionality in a minimum of space
- BiTorsion bits for long service life
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- Take it easy tool finder: colour coding according to profile and size

Bits with tiny diamond particles on the bit tip. This ensures a secure fit in the screw head, reduces the contact pressure required and lowers the risk of slipping. BiTorsion bits with an elastic torsion zone - where kinetic energy is diverted from peak loads - and softer BiTorsion zone to prevent the bit tip from twisting under high strain. This greatly extends the product service life. For insertion in the power screwdriver or into the chuck of the power drill. The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time. The profile and size of the bits are easy to recognise thanks to the Wera "Take it easy" Tool Finder with its colour coding and clearly visible imprint.

**Web link**

Wera - Bit-Check 6 PH Diamond 1  
05057404001 - 4013288179906

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

**At the workplace**



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

**BiTorsion Bits**



Peak forces that occur in power tool applications often result in premature wear of bits or damage to the screw head. This usually occurs during initial power-up and then when the screw comes to a standstill. Screwdriving could become more productive and safer if these peak loads could be minimised. The Wera BiTorsion system prevents premature wear. The service life of the tool is extended and the productivity of power tool applications significantly increased.

**Bits with diamond coating**



The diamond coating of the DC bits lowers the danger of slipping as the minute diamond particles literally "bite" themselves into the screw head.

**Secure fit in the screw head**




Today, the Wera diamond bit - manufactured with the technology specifically developed by Wera for this application - still sets the standard in terms of resilience and functionality. Wera bits with a diamond coating ensure a secure fit of the bit in the screw head.

**Reduced cam-out forces**




The minute diamond particles applied to the tip of the tool literally "bite" into the screw and ensure an exact, anti-slip fit in the head of the screw. This secure fit protects the screw. The cam-out forces which compel the user to apply greater pressure to the screw are considerably reduced.

**Perfect fit**



Ideal for sensitive materials

**"Take it easy" tool finder system**



The "Take it easy" Bit-Checks have bits with a sleeve which - from its colour (e.g. red = Phillips) and size designation - make it simple to access the right bit quickly.

**Web link**

Wera - Bit-Check 6 PH Diamond 1  
05057404001 - 4013288179906

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

Set contents:

851/4 BDC bits, PH 1 x 50 mm



05059530001

05059532001

05059534001

2x PH 1 x 50 mm

3x PH 2 x 50 mm

1x PH 3 x 50 mm

Web link

Wera - Bit-Check 6 PH Diamond 1  
05057404001 - 4013288179906

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)