## **Bit-Checks Impaktor**

















**EAN:** 4013288180148 **Size:** 72x65x12 mm

Part number:05057417001Weight:68 gArticle number:Bit-Check 10 Impaktor 4Country of origin:CZ

Customs tariff 82079030

number:

- Upright positionable, multi-component Bit-Check
- Impaktor technology for above-average service life
- Impaktor holder to absorb extreme impulse peaks
- Diamond coating for a secure fit in the screw, literally bites into the screwhead to prevent cam-out
- Take it easy tool finder: colour coding according to profile and size

The Impaktor technology ensures an above-average longer service life even under extreme conditions. Increased frictional resistance from the rough diamond particles on the tip of the bit prevent any slipping out of the screw head. Impaktor holder to cushion any extreme impulse peaks. Special torsion effect thanks to the double torsion spring. Particularly suitable for use in conventional impact screwdrivers. The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time. The profile and size of the bits are easy to recognise thanks to the Wera "Take it easy" Tool Finder with its colour coding and clearly visible imprint.

## **Bit-Checks Impaktor**



## At the workplace

## Improved productivity

## Above-average service life

## Impaktor-Bits



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.



For use with impact screwdrivers. Improve productivity when screwdriving with power tools.



Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well a specific manufacturing process mean that Wera Impaktor tools have an above-average service life.



For an above-average service life. Maximum utilisation of the material properties, a very special geometry - designed particularly to meet the extreme demands - as well a specific manufacturing process mean that Wera Impaktor tools have an above-average service life. Another product advantage is the coating of the Impaktor bits with minute diamond particles. These diamond particles reduce the cam-out effects particularly high in power tool applications - which can lead to a slipping out of the screw head. The diamond particles literally bite themselves into the screw recess. This means that less contact pressure is required, something that greatly delays fatigue settingin in power tool screwdriving jobs.

## **Bit-Checks Impaktor**



## **Torsion zone**

# H Wera


Torsion zone specially designed to absorb such forces and thereby protect the bit tip.

## Impaktor stainless steel holder



The Impaktor stainless steel holder with a retaining ring and magnet satisfies the extreme, dynamic requirements in that there are consciously no small mechanical component parts fitted as they would be more susceptible to failure. It focuses on the basic bit holding function and the cushioning of the extreme impulse peaks with its two different torsion zones. Mainly used in industrial screw assembly applications e.g. with screwdriving robots.

## TriTorsion system



The combination of the double torsion zones in the Impaktor holder and the torsion zone in the Impaktor bit results in the so-called TriTorsion system.

# "Take it easy" tool finder system



The "Take it easy" Bit-Checks have bits with a sleeve which - from its colour (e.g. red = Phillips) and size designation - make it simple to access the right bit quickly.

## Bit-Check 10 Impaktor 4, 10 pieces

## **Bit-Checks Impaktor**



## Set contents:

897/4 IMP Impaktor holder with retaining ring and magnet, 1/4" x 75 mm

05057675001 1x 1/4" x 75 mm

IMP KTOR Trues

855/1 IMP DC Impaktor bits, PZ 2 x 25 mm

3x PZ 2 x 25 mm 1x PZ 3 x 25 mm

867/1 IMP DC Impaktor TORX® bits, TX 20 x 25 mm

2x TX 20 x 25 mm 2x TX 25 x 25 mm 1x TX 30 x 25 mm