Kraftform Kompakt Turbo





- 4 times the screwdriving speed thanks to the turbo function (purely mechanical without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- · Can be used without the turbo function like a normal screwdriver for couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver. A part-time universal gear is the solution: Integrated in the screwdriver handle, it quadruples the working speed with smooth couplings - purely mechanically. One hand holds the front part of the handle, the other hand turns the rear part of the handle. The turbo function can be switched on or off at the push of a button. Turning it off is recommended for tightening and loosening with high torque as well as for fine adjustments. Robust, maintenance-free gear made of steel with a maximum torque of 14Nm when the turbo function is deactivated. With the Wera VDE interchangeable blades individually tested as per IEC 60900, the VDE version of the Kraftform Turbo hand holder 827 T i guarantees fast and safe working even in live environments (up to 1,000 volts).


Kraftform Kompakt Turbo i Imperial 1, 16 pieces

Kraftform Kompakt Turbo





Faster screwdriving



The construction of the Kraftform Turbo allows the speed of manual screwdriving to be quadrupled, especially for smooth couplings without electricity!


Robust, maintenance-free gear made of steel



The robust steel design is maintenance-free and ensures a long product life.

Kraftform

Handle/interchangeable blade system



With its 9 mm mounting, the Kraftform Turbo is suitable for all Wera Kraftform Kompakt VDE interchangeable blades. The "holder/interchangeable blade system" stands for flexible working with many screw profiles.


With and without Turbo





The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

VDE interchangeable blade with reduced shaft diameter



Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.



The turbo function can be switched on or off at the push of a button. Turning it off is recommended for tightening and loosening with high torque as well as for fine adjustments.

Kraftform Kompakt Turbo i Imperial 1, 16 pieces


827 T i Kraftform Turbo blade-holding handle, 9 x 125 mm

05057481001

1x 9 x 125 mm

Kraftform Kompakt Turbo

Set contents:



Web link https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_imperial_1.html

Kraftform Kompakt Turbo



Kraftform Kompakt VDE 60 i, 0.4 x 2.5 x 154 mm

| | 1) Discontinued item |
|-----------------------------|-----------------------|
| Kraftform Kompakt VDE 60 iS | 6, 0.6 x 3.5 x 154 mm |

| 050034060011) | 1x | 0.6 x 3.5 x 154 mm |
|----------------------|----|--------------------|
| 050034070011) | 1x | 0.8 x 4 x 154 mm |
| 050034080011) | 1x | 1 x 5.5 x 154 mm |
| 1) Discontinued item | | |

Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm

1x 0.4 x 2.5 x 154 mm



Discontinued item