

Bits for TORX® Screws



|                        |               |                               |            |
|------------------------|---------------|-------------------------------|------------|
| <b>EAN:</b>            | 4013288030665 | <b>Size:</b>                  | 152x7x6 mm |
| <b>Part number:</b>    | 05060200001   | <b>Weight:</b>                | 33 g       |
| <b>Article number:</b> | 867/4 Z TORX® | <b>Country of origin:</b>     | CZ         |
|                        |               | <b>Customs tariff number:</b> | 82079030   |

- For recessed TORX® screws
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® socket screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

**Web link**

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_4\\_z\\_torx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_867_4_z_torx.html)

Wera - 867/4 Z TORX®  
05060200001 - 4013288030665

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)





## Bits for TORX® Screws

## Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

## Further versions in this product family:

|             |  |  |  |  |
|-------------|---|---|---|---|
|             |   | mm  | inch  | mm  |
| 05135200001 | TX 1  | 50  | 2"  | 2.0   |
| 05135201001 | TX 2  | 50  | 2"  | 2.0   |
| 05135202001 | TX 3  | 50  | 2"  | 2.0   |
| 05135204001 | TX 4  | 50  | 2"  | 3.0   |
| 05135205001 | TX 5  | 50  | 2"  | 3.0   |
| 05308428001 | TX 6  | 50  | 2"  | 3.0   |
| 05134740001 | TX 6  | 70  | 2 3/4"  | 3.0   |
| 05332600001 | TX 6  | 89  | 3 1/2"  | 3.0   |
| 05328448001 | TX 6  | 152   | 6"  | 3.0   |
| 05160830001 | TX 7  | 50  | 2"  | 3.0   |
| 05345047001 | TX 7  | 70  | 2 3/4"  | 3.0   |
| 05060131001 | TX 8  | 50  | 2"  | 3.0   |
| 05060098001 | TX 8  | 70  | 2 3/4"  | 3.0   |
| 05060185001 | TX 8  | 89  | 3 1/2"  | 3.0   |
| 05060195001 | TX 8  | 152   | 6"  | 3.0   |
| 05319835001 | TX 9  | 70  | 2 3/4"  | 3.0   |
| 05060193001 | TX 9  | 89  | 3 1/2"  | 3.0   |
| 05060194001 | TX 9  | 152   | 6"  | 3.0   |
| 05060132001 | TX 10   | 50  | 2"  | 4.0   |
| 05060100001 | TX 10   | 70  | 2 3/4"  | 4.0   |
| 05060186001 | TX 10   | 89  | 3 1/2"  | 4.0   |
| 05060196001 | TX 10   | 152   | 6"  | 4.0   |
| 05060133001 | TX 15   | 50  | 2"  | 4.0   |

## Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_4\\_z\\_torx.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_867_4_z_torx.html)

Wera - 867/4 Z TORX®  
05060200001 - 4013288030665

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bits for TORX® Screws

|                    |              |            |           |            |
|--------------------|--------------|------------|-----------|------------|
| 05060105001        | TX 15        | 70         | 2 3/4"    | 4.0        |
| 05060187001        | TX 15        | 89         | 3 1/2"    | 4.0        |
| 05060197001        | TX 15        | 152        | 6"        | 4.0        |
| 05060134001        | TX 20        | 50         | 2"        | 4.5        |
| 05060110001        | TX 20        | 70         | 2 3/4"    | 4.5        |
| 05060188001        | TX 20        | 89         | 3 1/2"    | 4.5        |
| 05060198001        | TX 20        | 152        | 6"        | 4.5        |
| 05060135001        | TX 25        | 50         | 2"        | 6.0        |
| 05060115001        | TX 25        | 70         | 2 3/4"    | 6.0        |
| 05060189001        | TX 25        | 89         | 3 1/2"    | 6.0        |
| 05060199001        | TX 25        | 152        | 6"        | 6.0        |
| 05060136001        | TX 27        | 50         | 2"        | 6.0        |
| 05060120001        | TX 27        | 70         | 2 3/4"    | 6.0        |
| 05060190001        | TX 27        | 89         | 3 1/2"    | 6.0        |
| <b>05060200001</b> | <b>TX 27</b> | <b>152</b> | <b>6"</b> | <b>6.0</b> |
| 05060137001        | TX 30        | 50         | 2"        | 6.0        |
| 05060125001        | TX 30        | 70         | 2 3/4"    | 6.0        |
| 05060191001        | TX 30        | 89         | 3 1/2"    | 6.0        |
| 05060201001        | TX 30        | 152        | 6"        | 6.0        |
| 05060138001        | TX 40        | 50         | 2"        | -          |
| 05060130001        | TX 40        | 70         | 2 3/4"    | -          |
| 05060192001        | TX 40        | 89         | 3 1/2"    | -          |
| 05060202001        | TX 40        | 152        | 6"        | -          |

## Web link

[https://products.wera.de/en/bits HOLDERS\\_adaptors\\_and\\_sets\\_the\\_range\\_of\\_bits\\_bits\\_for\\_torx\\_screws\\_867\\_4\\_z\\_torx.html](https://products.wera.de/en/bits HOLDERS_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_867_4_z_torx.html)

Wera - 867/4 Z TORX®  
05060200001 - 4013288030665

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)