



<b>EAN:</b>	4013288202635	<b>Size:</b>	100x60x10 mm
<b>Part number:</b>	05073067001	<b>Weight:</b>	17 g
<b>Article number:</b>	867/1 Z TORX® B0 SB	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)


Premium bits for TORX® socket screws. The hole in the bit and the pin in the TORX® B0 screw prevent unauthorized loosening. Safety connection. Tough, for universal use. 1/4" hexagonal, suitable for holding tools as per DIN ISO 1173-D 6.3.

#### Web link

Wera - 867/1 Z TORX® B0 SB  
05073067001 - 4013288202635

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

**TORX® with borehole (B0)**



TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® B0 tools allowing safety screws to be unfastened.

**Tough-absorbing bits**



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

**Web link**

Wera - 867/1 Z TORX® B0 SB  
05073067001 - 4013288202635

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

867/1 Z TORX® B0 SB bits with bore hole, TX 40 x 25 mm, 2 pieces



Set contents:

867/1 Z TORX® B0 bits with bore hole, TX 40 x 25 mm



05066530001

2x TX 40 x 25 mm



Web link

Wera - 867/1 Z TORX® B0 SB  
05073067001 - 4013288202635

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de