



EAN:	4013288218629	Size:	0x0x0 mm
Part number:	05138710001	Weight:	0 g
Article number:	Kraftform/7 Heavy Metal 3	Country of origin:	
		Customs tariff number:	82054000

- 7-piece screwdriver set for workshop and VDE applications
- Multi-component Kraftform handle for high working speeds and ergonomic screwdriving
- With a special extra: The Tool Rebel gesture as a bottle opener/key ring
- Chiseldriver for fastening, chiselling and loosening
- Lasertip for more secure fit in the screw head

Screwdriver all-round 7-piece set with the special Tool Rebel extra. Kraftform Plus handle for comfortable ergonomic screwdriving, which avoids blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. Includes some tools with Lasertip and Take it easy: The tips of Wera Lasertip screwdrivers are microscopically roughened with laser beams. This rough surface "bites" into the screw head and unintentional slipping is a thing of the past. Take it easy tool finder: Size stamping and colour coding by profile to find the required tool quickly and easily. With 2 chiseldrivers for screwdriving, chiselling and mortising. The showstopper: a key ring that is shaped as a Tool Rebel gesture and of course also serves as a bottle opener.

Web link


Wera - Kraftform/7 Heavy Metal 3
05138710001 - 4013288218629



Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!




An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Integrated hex bolster




Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Lasertip prevents slipping out



It happens time and time again that the tip slips out of the screw head when screwdriving, sometimes damaging valuable surfaces or even causing injury. The tips of the Wera Lasertip screwdrivers are microscopically roughened by means of a laser. This rough surface literally "bites" itself firmly into the screw head. Slipping out becomes a thing of the past.

VDE-insulated screwdriver with reduced blade diameter




Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

Wera Black Point tip




The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

"Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

Heavy Metal bottle opener



A Heavy Metal bottle opener, which is also usable as a key ring.



Web link

Wera - Kraftform/7 Heavy Metal 3
05138710001 - 4013288218629



Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:



932 A Screwdriver for slotted screws, 1 x 5.5 x 100 mm

	05018264001	1x	1 x 5.5 x 100 mm
	05018266001	1x	1.2 x 7 x 125 mm



350 PH Screwdriver for Phillips screws, PH 1 x 80 mm

	05008710001	1x	PH 1 x 80 mm
	05008720001	1x	PH 2 x 100 mm



368 Screwdriver for square socket head screws, # 2 x 100 mm

	05117684001	1x	# 2 x 100 mm
			

162 iS PH/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Phillips/slotted), # 2 x 100 mm

	05006456001	1x	# 2 x 100 mm
			

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws, 0.6 x 3.5 x 100 mm

	05006440001	1x	0.6 x 3.5 x 100 mm
			

Bottle opener Tool Rebel, 35 x 50 mm

1x 35 x 50 mm



Web link