




Blind Assembly

Table: Bill of Materials


ITEM NO.	DESCRIPTION	QTY
1	IDLER END BRACKET	1
2	GEARBOX AND BRACKET	1
3	R CLIP	1
4	PIVOT PIN	1
5	BLIND ASSEMBLY	1
6	5 SIDE - BASE RAIL	1
7	SPRING ARM ASSEMBLY	2
8	CRANK HANDLE	1



Mounting Bracket





Idler End & Bracket



Gear Box and Bracket


Assemble top brackets - face mount.


Idler End




i Secure idler end to bracket as shown.

Drive End





 The control side is the side with the Gearbox attached.
Right Hand Control Shown.





ii Secure gearbox to bracket as shown.

Install top brackets for face mount.

Note: Brackets come as a pair.
The control is the side with the gearbox or motor adaptor attached.
Gearboxes are only available in black or white.




1 Fix **Idler End** bracket for *Face Mount* 5mm below the ceiling or top of structure.



2 Fix **Drive End** bracket for *Face Mount* 5mm below the ceiling or top of structure.
⚠ Install gearbox facing inwards.



i

Important Note: Ensure to allow a minimum of 75mm overlap between the outside of the mounting bracket and the opening on each side.




Mounting the blind - Manual or Motorised.

Important Note:
Unwind the blind two turns before fitting it to the brackets.





3

Insert the pivot pin into the hole in the end of the idler.



4a

MANUAL BLIND - Align and insert the square pin of the drive end into the gearbox.




MOTORISED BLIND - Align and insert the square pin of the drive end into the square hole in the bracket. Then insert split pin into hole in drive end to secure.

4b

! Refer to the Motor Program Quick Guide to connect power to the blind.


Install Spring Arms





5 Measure Spring Arm from inside the *Base Rail Clamp* to *Wall Mount Bracket* (as shown), Then **Add 20mm** and note this measurement.



Important Note:
Ensure Spring arms
are facing down.




7 Drill marked holes and insert fastener, slide Wall Mount Bracket slot under fastener head. Mark, Drill and secure top hole with fastener.



6 Measure down from the underside of mounting brackets and mark measurement from step 5. Mark must be at least 60mm in from outside edge of brackets.





Important Note:
Spring Arm under tension,
DO NOT Stand in front.



8 Lift Spring Arm and Secure *Base Rail Clamp* to *Base Rail* using self tapping screws supplied. Use pre-drilled holes in Base Rail Clamp as guide.

Operation



 **Rotate gear box to lower and raise the blind.**

9

With the blind installed, use the crank handle or remote control to raise and lower blind to the desired position.

DISCLAIMER

We guarantee that all our products will be free from defects in components and manufacture for a period of **twelve months** from the date of purchase.

All goods supplied are guaranteed against mechanical default in normal domestic use and the supplier will repair or replace at its discretion such components that prove faulty in operation. Damage caused by accidents, alterations, misuse, abuse or wear and tear are not covered by this warranty.

Under the guarantee, the supplier shall not be liable or responsible for incidental or consequential damages or for any other direct or indirect damage, loss, cost, expense or fee. The benefits conferred by this Guarantee are in addition to all other rights and services which the purchaser has under the Trade Practices Act 1974 and similar state and territory laws.

All warranties are conditional. For the warranty to be valid, customers must strictly adhere to both the installation and care instructions provided. The warranty does not cover variances in colours and textures from batch to batch. In addition, a receipt providing proof of purchase is required for any warranty claims.