


WHYTE
PERFORMANCE BY DESIGN

629

TRAIL HARDTAILS 29ERS



629

TRAIL HARDTAILS 29ERS

| | |
|-------------------------|--|
| Model | 629 |
| Model Group | Trail Hardtails 29ers |
| UK SRP | £1,999.00 |
| Whyte Part Code | W629(size)V5 |
| Colour | Matt Moss with Heather & Gold |
| Sizes Available | M,L,XL |
| Frame | 6061 Alloy, Hydro Formed T6 Aluminium, Multi Butted, SCR, Tapered Headtube, Internal Cable Routing with BBX63, Chainstay Post Mount Dropouts and 12mm X 148mm Boost Dropouts |
| Fork | RockShox 35 Gold RL 29", 120mm Travel, 44mm Offset, DebonAir, Fast Black Coating, Adjustable Compression and Rebound, Tapered Steerer, 110mm x 15mm Boost, Maxle Lite |
| Rear Shock | N/A |
| Headset | FSA No. 57B Orbit ZS, 1 1/2" Lower and 1 1/8" Upper Caged Bearings |
| Rear Hub | Alloy, Double Sealed Cartridge Bearings, 12mm x 148mm Boost Thru Axle, 32 Hole |
| Front Hub | Alloy, Double Sealed Cartridge Bearings, 15mm x 110mm Boost Thru Axle, 31mm Torque Caps, 32 Hole |
| Spokes | DT Swiss New Champion 2.0mm, Black Stainless, Brass Nipples |
| Rims | WTB ST i27 TCS 2.0 System, Pinned Joint, Tubeless Ready, 32 Hole |
| Tyres | Maxxis High Roller II TR 29" x 2.3" 3C MaxxTerra Exo Front, Maxxis Forecaster 29" x 2.35" Exo Dual compound Rear |
| Shift Levers | SRAM NX Eagle, MMX, 12 Speed |
| Front Derailleur | N/A |
| Rear Derailleur | SRAM NX Eagle, 12 Speed |
| Cassette | SRAM PG-1210 Eagle, 11-50, 12 Speed |
| Chain | SRAM NX Eagle, 12 Speed |
| Crankset | SRAM X1 Eagle, X-SYNC 2, Direct Mount 32T, DUB, 170mm, Boost 12 Speed |
| Bottom Bracket | SRAM DUB, BSA, 73mm |
| Seatpost | Whyte Drop.it., 30.9mm, M 150mm, L/XL 170mm Travel, South Paw MMX Remote Lever |
| Seat | Whyte Custom |
| Bar | Whyte 6061 Alloy, 15mm Rise, 31.8mm, 780mm Wide |
| Stem | Whyte Alloy, 45mm Extension |
| Grips | Whyte Lock-on Enduro Grip |
| Front Brakes | SRAM Guide T, 4 Piston, 180mm Disc |
| Rear Brakes | SRAM Guide T, 4 Piston, 180mm Disc, Internal Routing |
| Brake Levers | SRAM Guide T, Matchmaker |
| Pedals | Fibre Reinforced Composite Platform |

| | |
|-------------------------------------|----------|
| Drive Unit | |
| Battery | |
| Battery Charger | |
| Display | |
| Dropout Code | DROPWH17 |
| Shock Stroke and Sag Setting | N/A |
| Reducer Bush Widths | N/A |
| Eye to Eye Length | N/A |

629

TRAIL HARDTAILS 29ERS

| | |
|---|------------------------------------|
| Model | 629 |
| Top Tube | 6061 Alloy Triple Butted |
| Down Tube | 6061 Alloy Triple Butted |
| Rear Stays | 6061 Double Butted Hydro Edge |
| Paint Code | WAMTUD19 |
| Freehub Part Code | WHYFHUB01 |
| Rear Hub Bearings | 6903 |
| Front Hub Bearings | 6902 |
| Suspension Bearings | N/A |
| Headset Part Code | HS001 (FSA No57) |
| Bottom Bracket | BSA SRAM DUB, 73mm |
| ISG Chainguide Compatibility | |
| ICR Grommets | 1 x WHYICR04, 1 x WHYICR02 |
| Brake Mount Adaptor | N/A |
| Spoke Lengths | 294/292mm (front) 294/292mm (rear) |
| Max Chain Ring Size | 32T |
| Chain Length for the stock chainring | 118 |
| Tubeless Status | Tubeless Ready Rims |
| Max Tyre Size | 29 X 2.8 Front / 29 X 2.4 Rear |
| Max Tyre Size with Mudguards | N/A |
| Mudguard Part Code | N/A |
| Rack Compatible | N/A |
| Kickstand Compatible | N/A |
| Chain Guide Part Code | N/A |
| Rear Thru-Axle Length | M12 X 1.5, 172mm Long |
| Downtube Protector Part Code | N/A |
| Chainstay Protector Part Code | WHYPRO08 |
| Seat Post Seal Part Code | N/A |
| Kitbox Contents | Owners Manual |

| Size | Head Angle | Seat Angle | Top Tube | BB Height | Stand Over |
|------|------------|------------|-----------|-----------|------------|
| M | 65 | 74.5 | 639 | 300 | 805 |
| L | 65 | 74.5 | 663 | 300 | 819 |
| XL | 65 | 74.5 | 690 | 300 | 838 |
| Size | Wheelbase | Chain Stay | Seat Post | Head Tube | Seat Tube |
| M | 1215 | 450 | 30.9 | 115 | 431 |
| L | 1240 | 450 | 30.9 | 120 | 457 |
| XL | 1270 | 450 | 30.9 | 135 | 483 |