



WHYTE
PERFORMANCE BY DESIGN

905

900 SERIES TRAIL / ENDURO HARDTAILS - 130MM



905

900 SERIES TRAIL / ENDURO HARDTAILS - 130MM

Model	905
Model Group	900 Series Trail / Enduro Hardtails - 130mm
UK SRP	£1,950.00
Whyte Part Code	W905(size)V4
Colour	Gloss Cement with Khaki & Sand
Sizes Available	S,M,L,XL
Frame	6061 Alloy, Hydro Formed T6 Aluminium, Multi Butted, Custom Drawn, Tapered Headtube, Internal BBX63 Cable Routing for Dropper Post and 12mm X 148mm Boost Dropouts
Fork	RockShox Pike Select RC 27.5", 130mm Travel, 37mm Offset, DebonAir, Charger RC Damper, Fast Black Coating, Tapered Steerer, 110mm x 15mm Boost, Maxle Ultimate
Rear Shock	N/A
Headset	FSA No. 57E Orbit ZS, 1 1/2" Lower and 1 1/8" Upper Sealed Cartridge Bearings
Rear Hub	Alloy, Double Sealed Cartridge Bearings, 12mm x 148mm Boost Thru Axle, 32 Hole
Front Hub	Alloy, Double Sealed Cartridge Bearings, 15mm x 110mm Boost Thru Axle, 31mm Torque Caps, 32 Hole
Spokes	DT Swiss Champion 2.0mm, Black Stainless, Brass Nipples
Rims	WTB ST i35 TCS 2.0 System, Pinned Joint, Tubeless Ready, 32 Hole
Tyres	Maxxis High Roller II TR 27.5" x 2.8" 120TPI, EXO Sidewall Protection, 3C Maxx Terra, Front, Maxxis Rekon TR 27.5" x 2.8" 60TPI, EXO Sidewall Protection, Rear
Shift Levers	SRAM NX Eagle, MMX, 12 Speed
Front Derailleur	N/A
Rear Derailleur	SRAM NX Eagle, 12 Speed
Cassette	SRAM PG-1230 Eagle, 11-50, 12 Speed
Chain	SRAM NX Eagle, 12 Speed
Crankset	SRAM X1 Eagle, X-SYNC 2, Direct Mount 32T, DUB, 170mm, Boost 12 Speed
Bottom Bracket	SRAM DUB, BSA, 73mm
Seatpost	KS RAGEI, 30.9mm, S/M 150mm, L/XL 170mm Travel, KS South Paw MMX Remote Lever
Seat	Whyte Custom
Bar	Whyte 6061 Alloy, 30mm Rise, 31.8mm, 780mm Wide
Stem	Whyte Gravity Stem, 35mm Extension
Grips	Whyte Lock-on Enduro Grip
Front Brakes	SRAM Guide T, 4 Piston, 180mm Disc
Rear Brakes	SRAM Guide T, 4 Piston, 180mm Disc
Brake Levers	SRAM Guide T, Matchmaker
Pedals	None

Drive Unit	
Battery	
Battery Charger	
Display	
Dropout Code	DROPWH17-2
Shock Stroke and Sag Setting	N/A
Reducer Bush Widths	N/A
Eye to Eye Length	N/A

905

900 SERIES TRAIL / ENDURO HARDTAILS - 130MM

Model	905
Top Tube	6061 Alloy Triple Butted
Down Tube	6061 Alloy Triple Butted
Rear Stays	6061 Alloy Triple Butted
Paint Code	WAMTU016
Freehub Part Code	WHYFHUB01
Rear Hub Bearings	6903
Front Hub Bearings	6902
Suspension Bearings	N/A
Headset Part Code	HS002 (FSA No57)
Bottom Bracket	BSA SRAM DUB, 73mm
ISG Chainguide Compatibility	
ICR Grommets	1 x WHYICR04, 1 x WHYICR02
Brake Mount Adaptor	N/A
Spoke Lengths	276 x 274mm (front) 275 x 274mm (rear)
Max Chain Ring Size	36T
Chain Length for the stock chainring	116
Tubeless Status	Tubeless Ready Rims
Max Tyre Size	27.5 X 2.8 Front / 27.5 X 2.8 Rear
Max Tyre Size with Mudguards	N/A
Mudguard Part Code	N/A
Rack Compatible	N/A
Kickstand Compatible	N/A
Chain Guide Part Code	N/A
Rear Thru-Axle Length	M12 X 1.5, 172mm Long
Downtube Protector Part Code	N/A
Chainstay Protector Part Code	WHYPRO13
Seat Post Seal Part Code	N/A
Kitbox Contents	Owners Manual

Size	Head Angle	Seat Angle	Top Tube	BB Height	Stand Over
Small	64.5	74.5	600	297.5	783
Medium	64.5	74.5	627	297.5	800
Large	64.5	74.5	654	297.5	817
Extra Large	64.5	74.5	682	297.5	834
Size	Wheelbase	Chain Stay	Seat Post	Head Tube	Seat Tube
Small	1173	440	30.9	120	381
Medium	1203	440	30.9	130	406.2
Large	1228	440	30.9	140	431
Extra Large	1258	440	30.9	150	457.2