



**WHYTE**  
PERFORMANCE BY DESIGN

**DEAN**  
GRAVEL



# DEAN

## GRAVEL

<b>Model</b>	Dean
<b>Model Group</b>	Gravel
<b>UK SRP</b>	£1,699.00
<b>Whyte Part Code</b>	WDEA(size)V2
<b>Colour</b>	Matt Moss with Olive & Burnt Orange
<b>Sizes Available</b>	48,50,52,54,56,58
<b>Frame</b>	6061 Alloy, Hydro Formed T6 Aluminium, Multi Butted, Tapered Head Tube, Custom Drawn, Chainstay Flat Mount 160mm Disc Mount, BBX Cable Routing
<b>Fork</b>	Whyte Straight Bladed 6061 Alloy, Tapered Alloy Steerer, Internal Cable Routing, Flat Mount Dropouts, 12mm x 100mm Stealth Thru Axle, Eyelets for Mudguards
<b>Rear Shock</b>	N/A
<b>Headset</b>	FEMMIN H889B, Integrated Road, 1 1/2" Lower and 1 1/8" Upper Sealed Cartridge Bearings
<b>Rear Hub</b>	Alloy, Double Sealed Cartridge Bearings, 12mm x 142mm Thru Axle, Centre-Lock, 32 Hole
<b>Front Hub</b>	Alloy, Double Sealed Cartridge Bearings, 12mm x 100mm Thru Axle, Centre-Lock, 32 Hole
<b>Spokes</b>	2.0mm, PG, Black Stainless, Brass Nipples
<b>Rims</b>	Whyte RG-7, Tubeless Ready, 32 Hole
<b>Tyres</b>	Schwalbe G-ONE BITE, 700 x 40c, TL-Easy with RaceGuard Puncture Protection
<b>Shift Levers</b>	Shimano GRX ST-RX600, 10 Speed
<b>Front Derailleur</b>	Shimano GRX RD-RX400, 10 Speed
<b>Rear Derailleur</b>	Shimano GRX RD-RX400, Shadow Plus, 10 Speed
<b>Cassette</b>	SunRace CSMS1, 11-36, 10 Speed
<b>Chain</b>	SunRace CN10, Black, 10 Speed
<b>Crankset</b>	Whyte, Forged Cranks, 2pcs, Super Compact Double 30-46t, 10 Speed, 170mm
<b>Bottom Bracket</b>	BSA, Cartridge Bearings, 68mm
<b>Seatpost</b>	Whyte 6061 Alloy, 20mm Offset, 27.2mm x 350mm, 2 Bolt Clamp
<b>Seat</b>	Whyte Custom
<b>Bar</b>	Controltech, 6061 Alloy, Gravel/Road compact drop, 10mm riser bar, 31.8mm x 420mm 48cm, 440mm 50cm, 460mm 52&54cm, 480mm 56&58cm
<b>Stem</b>	Whyte Alloy, +7° Rise, 48/50cm 60mm, 52cm 70mm, 54cm 80mm, 56/58cm 90mm
<b>Grips</b>	Whyte Anti Slip, Cross Bar Tape
<b>Front Brakes</b>	Shimano GRX BR-RX400, 160mm Flat Mount, Internal Routing
<b>Rear Brakes</b>	Shimano GRX BR-RX400, 160mm Flat Mount, Internal Routing
<b>Brake Levers</b>	Shimano GRX ST-RX600, Hydraulic
<b>Pedals</b>	Fibre Reinforced Composite Platform

<b>Drive Unit</b>	
<b>Battery</b>	
<b>Battery Charger</b>	
<b>Display</b>	
<b>Dropout Code</b>	DROPWH17
<b>Shock Stroke and Sag Setting</b>	N/A
<b>Reducer Bush Widths</b>	N/A
<b>Eye to Eye Length</b>	N/A

# DEAN

## GRAVEL

<b>Model</b>	Dean
<b>Top Tube</b>	6061 Alloy Triple Butted
<b>Down Tube</b>	6061 Alloy Triple Butted
<b>Rear Stays</b>	6061 Alloy Triple Butted
<b>Paint Code</b>	WAMTUD19
<b>Freehub Part Code</b>	WHYFHUB01
<b>Rear Hub Bearings</b>	6903
<b>Front Hub Bearings</b>	18307
<b>Suspension Bearings</b>	N/A
<b>Headset Part Code</b>	HS003 (FSA No42)
<b>Bottom Bracket</b>	BSA Shimano Hollowtech 2, 68mm
<b>ISG Chainguide Compatibility</b>	
<b>ICR Grommets</b>	1 x WHYICR04, 1 x WHYICR05, 2 x WHYICR09
<b>Brake Mount Adaptor</b>	N/A
<b>Spoke Lengths</b>	277 x 276mm (front) 276 x 274mm (rear)
<b>Max Chain Ring Size</b>	44T
<b>Chain Length for the stock chainring</b>	114
<b>Tubeless Status</b>	Tubeless Ready Rims
<b>Max Tyre Size</b>	27.5 X 47c
<b>Max Tyre Size with Mudguards</b>	27,5 X 47c
<b>Mudguard Part Code</b>	WHYMG55
<b>Rack Compatible</b>	N/A
<b>Kickstand Compatible</b>	N/A
<b>Chain Guide Part Code</b>	N/A
<b>Rear Thru-Axle Length</b>	N/A
<b>Downtube Protector Part Code</b>	N/A
<b>Chainstay Protector Part Code</b>	WHYPRO08
<b>Seat Post Seal Part Code</b>	N/A
<b>Kitbox Contents</b>	Owners Manual

Size	Head Angle	Seat Angle	Top Tube	BB Height	Stand Over
48cm	70	74	548	270	756
50cm	70	74	557	270	773
52cm	70	74	566	270	790
54cm	70	74	595	270	807
56cm	70	74	604	270	824
58cm	70	74	623	270	841
Size	Wheelbase	Chain Stay	Seat Post	Head Tube	Seat Tube
48cm	1030	435	27.2	115	480
50cm	1040	435	27.2	130	500
52cm	1050	435	27.2	145	520
54cm	1080	435	27.2	160	540
56cm	1090	435	27.2	175	560
58cm	1110	435	27.2	190	580