











Model	E-160 S 29er
Model Group	eMTB Trail / Enduro Suspension
UK SRP	£6,399.00
Whyte Part Code	WE160ST(size)V1-1
Colour	Matt Black with Turquoise & White
Sizes Available	M,L,XL
Frame	6061 Alloy, Hydro Formed T6 Aluminium, Multi Butted, Custom Drawn, Tapered Headtube, Internal Cable Routing, Shape.it Link and 12mm X 148mm Boost Dropouts
Fork	RockShox ZEB 29", 160mm Travel, 44mm Offset, DebonAir, Rush RC Damper, Fast Black Coating, Tapered Steerer, 110mm x 15mm Boost, Maxle Ultimate
Rear Shock	RockShox Deluxe Select R, Fast Black Coating, Adjustable Rebound
Headset	FSA No. 55R/35 Orbit 1.5 ZS, 1.8" Lower and 1 1/8" Upper Sealed Cartridge Bearings
Rear Hub	Alloy, e-bike specific, Double Sealed Cartridge Bearings, 12mm x 148mm Boost Thru Axle, 32 Hole
Front Hub	Alloy, Double Sealed Cartridge Bearings, 15mm x 110mm Boost Thru Axle, 31mm Torque Caps, 32 Hole
Spokes	DT Swiss New Champion 2.0mm, Black Stainless, Brass Nipples
Rims	WTB HTZ i30 TCS 2.0 System, Asymmetric, Sleeved Joint, Super Tough Construction, Tubeless Ready, 32 Hole
Tyres	Maxxis Assigai WT, TR, 29" x 2.5" 120TPI, EXO+ Casing, 3C Maxx Grip, Dual Compound, Front, Maxxis Minion DHR II WT, TR, 29" x 2.4" 120TPI, Double Down, 3C Maxx Terra, Dual Compound, Folding Bead, Rear
Shift Levers	SRAM GX Eagle Lunar, Single Click, MMX, 12 Speed
Front Derailleur	N/A
Rear Derailleur	SRAM GX Eagle Lunar, 12 Speed
Cassette	SRAM PG1210, 11-50, 12 Speed
Chain	SRAM GX Eagle, 12 Speed
Crankset	SRAM EX1, 165mm, ISIS with X-SYNC 2, Direct Mount 36T for Bosch Performance Line CX, Black
Bottom Bracket	N/A
Seatpost	Whyte drop.it Adjust, 30.9mm, M/L 140-170mm Travel, XL 170-200mm Travel, MMX Paddle Remote Lever
Seat	Whyte Custom, Dual Density, Triple Panel Design
Bar	Whyte Custom 6061 Alloy, 30mm Rise, 35mm Bar Bore, 780mm Wide
Stem	Whyte Enduro Stem, 35mm Bar Bore, 35mm Extension
Grips	Whyte Lock-on Enduro Grip
Front Brakes	SRAM Guide RE, 4 Piston with Sintered Metal Pads, 220mm Disc
Rear Brakes	SRAM Guide RE, 4 Piston with Sintered Metal Pads, 200mm Disc
Brake Levers	SRAM Guide RE, MMX
Pedals	None

Drive Unit	Bosch Performance Line CX (Smart System) Drive Unit with 85Nm maximum torque, 250 w nominal power. Features 4 power settings including Tour+ that allows riders to focus on riding whilst being economic on power usage and eMTB mode which automatically adjusts the support to the rider.
Battery	Bosch PowerTube 750Wh internal, perfectly integrated into the frame with an intuitive lockable mechanism for easy removal. Reaches full charge in less than 6 hours, and just over 2 hours for half charge. Supplied with Bosch's 4A Compact Charger which is small and lightweight.
Battery Charger	4A (230V)
Display	Bosch LED Remote allows for easy use and visibility for the rider, also connecting to Bosch's eBike Flow App (info below) to give the rider even more insight and control at their finger tips.
Dropout Code	DROPWH18
Shock Stroke and Sag Setting	57.5mm, Sag 14mm (25%) to 17mm (30%)
Reducer Bush Widths	25mm x 8mm, no hardware at the rear
Eye to Eye Length	230mm





Model         E-160 8 289e           Top Tube         5061 Hydro Formed           Down Tube         6061 Trigle Butted Hydro Formed           Rear Stays         5061 Alloy Double Butted           Paint Code         WAMTUDE1           Freehub Part Code         WHYPHEB10           Rear Hub Bearings         6903           Suspension Bearings         6902           Suspension Bearings         MB0025 X 10           Headset Part Code         F5A Mc597/39           Stottom Bracket         8050 HBS Motor ISS Spline           ISG Chainguide Compatibility         WAMOS2           ICR Grommets         2 x WHYIDR18-1, 2 x WHYIDR09, 1x WHYIDR11           Brake Mount Adaptor         WHYPM200           Sobe Lengths         2332 280mm (front) 282/291mm (rear)           Max Chain Ring Size         33T           Chain Length for the stock chairring         120           Chain Length for the stock chairring         120           Max Tyre Size         20 X 2 B Front / 29 X 2 S Rear           Max Tyre Size         MA           Max Tyre Size         MA           Mudguard Part Code         MA           Rear Thru-Ake Length         MIZ X 1 nm. 181mm Long           Nowntube Protector Part Code         WHYPRD14		
Down Tube         6051 Triple Butted Hydro Formed           Rear Stays         6051 Ally Double Butted           Paint Code         WAMTUD21           Freehub Part Code         WHYFHUB01           Rear Hub Bearings         6903           Front Hub Bearings         6902           Suspension Bearings         WB0025 X 10           Bedset Part Code         FXA NOSFROS           Bottom Bracket         605CH BES Motor ISIS Spline           ISG Chainguide Compatibility         WMMCB2           ICR Grommets         2 x WHYICR18-1, 2 x WHYICR19.           Brake Mount Adaptor         WHYFMED           Spoke Lengths         382-230-mm (frout) 232-291 mm (rear)           Max Chain Ring Size         387           Chain Length for the stock of the Spline (rear)         120           Chain Length for the stock of the Spline (rear)         120           Max Tyre Size         392-230-230 mm (frout) 232-291 mm (rear)           Max Tyre Size with Mudguard Part Code         NA           Max Tyre Size with Mudguard Part Code         NA           Rack Compatible         NA           Max Quard Part Code         NA           Rear Thru-Ade Length         MEX 1 Climan, 181 mm Leng           Chain Guide Part Code         WHYPR014 <t< th=""><th>Model</th><th>E-160 S 29er</th></t<>	Model	E-160 S 29er
Rear Stays         6061 Aliny Double Butted           Paint Code         WAMTUDE1           Freehub Part Code         WHYFHUBD1           Rear Hub Bearings         6903           Front Hub Bearings         6909           Suspension Bearings         M80025 X 10           Headset Part Code         FSA McSR/35           Bottom Bracket         80021 Biss Motor ISIS Spline           ISG Chainguide Compatibility         WAMC02           ICR Grommets         2 WHYFME00           Paske Mount Adaptor         WHYFME00           Paske Mount Adaptor         WHYFME00           Max Chain Ring Size         38T           Chain Length for the stock chain ring         120           Chain Length for the stock chain ring         120           Chain Length for the stock chain ring         120           Max Tyre Size with Mudgard's         NA           Max Tyre Size with Mudgard's         NA           Mudgard Part Code         NA           Rickstand Compatible         NA           Rear Thru-Ake Length         MIX 1 Onn, 181 mm Long           Chain Guide Part Code         WAMC031           Chain Guide Part Code         WAMC032           Chain Guide Part Code         MA Conn, 181 mm Long	Top Tube	G061 Hydro Formed
Paint Code         WM/TUD21           Freehub Part Code         WH/FRLB01           Rear Hub Bearings         6903           Suspension Bearings         89002           Suspension Bearings         W80025 X 10           Headset Part Code         FSA McSPR/35           Bottom Bracket         BOSCH BES Motor ISS Spline           ISC Chainguide Compatibility         WAMC02           ICR Crommets         2 x WHYCR18-1, 2 x WHYCR19. 1x WHYCR11           Frake Mount Adaptor         WHYFM200           Spoke Lengths         283/289mm (front) 292/291mm (rear)           Max Chain Ring Size         387           Chain Length for the stock chainring         120           Chain Length for the stock chainring         120           Anax Tyre Size         29 X 28 Front / 29 X 25 Reer           Max Tyre Size with Mudguard Part Code         N/A           Mudguard Part Code         N/A           Kickstand Compatible         N/A           Chain Guide Part Code         WAMC01           Rear Thru-Axle Length         M12 X 1.0mm, 181mm Long	Down Tube	6061 Triple Butted Hydro Formed
Freehub Part Code         WHYFHUB01           Rear Hub Bearings         6903           Front Hub Bearings         6902           Suspension Bearings         W80025 X 10           Headset Part Code         FSA NOSSFIX25           Bottom Bracket         80903 His Bis Motor 198 Spline           IGC Gnampatibie         WAMD03           IGC Frommets         2 x WHYICR18-1, 2 x WHYICR19.1 x WHYICR19.1           Brake Mount Adaptor         VHYFM200           Spoke Lengths         293/293mm (front) 292/291mm (rear)           Max Chain Ring Size         37           Chain Length for the stock Chainring         120           Ability Fisher         120           Max Tyre Size         29 x 2.8 Front / 29 x 2.5 Rear           Max Tyre Size with Mudguard Part Code         NA           Mudguard Part Code         NA           Rack Compatible         NA           Mickstand Compatible         NA           Kickstand Compatible         NA           Chain Length         MIZ 1,10mm, 181mm Long           Downtube Protector Part Code         WIA (2004)           Chain Ling Size Size Size Size Size Size Size Size	Rear Stays	6061 Alloy Double Butted
Rear Hub Bearings         6903           Suspension Bearings         W80005 X 10           Headset Part Code         FSA No55R/35           Bottom Bracket         BOSCH BES Motor ISIS Spline           ISG Chainguide Compatibility         WAMCOS2           ICR Grommets         2 x WHYICR18-1, 2 x WHYICR90, 1x WHYICR11           Brake Mount Adaptor         WHYFEWGD           Spoke Lengths         293/293mm (front) 292/291mm (rear)           Max Chain Ring Size         381           Chain Length for the stock chainring         120           Tubeless Status         Tubeless Ready Rims           Max Tyre Size with Mudguards         NA           Max Tyre Size with Mudguard Part Code         NA           Rack Compatible         NA           Kicksand Compatible         NA           Kicksand Compatible         NA           Kicksand Compatible         MI2 X 1.0mm, 181mm Long           Downtube Protector Part Oode         MI2 X 1.0mm, 181mm Long           Chain Guide Part Code of Code         WHYPR014           Rear Thru-Axe Length         MI2 X 1.0mm, 181mm Long           Chainstay Protector Part Oode         WHYPR014	Paint Code	WAMTU021
Front Hub Bearings 6802 Suspension Bearings WB0025 X 10 Headset Part Code FSA NoESR/35 Bottom Bracket BOSCH BES Motor ISIS Spline ISG Chainguide Compatibility WAMCG2 ICR Grommets 2 XWHYICR18-1, 2 X WHYICR91, 1 X WHYICR91 Brake Mount Adaptor WHYFM200 Spoke Lengths 283/293mm (front) 292/291mm (rear) Max Chain Ring Size 3 ST Chain Length for the stock chainring 120 Tubeless Status Tubeless Ready Rims Max Tyre Size with WAMCG3 Mudguard Part Code NA Rack Compatible NA Kickstand Compatible NA Kickstand Compatible NA Chain Guide Part Code WAMCG1 Rear Thru-Axle Length  DAM Tyre Size with WAMCG1 Will Spring NA Kickstand Compatible NA Chain Guide Part Code WAMCG1 Chain Guide Part Code WAMCG1 Chain	Freehub Part Code	WHYFHUB01
Suspension Bearings         WB0025 X 10           Headset Part Code         FSA No55R/35           Bottom Bracket         B0SCH BES Motor ISIS Spline           ISG Chainguide Compatibility         WAMGG2           ICR Grommets         2 xWHYICR18-1, 2 x WHYICR19, 1x WHYICR191           Brake Mount Adaptor         WHYFM200           Spoke Lengths         283/293mm (front) 282/291mm (rear)           Max Chain Ring Size         38T           Chain Length for the stock chainring         120           Tubeless Status         Tubeless Ready Rims           Max Tyre Size         28 2 8 Front / 29 X 2.5 Rear           Max Tyre Size with Mudguards         N/A           Mudguard Part Code         N/A           Rack Compatible         N/A           Chain Guide Part Code         WAMCG1           Rear Thru-Axle Length         M42 X 1.0mm, 181mm Long           Downtube Protector Part Code         WHYPR014           Chainstay Protector         WHYPR014           Chain State Port Code         N/A	Rear Hub Bearings	6903
Headset Part Code	Front Hub Bearings	6902
Bottom Bracket         BOSCH BES Motor ISIS Spline           ISG Chainguide Compatibility         WAMCG2           ICR Grommets         2 x WHYICR19-1, 2 x WHYICR19, 1 x WHYICR11           Brake Mount Adaptor         WHYFM200           Spoke Lengths         293/293mm (front) 292/291mm (rear)           Max Chain Ring Size         30T           Chain Length for the stock chainring         100           Khain Tyre Size         29 x 2.8 Front / 29 x 2.5 Rear           Max Tyre Size         29 x 2.8 Front / 29 x 2.5 Rear           Mudguards         N/A           Mudguard Part Code         N/A           Rack Compatible         N/A           Kickstand Compatible         N/A           Chain Guide Part Code         WAMCG1           Rear Thru-Axle Length         M12 x 1.0mm, 181mm Long           Downtube Protector Part Code         N/A           Chainstay Protector Part Code         WHYPR014           Chainstay Protector Part Code         WHYPR014	Suspension Bearings	WB0025 X 10
ISG Chainguide Compatibility         WAMCGS           ICR Grommets         2 x WHYICR18-1, 2 x WHYICR193, 1 x WHYICR11           Brake Mount Adaptor         WHYFM200           Spoke Lengths         293/293mm (front) 292/291mm (rear)           Max Chain Ring Size         38T           Chain Length for the stock chainring         120           Max Tyre Size         29 x 2.8 Front / 29 x 2.5 Rear           Max Tyre Size with Mudguards         N/A           Mudguard Part Code         N/A           Rack Compatible         N/A           Kickstand Compatible         N/A           Chain Guide Part Code         WAMCG1           Rear Thru-Axle Length         M12 x 1.0mm, 181mm Long           Downtube Protector Part Code         WIA YPPR014           Chainstay Protector Part Code         WHYPR014	Headset Part Code	FSA No55R/35
ICR Grommets 2 x WHYICR18-1, 2 x WHYICR09, 1 x WHYICR11  Brake Mount Adaptor WHYFM200  Spoke Lengths 293/293mm (front) 292/291mm (rear)  Max Chain Ring Size 38T  Chain Length for the stock chainring 120  Tubeless Status 120  Max Tyre Size 29 x 2.8 Front / 29 x 2.5 Rear  Max Tyre Size with Mudguard's N/A  Mudguard Part Code N/A  Rack Compatible N/A  Kickstand Compatible N/A  Chain Guide Part Code WAMCG1  Rear Thru-Axle Length M12 x 1.0mm, 181mm Long  Downtube Protector Part Code Chainstay Protector Part Code N/A	Bottom Bracket	BOSCH BES Motor ISIS Spline
Brake Mount Adaptor WHYFM200  Spoke Lengths 293/293mm (front) 292/291mm (rear)  Max Chain Ring Size 38T  Chain Length for the stock chainring 120  Tubeless Status 120  Max Tyre Size 29 X 2.8 Front / 29 X 2.5 Rear  Max Tyre Size with Mudguard's N/A  Mudguard Part Code N/A  Rack Compatible N/A  Kickstand Compatible N/A  Chain Guide Part Code WAMCG1  Rear Thru-Axle Length M12 X 1.0mm, 181mm Long  Downtube Protector Part Code N/A  Chainstay Protector Part Code N/A	ISG Chainguide Compatibility	WAMCG2
Spoke Lengths 293/293mm (front) 292/291mm (rear)  Max Chain Ring Size 38T  Chain Length for the stock chainring 120  Tubeless Status 120  Max Tyre Size 29 x 2.8 Front / 29 x 2.5 Rear  Max Tyre Size with Mudguards N/A  Mudguard Part Code N/A  Rack Compatible N/A  Kickstand Compatible N/A  Chain Guide Part Code WAMCG1  Rear Thru-Axle Length M12 x 1.0mm, 181mm Long  Downtube Protector Part Code N/A  Chainstay Protector Part Code N/A  Michainstay Protector Part Code N/A  Kickstand Compatible N/A  Chainstay Protector Part Code N/A  Michainstay Protector Part Code N/A  Michainstay Protector Part Code N/A  Michainstay Protector Part Code N/A	ICR Grommets	2 x WHYICR18-1, 2 x WHYICR09, 1x WHYICR11
Max Chain Ring Size     38T       Chain Length for the stock chainring     120       Tubeless Status     Tubeless Ready Rims       Max Tyre Size     29 X 2.8 Front / 29 X 2.5 Rear       Max Tyre Size with Mudguards     N/A       Mudguard Part Code     N/A       Rack Compatible     N/A       Kickstand Compatible     N/A       Chain Guide Part Code     WAMCG1       Rear Thru-Axle Length     M12 X 1.0mm, 181mm Long       Downtube Protector Part Code     N/A       Chainstay Protector Part Code     WHYPR014       Chainstay Protector Part Code     WHYPR014	Brake Mount Adaptor	WHYFM200
Chain Length for the stock chainring 120  Tubeless Status 120  Max Tyre Size 29 X 2.8 Front / 29 X 2.5 Rear  Max Tyre Size with Mudguards N/A  Mudguard Part Code N/A  Rack Compatible N/A  Kickstand Compatible N/A  Chain Guide Part Code WAMCG1  Rear Thru-Axle Length M12 X 1.0mm, 181mm Long  Downtube Protector Part Code WHYPR014  Chainstay Protector Part Code WHYPR014  Seat Post Seal Part Code N/A	Spoke Lengths	293/293mm (front) 292/291mm (rear)
chainring         Tubeless Status         Tubeless Ready Rims           Max Tyre Size         29 X 2.8 Front / 29 X 2.5 Rear           Max Tyre Size with Mudguards         N/A           Mudguard Part Code         N/A           Rack Compatible         N/A           Kickstand Compatible         N/A           Chain Guide Part Code         WAMCG1           Rear Thru-Axle Length         M12 X 1.0mm, 181mm Long           Cowntube Protector Part Code         WHYPR014           Chainstay Protector Part Code         WHYPR014           Seat Post Seal Part Code         N/A	Max Chain Ring Size	38T
Max Tyre Size     29 X 2.8 Front / 29 X 2.5 Reer       Max Tyre Size with Mudguards     N/A       Mudguard Part Code     N/A       Rack Compatible     N/A       Kickstand Compatible     N/A       Chain Guide Part Code     WAMCG1       Rear Thru-Axle Length     M12 X 1.0mm, 181mm Long       Downtube Protector Part Code     N/A       Chainstay Protector Part Code     WHYPR014       Seat Post Seal Part Code     N/A		120
Max Tyre Size with Mudguards  Mudguard Part Code  Rack Compatible  Kickstand Compatible  Chain Guide Part Code  WAMCG1  Rear Thru-Axle Length  M12 X 1.0mm, 181mm Long  Downtube Protector Part Code  Chainstay Protector Part Code  WHYPR014  Seat Post Seal Part Code  M/A	Tubeless Status	Tubeless Ready Rims
Mudguards     Mudguard Part Code     M/A       Rack Compatible     M/A       Kickstand Compatible     M/A       Chain Guide Part Code     WAMCG1       Rear Thru-Axle Length     M12 X 1.0mm, 181mm Long       Downtube Protector Part Code     W/A       Chainstay Protector Part Code     WHYPR014       Seat Post Seal Part Code     M/A	Max Tyre Size	29 X 2.8 Front / 29 X 2.5 Rear
Rack Compatible N/A  Kickstand Compatible N/A  Chain Guide Part Code WAMCG1  Rear Thru-Axle Length M12 X 1.0mm, 181mm Long  Downtube Protector Part Code WHYPR014  Chainstay Protector Part Code WHYPR014  Seat Post Seal Part Code N/A		N/A
Kickstand Compatible     N/A       Chain Guide Part Code     WAMCG1       Rear Thru-Axle Length     M12 X 1.0mm, 181mm Long       Downtube Protector Part Code     N/A       Chainstay Protector Part Code     WHYPR014       Seat Post Seal Part Code     N/A	Mudguard Part Code	N/A
Chain Guide Part Code WAMCG1  Rear Thru-Axle Length M12 X 1.0mm, 181mm Long  Downtube Protector Part Code WHYPR014  Chainstay Protector Part Code WAMCG1  Seat Post Seal Part Code M/A	Rack Compatible	N/A
Rear Thru-Axle Length     M12 X 1.0mm, 181mm Long       Downtube Protector Part Code     N/A       Chainstay Protector Part Code     WHYPR014       Seat Post Seal Part Code     N/A	Kickstand Compatible	N/A
Downtube Protector Part Code  Chainstay Protector Part Code  Seat Post Seal Part Code  WA  WA  WHYPR014  WA  WA  WA  WA  WA  WA  WA  WA  WA  W	Chain Guide Part Code	WAMCG1
Code     Chainstay Protector Part Code     WHYPR014       Seat Post Seal Part Code     N/A	Rear Thru-Axle Length	M12 X 1.0mm, 181mm Long
Code Seat Post Seal Part Code  N/A		N/A
		WHYPR014
Kitbox Contents Dwners Manual, EPAC Manual, Quick Start Manual	Seat Post Seal Part Code	N/A
	Kitbox Contents	Owners Manual, EPAC Manual, Quick Start Manual

Size	Head Angle	Seat Angle	Top Tube	BB Height	Stand Over
М	64.5 +/- 0.5	75.5	607.3	340	771
L	64.5 +/- 0.5	75.3	640.4	340	773
XL	64.5 +/- 0.5	75.1	672.5	340	776
Size	Wheelbase	Chain Stay	Seat Post	Head Tube	Seat Tube
Size M	Wheelbase 1234.8	Chain Stay 446	Seat Post 30.9	Head Tube 105	Seat Tube 420
		·			













Model	E-160 S 29er
Model Group	eMTB Trail / Enduro Suspension
UK SRP	£6,399.00
Whyte Part Code	WE160ST(size)V1-2
Colour	Gloss Turquoise with Black & White
Sizes Available	M,L,XL
Frame	6061 Alloy, Hydro Formed T6 Aluminium, Multi Butted, Custom Drawn, Tapered Headtube, Internal Cable Routing, Shape.it Link and 12mm X 148mm Boost Dropouts
Fork	RockShox ZEB 29", 160mm Travel, 44mm Offset, DebonAir, Rush RC Damper, Fast Black Coating, Tapered Steerer, 110mm x 15mm Boost, Maxle Ultimate
Rear Shock	RockShox Deluxe Select R, Fast Black Coating, Adjustable Rebound
Headset	FSA No. 55R/35 Orbit 1.5 ZS, 1.8" Lower and 1 1/8" Upper Sealed Cartridge Bearings
Rear Hub	Alloy, e-bike specific, Double Sealed Cartridge Bearings, 12mm x 148mm Boost Thru Axle, 32 Hole
Front Hub	Alloy, Double Sealed Cartridge Bearings, 15mm x 110mm Boost Thru Axle, 31mm Torque Caps, 32 Hole
Spokes	DT Swiss New Champion 2.0mm, Black Stainless, Brass Nipples
Rims	WTB HTZ i30 TCS 2.0 System, Asymmetric, Sleeved Joint, Super Tough Construction, Tubeless Ready, 32 Hole
Tyres	Maxxis Assigai WT, TR, 29" x 2.5" 120TPI, EXO+ Casing, 3C Maxx Grip, Dual Compound, Front, Maxxis Minion DHR II WT, TR, 29" x 2.4" 120TPI, Double Down, 3C Maxx Terra, Dual Compound, Folding Bead, Rear
Shift Levers	SRAM GX Eagle Lunar, Single Click, MMX, 12 Speed
Front Derailleur	N/A
Rear Derailleur	SRAM GX Eagle Lunar, 12 Speed
Cassette	SRAM PG1210, 11-50, 12 Speed
Chain	SRAM GX Eagle, 12 Speed
Crankset	SRAM EX1, 165mm, ISIS with X-SYNC 2, Direct Mount 36T for Bosch Performance Line CX, Black
Bottom Bracket	N/A
Seatpost	Whyte drop.it Adjust, 30.9mm, ML 140-170mm Travel, XL 170-200mm Travel, MMX Paddle Remote Lever
Seat	Whyte Custom, Dual Density, Triple Panel Design
Bar	Whyte Custom 6061 Alloy, 30mm Rise, 35mm Bar Bore, 780mm Wide
Stem	Whyte Enduro Stem, 35mm Bar Bore, 35mm Extension
Grips	Whyte Lock-on Enduro Grip
Front Brakes	SRAM Guide RE, 4 Piston with Sintered Metal Pads, 220mm Disc
Rear Brakes	SRAM Guide RE, 4 Piston with Sintered Metal Pads, 200mm Disc
Brake Levers	SRAM Guide RE, MMX
Pedals	None

Drive Unit	Bosch Performance Line CX (Smart System) Drive Unit with 85Nm maximum torque, 250 w nominal power. Features 4 power settings including Tour+ that allows riders to focus on riding whilst being economic on power usage and eMTB mode which automatically adjusts the support to the rider.
Battery	Bosch PowerTube 750Wh internal, perfectly integrated into the frame with an intuitive lockable mechanism for easy removal. Reaches full charge in less than 6 hours, and just over 2 hours for half charge. Supplied with Bosch's 4A Compact Charger which is small and lightweight.
Battery Charger	4A (230V)
Display	Bosch LED Remote allows for easy use and visibility for the rider, also connecting to Bosch's eBike Flow App (info below) to give the rider even more insight and control at their finger tips.
Dropout Code	DROPWH18
Shock Stroke and Sag Setting	57.5mm, Sag 14mm (25%) to 17mm (30%)
Reducer Bush Widths	25mm x 8mm, no hardware at the rear
Eye to Eye Length	230mm





Model	E-160 S 29er
Top Tube	6061 Hydro Formed
Down Tube	6061 Triple Butted Hydro Formed
Rear Stays	6061 Alloy Double Butted
Paint Code	WAMTU024
Freehub Part Code	WHYFHUB01
Rear Hub Bearings	6903
Front Hub Bearings	6902
Suspension Bearings	WB0025 X 10
Headset Part Code	FSA No55R/35
Bottom Bracket	BOSCH BES Motor ISIS Spline
ISG Chainguide Compatibility	WAMCG2
ICR Grommets	2 x WHYICR18-1, 2 x WHYICR09, 1x WHYICR11
Brake Mount Adaptor	WHYFM200
Spoke Lengths	293/293mm (front) 292/291mm (rear)
Max Chain Ring Size	38T
Chain Length for the stock chainring	120
Tubeless Status	Tubeless Ready Rims
Max Tyre Size	29 X 2.8 Front / 29 X 2.5 Rear
Max Tyre Size with Mudguards	N/A
Mudguard Part Code	N/A
Rack Compatible	N/A
Kickstand Compatible	N/A
Chain Guide Part Code	WAMCG1
Rear Thru-Axle Length	M12 X 1.0mm, 181mm Long
Downtube Protector Part Code	N/A
Chainstay Protector Part Code	WHYPR014
Seat Post Seal Part Code	N/A
Kitbox Contents	Owners Manual, EPAC Manual, Quick Start Manual

Size	Head Angle	Seat Angle	Top Tube	BB Height	Stand Over
М	64.5 +/- 0.5	75.5	607.3	340	771
L	64.5 +/- 0.5	75.3	640.4	340	773
XL	64.5 +/- 0.5	75.1	672.5	340	776
Size	Wheelbase	Chain Stay	Seat Post	Head Tube	Seat Tube
Size M	Wheelbase 1234.8	Chain Stay 446	Seat Post 30.9	Head Tube 105	Seat Tube 420
		·			