



WHYTE
PERFORMANCE BY DESIGN

T-140C R

TRAIL FULL SUSPENSION



T-140C R

TRAIL FULL SUSPENSION

Model	T-140C R
Model Group	Trail Full Suspension
UK SRP	£4,199.00
Whyte Part Code	WT140CR(size)V3
Colour	Matt Olive with Black & Gold
Sizes Available	S,M,L,XL
Frame	Carbon, Uni-directional Multi Monocoque Front Triangle with Internal Cable Routing, Tapered Head Tube, ISCG, 2 Bolt Guide Mounts, Alloy Symmetrical SCR Rear Triangle, Shape.it and 148mm Boost Dropouts
Fork	RockShox Pike Select RC 27.5", 140mm Travel, 37mm Offset, DebonAir, Charger RC Damper, Fast Black Coating, Tapered Steerer, 110mm x 15mm Boost, Maxle Ultimate
Rear Shock	RockShox Deluxe Select + RT, DebonAir, Fast Black Coating, Adjustable Rebound and 2 Position Compression
Headset	FSA No. 42 Orbit ZS Plus, Integrated, 1 1/2" Lower and 1 1/8" Upper Sealed Cartridge Bearings
Rear Hub	Alloy, Double Sealed Cartridge Bearings, 12mm x 148mm Boost Thru Axle, 32 Hole
Front Hub	Alloy, Double Sealed Cartridge Bearings, 15mm x 110mm Boost Thru Axle, 31mm Torque Caps, 32 Hole
Spokes	DT Swiss New Champion 2.0mm, Black Stainless, Brass Nipples
Rims	WTB ST i30 TCS 2.0 System, Pinned Joint, Tubeless Ready, 32 Hole
Tyres	Maxxis Minion DHF TR 27.5" x 2.6" 120TPI, EXO Sidewall Protection, 3C Maxx Terra, Front, Maxxis Dissector TR 27.5" x 2.6" 120TPI, EXO+ Sidewall Protection, 3C Maxx Terra, Rear
Shift Levers	SRAM GX Eagle Lunar, MMX Clamp, 12 Speed
Front Derailleur	N/A
Rear Derailleur	SRAM GX Eagle Lunar, 12 Speed
Cassette	SRAM PG-1230 Eagle, 11-50, 12 Speed
Chain	SRAM GX Eagle, 12 Speed
Crankset	SRAM X1 Eagle, X-SYNC 2, Direct Mount 32T, DUB, 170mm, Boost, 12 Speed
Bottom Bracket	SRAM DUB, BSA, 73mm
Seatpost	Whyte drop.it II Adjust, 30.9mm, S/M 120-150mm Travel, L/XL 140-170mm Travel, Paddle Remote Lever
Seat	Whyte Custom, Dual Density, Triple Panel Design
Bar	Whyte 6061 Alloy, 31.8mm, S 15mm Rise, 760mm Wide, M/L/XL, 30mm Rise 780mm Wide
Stem	Whyte Gravity Stem, 35mm Extension
Grips	Whyte Lock-on Enduro Grip
Front Brakes	SRAM Guide G2 R, 4 Piston, 180mm Disc
Rear Brakes	SRAM Guide G2 R, 4 Piston, 180mm Disc, Internal Routing
Brake Levers	SRAM Guide G2 R, Matchmaker
Pedals	None

Drive Unit	
Battery	
Battery Charger	
Display	
Dropout Code	DROPWH18
Shock Stroke and Sag Setting	50mm, Sag 13mm (25%) to 16mm (30%)
Reducer Bush Widths	25mm x 8mm, no hardware at the rear
Eye to Eye Length	210mm

T-140C R

TRAIL FULL SUSPENSION

Model	T-140C R
Top Tube	High Modulus Uni-Directional Carbon
Down Tube	High Modulus Uni-Directional Carbon
Rear Stays	6061 Alloy Double Butted
Paint Code	WAMTUD16
Freehub Part Code	WHYFHUB01
Rear Hub Bearings	6903
Front Hub Bearings	6902
Suspension Bearings	WB0025 X 10
Headset Part Code	HS003 (FSA No42)
Bottom Bracket	BSA SRAM DUB, 73mm
ISG Chainguide Compatibility	WAMCG1
ICR Grommets	1 x WHYICR18-3, 2 x WHYICR18-1
Brake Mount Adaptor	WHYFM180
Spoke Lengths	278 x 274mm (front) 273 x 271mm (rear)
Max Chain Ring Size	34T
Chain Length for the stock chainring	116
Tubeless Status	Tubeless Ready Rims
Max Tyre Size	27.5 X 2.8 Front / 27.5 X 2.6 Rear
Max Tyre Size with Mudguards	N/A
Mudguard Part Code	N/A
Rack Compatible	N/A
Kickstand Compatible	N/A
Chain Guide Part Code	WAMCG1
Rear Thru-Axle Length	M12 X 1.75, 180mm Long
Downtube Protector Part Code	N/A
Chainstay Protector Part Code	WHYPRO07
Seat Post Seal Part Code	WHYPOSTSEAL 3/4/5
Kitbox Contents	Owners Manual

Size	Head Angle	Seat Angle	Top Tube	BB Height	Stand Over
S	65.9 (65.3)	74.7	583	330.1 (322.3)	796
M	65.9 (65.3)	74.5	612	330.1 (322.3)	802
L	65.9 (65.3)	74.3	640	330.1 (322.3)	808
XL	65.9 (65.3)	74.1	669	330.1 (322.3)	815
Size	Wheelbase	Chain Stay	Seat Post	Head Tube	Seat Tube
S	1168	435	30.9	112	406.4
M	1198	435	30.9	125	431.8
L	1228	435	30.9	140	457.2
XL	1256	435	30.9	150	482.6