Whyte 146

New for 2011, and featuring our latest generation Trail Full Suspension, the 146 is designed and built to climb as well as it descends.

Full Carbon Construction with Trail geometry, 146 mm rear suspension travel with lifetime pivot bearings.

Additional contemporary design features include gravity dropper seat post, tapered headtube, new Maxle standard dropouts, 2 x 10 groupset, custom wheelset and press fit 30BB.

Two models will be available, as well as a frame only option.

146 S



Whyte 146

New for 2011, and featuring our latest generation Trail Full Suspension, the 146 is designed and built to climb as well as it descends.

Full Carbon Construction with Trail geometry, 146 mm rear suspension travel with lifetime pivot bearings.

Additional contemporary design features include gravity dropper seat post, tapered headtube, new Maxle standard dropouts, 2 x 10 groupset, custom wheelset and press fit 30BB.

Two models will be available, as well as a frame only option.

146 Works



Whyte T-120

Our new XC Trail Full Suspension platform. Featuring a carbon swingarm for low unsprung mass and outstanding rear wheel tracking, combined with an all new, aluminium main frame. The perfect combination of lightweight performance and reliability.

Additional contemporary design features also include gravity dropper seat post, tapered headtube, latest Maxle dropouts, 2 x 10 groupset and press fit 30BB.

One model will be available, as well as a frame only option.

T-120 S



Unique geometry combines with striking design to set our Performance Carbon hardtail frames apart from all others.

Last years 19 Carbon was described by What Mountain Bike Magazine as having "Race winning weight with a tough trail attitude. Probably the most enjoyable 20lb bike we've ever tested."

Four models will be available, as well as a frame only option. 100mm front fork.

19C



Unique geometry combines with striking design to set our Performance Carbon hardtail frames apart from all others.

Last years 19 Carbon was described by What Mountain Bike Magazine as having "Race winning weight with a tough trail attitude. Probably the most enjoyable 20lb bike we've ever tested."

Four models will be available, as well as a frame only option. 100mm front fork.

19CS



Unique geometry combines with striking design to set our Performance Carbon hardtail frames apart from all others.

Last years 19 Carbon was described by What Mountain Bike Magazine as having "Race winning weight with a tough trail attitude. Probably the most enjoyable 20lb bike we've ever tested."

Four models will be available, as well as a frame only option. 100mm front fork.

19C Team



Unique geometry combines with striking design to set our Performance Carbon hardtail frames apart from all others.

Last years 19 Carbon was described by What Mountain Bike Magazine as having "Race winning weight with a tough trail attitude. Probably the most enjoyable 20lb bike we've ever tested."

Four models will be available, as well as a frame only option. 100mm front fork.

19C Works XX



Whyte 19 Trail Ti.

No other material rides like titanium. And no other titanium rides like a Whyte.

The 19 Ti is an alluring blend of elegant design, outstanding craftsmanship, and our award-winning geometry. Add that to the unique contemporary frameset with our custom stays and dropouts and you'll see why MBR magazine said "Whyte has really raised the bar with this bike. Their Ti offering is sheer class."

One model will be available, as well as a frame only option. 120mm front fork.

19 Trail Ti



Whyte 19 Trail Steel

Using the geometry and tubing profiles we developed for the 19 Ti and constructed from British made Reynolds 631 air hardened steel, the 19 Trail Steel provides the ideal combination of traditional steel and contemporary design.

One model will be available, as well as a frame only option. 120mm front fork.

19 Trail Steel



Whyte 19 Trail Alloy

The 19 Trail Alloy is the UK's most versatile Hardtail - it's light enough to race and tough enough for trails. Our unique rear dropout allows geometry adjustment and easy transformation to a single speed setup.

Awarded the Singletrack Editors Choice last year, the reviewer said "If I had to choose the fabled one-bike-for-everything, it would be the Whyte 19"

One model will be available, as well as a frame only option. 120mm front fork.



19 Trail Alloy



Whyte 900 Series

901

Using trail geometry developed for the 19, both the 905 and 901 offer no compromise performance and sublime handling. In a recent test of the 905, What Mountain Bike Magazine said "it's sharp yet smooth.... a superb blend of race speed and technical confidence", giving it an Editor's Choice and a Gold Award.

Two models will be available. 120mm front fork.



t, that our suspension 3.4 NIVINDON

Whyte 900 Series

905

Using trail geometry developed for the 19, both the 905 and 901 offer no compromise performance and sublime handling. In a recent test of the 905, What Mountain Bike Magazine said "it's sharp yet smooth.... a superb blend of race speed and technical confidence", giving it an Editor's Choice and a Gold Award.

Two models will be available. 120mm front fork.



itted to hat our suspension b

Whyte X8 Series

A new category for 2011, the X8 series offers a perfect introduction to Whyte hardtails. Once again using the DNA from the Whyte 19 Ti tubeset, the X8 series is constructed from high grade butted aluminium and features similar performance geometry to the Carbon hardtails.

Two models will be available. 100mm front fork.

805



Whyte X8 Series

A new category for 2011, the X8 series offers a perfect introduction to Whyte hardtails. Once again using the DNA from the Whyte 19 Ti tubeset, the X8 series is constructed from high grade butted aluminium and features similar performance geometry to the Carbon hardtails.

Two models will be available. 100mm front fork.

809



Whyte have defined a new category, combining the best elements of an Urban MTB, the power delivery of a road bike and the design flair of a single speed.

Our unique geometry balances precise steering control with stability - a perfect combination for life in the fast lane.

Four models will be available.

Portobello



Whyte have defined a new category, combining the best elements of an Urban MTB, the power delivery of a road bike and the design flair of a single speed.

Our unique geometry balances precise steering control with stability $\,$ - a perfect combination for life in the fast lane.

Four models will be available.

Cambridge





Whyte have defined a new category, combining the best elements of an Urban MTB, the power delivery of a road bike and the design flair of a single speed.

Our unique geometry balances precise steering control with stability $\,$ - a perfect combination for life in the fast lane.

Four models will be available.

Stirling



Whyte have defined a new category, combining the best elements of an Urban MTB, the power delivery of a road bike and the design flair of a single speed.

Our unique geometry balances precise steering control with stability $\,$ - a perfect combination for life in the fast lane.

Four models will be available.

Montpelier



Road meets Trail - our new Cross Terrain Series is designed to perform faultlessly whether you choose to take the highway or the scenic route through the woods. Perfect for today and tomorrow's market.

Five models will be available.

Malvern



Road meets Trail - our new Cross Terrain Series is designed to perform faultlessly whether you choose to take the highway or the scenic route through the woods. Perfect for today and tomorrow's market.

Five models will be available.

Malvern Women's



Road meets Trail - our new Cross Terrain Series is designed to perform faultlessly whether you choose to take the highway or the scenic route through the woods. Perfect for today and tomorrow's market.

Five models will be available.

Caledonian



Road meets Trail - our new Cross Terrain Series is designed to perform faultlessly whether you choose to take the highway or the scenic route through the woods. Perfect for today and tomorrow's market.

Five models will be available.

Caledonian Women's



Road meets Trail - our new Cross Terrain Series is designed to perform faultlessly whether you choose to take the highway or the scenic route through the woods. Perfect for today and tomorrow's market.

Five models will be available.

Coniston



Model	Whyte 146 Works	Whyte 146 S	Whyte T-120S
Target SRP	£3,999.00	£2,999.00	£1,999.00
Colour	Jet Black / Ghost White / Nickel	Jet Black / Ghost White/ Nickel	Gloss Ghost White and Orange
Sizes Available	S, M, L	S, M, L	S, M, L
Frame	Uni-directional Monocoque Front Triangle, Single Monocoque Rear Swing Arm, modular Dropouts	Uni-directional Monocoque Front Triangle, Single Monocoque Rear Swing Arm, modular Dropouts	Alloy 6061 Front Triangle with Tapered head tube, Single Mono- coque Rear Swing arm with modular dropouts
Fork	Fox Float 150 RCL FIT, QR15 Adjust- able Rebound and High and Iow speed Compression adjustment	Fox Float 150 RL FIT, QR15 Adjust- able Reboundand compression adjustment	RockShox Reba RL, Maxle Light, 120mm Travel, Motion Control Damping with TurnKey Lock-out
Rear Shock	Fox Float RP23, with Rebound Adjustment and Adjustable DOHC ProPedal. Whyte Designs Cartridge Bearing Shock Bushings	Fox Float RP2, with Rebound Adjustment and Adjustable DOHC ProPedal. Whyte Designs Cartridge Bearing Shock Bushings	Rock Shox Monarch TL, with Re- bound Adjustment and compression floodgate
Headset	FSA Orbit ZS, Sealed Cartridge Bearings, 1.5" Lower 1 1.8" upper bearings	FSA Orbit ZS, Sealed Cartridge Bearings, 1.5" Lower 1 1.8" upper bearings	FSA Orbit ZS, Sealed Cartridge Bearings, 1.5" Lower 1 1.8" upper bearings
Rear Hub	Easton EA-90 12mm X 142 Shimano E-Thru	SunRingle Black Flag Pro Wheelset, 12mm X 142mm E-Thru	Alloy, Double Sealed Bearing Hub, 32 Hole, 12 X 142 Maxle
Front Hub	Easton EA-90 QR15	SunRingle Black Flag Pro Wheelset, 15QR	Alloy, Double Sealed Bearing Hub, 32 Hole, 20 Maxle
Spokes	Easton Double butted	Wheelsmith Double Butted	WTB Double butted, Black Stainless
Rims	Easton EA-90 Tubeless compatible	Stan's No Tubes BST System	WTB Speed disk, 19mm, 32 Hole
Tyre	Front Tyre Maxxis Ardent 26 X 2.25" 120 TPI with Kevlar Bead, Rear Tyre Maxxis Crossmark 2.1" 120 TPI	Front Tyre Maxxis Ardent 26 X 2.25" 120 TPI with Kevlar Bead, Rear Tyre Maxxis Crossmark 2.1" 120 TPI	Front Tyre WTB Wolverine 26 X 2.2" with Kevlar Bead, Rear Tyre WTB Wol- verine 26 X 2.1" with Kevlar Bead
Shift Levers	SRAM XX	SRAM X-9	SRAM X-7 10 Speed
Front Derailleur	SRAM XX	SRAM X-9	SRAM X-7
Rear Derailleur	SRAM XX Long Cage	SRAM X-0 Long Cage	SRAM X-9 Long Cage
Cassette	SRAM XX 11-36 10 Speed	SRAM PG-1050, 12-36T	SRAM PG-1030 12-36T
Chain	SRAM 10 Speed	SRAM 10 Speed	SRAM 10 Speed
Crankset	SRAM XX Press Fit-30 26/39 10 Speed, Compact Double	SRAM X-9 Press Fit-30 26/39T 10 Speed, Compact Double	SRAM \$1400 26/39T 10 Speed, Com- pact Double
Bottom Bracket	Press Fit-30	Press Fit-30	GXP
Seatpost	Rock Shox REVERB Remotely Ajust- able seat Post 30.9mm x 420mm	Truvativ Team Seat Post 30.9 X 400mm	Whyte Alloy 2014, 30.9mm x 410mm
Seat	Fi'zi:k Gobi Chalk White and Black	Fi:zik Gobi XM	Whyte Custom
Bar	Easton Haven Carbon Low Rise, 31.8mm OD, 711mm Wide	Easton Haven Alloy low rise, 31.8mm Dia, 711mm Wide	Whyte Low Rise 20mm, 31.8mm Dia, 680mm wide
Stem	Easton Haven, 31.8mm Bar Clamp, 70mm S, 70mm M, 85mm L	Truvativ Race, \$ 65mm, M 75mm, L 90mm	Whyte, 31.8mm Bar Clamp, S 70mm, M 80mm, L 90mm
Grips	Whyte Semi Lock-on's	Whyte Semi Lock-on's	Whyte Semi Lock-on's
Brakes	Avid Elixir CR 185mm Rotor	Avid Elixr R, 185 Rotor	Avid ELIXIR 3 160mm
Brake Levers	Avid Elixir CR Matchmaker	Avid Elixr R Matchmaker	Avid ELIXIR 3 Matchmaker
Pedals	None	None	None
Target Available Date	Mid October 2010	Mid October 2010	Mid October 2010

Model	Whyte 19 C Works XX	Whyte 19 Team	Whyte 19 C S
Target SRP	£3,699.00	£3,399.00	£2,799.00
Colour	Ghost White, UD Carbon and Acid Green	Ghost White, UD Carbon and Orange	Ghost White, UD Carbon and Pacific Blue
Sizes Available	S, M, L	S, M, L	S, M, L
Frame	High Modulus, Uni-directional Carbon	High Modulus, Uni-directional Carbon	High Modulus, Uni-directional Carbon
Fork	RockShox SID XX, 100mm Travel, Remote Push-Lock, Motion Control	Fox F100 FIT Damper Cartridge, 100mm Travel, Remote Lockout	RockShox SID RLT, 100mm Travel, Remote Poploc
Rear Shock	N/A	N/A	N/A
Headset	FSA Integrated, Orbit CE Plus, ZS, Sealed Cartridge Bearings	FSA Integrated, Orbit CE Plus, ZS, Sealed Cartridge Bearings	FSA Integrated Headset, Orbit CE Plus ZS, Sealed Cartridge Bearings
Rear Hub	Easton EA-90, Tubleless Compatible Wheelset	Shimano XTR WH-M985 Wheelset, Tubeless Compatible	Fulcrum Red Metal 3 Wheelset, 6 Bol hubs, Tubeless Compatible
Front Hub	Easton EA-90, Tubleless Compatible Wheelset	Shimano XTR WH-M985 Wheelset, Tubeless Compatible	Fulcrum Red Metal 3 Wheelset, 6 Bol hubs, Tubeless Compatible
Spokes	Easton Double Butted	Shimano XTR	Fulcrum Red Metal 3
Rims	Easton EA-90, Tubleless Compatible Wheelset	Shimano XTR WH-M985 Wheelset, Tubeless Compatible	Fulcrum Red Metal 3, Tubeless Compatible
Tyre	Maxxis Aspen 26 x 2.1, DKFW AR 465g	Maxxis Aspen, 26" X 2.1" DKFW AR Folding	Continental Race King 26 X 2.0"
Shift Levers	SRAM XX 10 Speed	Shimano XTR SL-M980 10 Speed	SRAM X-0 10 Speed
Front Derailleur	SRAM XX 10 Speed	Shimano XTR FD-M985 10 Speed	SRAM X-0 10 Speed
Rear Derailleur	SRAM XX 10 Speed	Shimano XTR RD-M980 10 Speed	SRAM X-0, Medium Cage 10 Speed
Cassette	SRAM XX, 11-36T 10 Speed	Shimano XTR CS-M980, 11-34T, 10 Speed, Compact Double	SRAM PG-1070, 11-32T 10 Speed
Chain	SRAM PC1030, 10 Speed	FSA Team Issue 10 Speed	FSA Team Issue 10 Speed
Crankset	FSA K-Force, BB-30, 27/39T 10 Speed, Compact Double	FSA SLK Carbon 42/27T Double 10 Speed	FSA SLK, BB30, 42/27T 10 Speed, Compact Double
Bottom Bracket	BB30	FSA BB30	FSA BB30
Seatpost	FSA K-Force SB0, 27.2" Dia.	Fi:zik Cyrano 30.9mm dia.	Fi:zik Cyrano, 30.9mm Dia.
Seat	Fi'zi:k Tundra II, Ti Rails	Fi'zi:k Tundra II, with Mag Rails	Fi'zi:k Tundra II, Mag Rails
Bar	FSA K-Force Light, Flat Nano Carbon, 31.8mm OD, 600mm Wide	FSA SLK Carbon Flat, 31.8mm dia 620mm wide	FSA SLK Carbon, Flat, 31.8mm dia, 620mm Wide
Stem	FSA K-Force Carbon, -6 degree, 90mm S/M, 100mm L	FSA SLK, 80mm S, 90mm M, 100mm L	FSA SLK, 80mm S, 90mm M, 100mm L
Grips	Whyte Custom, Lock-on grips	Whyte Custom, Lock-on	Whyte Custom, Lock-on
Brakes	SRAM XX, 160mm Rotor	Shimano XTR BL-M985, 160mm Rotor	Hayes Stroker Carbons V6 Rotor
Brake Levers	SRAM XX Carbon Levers	Shimano XTR BL-M985	Hayes Stroker Carbon
Pedals	None	None	None
Target Available Date	October 2010	October 2010	October 2010

Model	Whyte 19 C	Whyte 19 Trail Ti	Whyte 19 Trail Steel
Target SRP	£1,999.00	£0.00	£1,499.00
Colour	Ghost Whyte, UD Carbon and Apple Green	Brushed Raw Ti	Matte Titanium and Nickel
Sizes Available	S,M,L	S, M, L	S, M, L
Frame	Uni-directional Multi Monoque	3AL2.5V Aerospace Grade Titanium Alloy, Custom Cold-drawn	Reynolds 631 Air Hardening steel , Custom Drawn and Multi Butted
Fork	Rockshox Reba RL, 100mm Travel, Poploc Remote Lockout	Fox F120RL FIT Cartridge, 120mm Travel, QR15 Dropouts	Fox 32 ALPS RL, 120mm Travel, 9mm Skewer
Rear Shock	N/A	N/A	N/A
Headset	FSA Orbit CE, Integrated	FSA Orbit MX, Sealed Cartridge Bearings	FSA Orbit MX, Sealed Cartridge Bearings
Rear Hub	Fulcrum Red Metal 5 Wheelset, 6 Bolt Hubs	SunRingle Black Flag Pro Wheelset, 9mm Skewer	Hope Pro 2, 32 Hole with Shimano XT QR
Front Hub	Fulcrum Red Metal 5 Wheelset, 6 Bolt Hubs	SunRingle Black Flag Pro Wheelset, 15mm Through Axle	Alloy, Sealed Bearings with Shimano QR
Spokes	Fulcrum	Wheelsmith Double Butted	DT Competition Butted 1.8-1.6- 1.8mm, Black Stainless with Brass Nipples
Rims	Fulcrum Red Metal 5	Stan's No Tubes BST System	Mavic XM 317, 32 Hole
Tyre	Continental Race King 26 x 2.0"	Maxxis Aspen 26 x 2.25 DKFW AR	Maxxis Aspen 26 X 2.25", DK60 AR Folding Bead
Shift Levers	SRAM X-7 10 Speed	Shimano XTR SL-M980 10 Speed	Shimano SLX SL-M660 10 Speed
Front Derailleur	SRAM X-7 10 Speed	Shimano XT FD-M7710-10 Speed	Shimano SLX FD-M660
Rear Derailleur	SRAM X7, Medium Carbon Cage 10 Speed	Shimano XTR RD-M980 10 Speed	Shimano SLX RD-663
Cassette	SRAM PG-1050, 11-32T 10 Speed, Compact Double	Shimano XT SC-M771, 11-34T, 10 Speed	Shimano SLX CS-HG81, 11-34T
Chain	FSA Team Issue 10 Speed	Shimano CN-HG94 10 Speed	Shimano CN-HG74
Crankset	FSA Comet BB30, 42/27T Double 10 Speed	FSA Afterburner Crankset BB30, 42/32/24 10 Speed	FSA V Drive BB30, 42/32/24T 10 Speed
Bottom Bracket	FSA BB30	SRAM Press Fit BB	FSA BB30
Seatpost	Whyte Custom, 30.9mm Dia, 400mm long	Thomson 16 Degree Lay-Back, 30.9mm X 410mm	Whyte Custom, 30.9mm
Seat	Whyte Custom	Fi'zi:k Gobi XM, Mag Rails	Fi'zi:k Gobi XM Mag Rails
Bar	Whyte Custom, low rise bar, 680mm wide	Easton Haven Carbon XC Low Rise, 31.8mm OD	Truvative Stylo Race, 31.8mm OD, 25.4mm Rise, 680mm long
Stem	Whyte Custom, 70mm S/M and 80mm L	Thomson Elite X-4, 31.8mm, 70mm S, 80mm M, 90mm L	Truvative Stylo Race, 60mm S, 75mm M, 90mm L
Grips	Whyte Custom, Lock-on	Whyte Custom Lock-on's	Whyte Custom Lock-on's
Brakes	Avid Elixir 3, 160mm rotor	Hope X2 With Hope Tech Levers, 183mm rotor	Avid Elixir 5, 180mm Front and 160mm Rear Rotors
Brake Levers	Avid Elixir 3	Hope Tech Carbon Lever	Avid Elixir 5
Pedals	N/A	None	None
Target Available Date	Late September 2010	December 2010	Mid September 2010

Model	Whyte 19 Alloy	Whyte 905	Whyte 901 Trail
Target SRP	£1,999.00	£1,599.00	£1,149.00
Colour	Satin Chalk and Gloss Nickel	Satin Ghost White with Gloss Orange	Satin Granite Black with Gloss Lime Green
Sizes Available	S, M, L	S, M, L	S, M, L
Frame	6061 Hydro Formed T6 Aluminium, Custom Drawn and Multi Butted, with Press Fit BB Shell, Tapered Headtlube and Adjustable Modular Dropouts	6061 Hydro Formed T6 Aluminium, Custom Drawn and Multi Butted, with Press Fit BB Shell and Tapered Headtube	6061 Hydro Formed T6 Aluminium, Custom Drawn and Multi Butted
Fork	Fox F120 RL, 120mm Travel, QR15 Dropouts and Tapered Steerer Tube	RockShox Reba RL, Maxle Light, 120mm Travel, Motion Control Damping with TurnKey Lock-out	RockShox Recon TK, Maxle Light 120mm Travel, Solo Air, Adjustable compression
Rear Shock	N/A	N/A	N/A
Headset	FSA Orbit ZS, Sealed Cartridge Bearings, 1.5" Lower 1 1.8" upper bearings	FSA Orbit ZS, Sealed Cartridge Bearings, 1.5" Lower 1 1.8" upper bearings	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings
Rear Hub	SunRingle Black Flag Pro Wheelset, 9mm Skewer	Hope II Pro Disc Hub 32 Hole with Shimano XT QR	Alloy, Double Sealed Bearing Hub, 32 Hole
Front Hub	SunRingle Black Flag Pro Wheelset, 15mm Through Axle	Alloy, Double Sealed Bearing Hub 20mm, 32 Hole	Alloy, Double Sealed Bearing Hub 20mm Through Axle, 32 Hole
Spokes	Wheelsmith Double Butted	DT Competition Butted 1.8-1.6- 1.8mm, Black Stainless with Brass Nipples	WTB 1.8mm, Black Stainless with Brass Nipples
Rims	Stan's No Tubes BST System	Mavic XM 317, 32 Hole	Mavic XM 119 Disc Noir, 32 Hole
Tyre	Maxxis Aspen 26 x 2.25 DK60 AR	Maxxis Aspen 26 X 2.25", DK60 AR Folding Bead	Continental Trail King Fold 26" X 2.2
Shift Levers	SRAM X-9 10 Speed	SRAM X-7 10 Speed	SRAM X-7 10 Speed
Front Derailleur	SRAM X-9 10 Speed	SRAM X-7 10 Speed	SRAM X-7 10 Speed
Rear Derailleur	SRAM X-0 Medium Cage, 10 Speed	SRAM X-9 10 Speed	SRAM X-7 Long Cage 10 Speed
Cassette	SRAM PG-1070, 12-36T 10 Speed	SRAM PG-1050, 12-36T 10 Speed	SRAM PG-1050 12-36 10 Speed
Chain	SRAM PC-1050 10 Speed	SRAM PC-1050	SRAM PC-1030 10 Speed
Crankset	SRAM FC X-9, 39/26T 10 Speed, Compact Double	SRAM X9 Press Fit 30 26/39 10 Speed, Compact Double	SRAM FC \$1000, GXP, 44/33/22T 10 Speed
Bottom Bracket	SRAM Press Fit BB	SRAM Press Fit 30	SRAM GXP
Seatpost	Thomson 16 Degree Lay-Back, 30.9mm X 410mm	Whyte 20mm Offset, 30.9mm X 400mm, 2014 Alloy	Whyte 20mm Offset, 30.9mm X 400mm, 2014 Alloy
Seat	Fi'zi:k Gobi XM, Mag Rails	Fi'zi:k Gobi XM Mag Rails	Whyte Custom
Bar	Easton EA70, Low Rise, 31.8mm, 685mm Wide	SRAM Stylo, 31.8mm Dia, 680 Wide	SRAM Stylo Race, 31.8mm Dia, 25.4mm Rise and 680mm wide
Stem	Thomson 31.8mm, 70mm S, 80mm M, 90mm L	SRAM Sylo Race, 70mm S, 80mm M, 90mm L	Whyte Custom, 70mm S, 80mm M, 90mm L
Grips	Whyte Custom Lock-on's	Whyte Custom Lock-on's	Whyte Custom Lock-on's
Brakes	Hope X2, With Tech Carbon Lever, 180mm rotor	Avid Elixir 5, 180mm Rotor	Elixir 5, 180mm Rotor
Brake Levers	Hope Tech Carbon Lever	Avid Elixir 5	Elixir 5
Pedals	None	None	None
Target Available Date	Mid September 2010	Early September 2010	Early September 2010

Model	Whyte 809	Whyte 805	
Target SRP	£1,199.00	£899.00	
Colour	Gloss Jet Black/Ghost White and Orange	Gloss Jet Black/Ghost White and Apple Green	
Sizes Available	S, M, L	S, M, L	
Frame	6061 Hydro Formed T6 Aluminium, Custom Drawn and Multi Butted	6061 Hydro Formed T6 Aluminium, Custom Drawn and Multi Butted	
Fork	RockShox Recon Gold RL, 100mm Travel, Solo Air, Adjustable compres- sion	RockShox Recon Silver TK, 100mm Travel, Adjustable Rebound, Turn Key Lockout	
Rear Shock	N/A	N/A	
Headset	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings	
Rear Hub	SRAM 506, Alloy, Double Sealed Bearing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole	
Front Hub	SRAM 506 Alloy, Double Sealed Bear- ing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole	
Spokes	WTB 1.8mm, Black Stainless with Brass Nipples	WTB 1.8mm, Black Stainless with Brass Nipples	
Rims	Mavic XM 119 Disc Noir, 32 Hole	Alex TD-24, 32 Hole	
Tyre	Continental Trail King Fold 26" X 2.2"	Continental Trail King Wire 26" X 2.2"	
Shift Levers	SRAM X-7 10 Speed	Shimano Alivio	
Front Derailleur	SRAM X-7 10 Speed	Shimano Alivio	
Rear Derailleur	SRAM X-7 Carbon Medium Cage 10 Speed	Shimano SLX Shadow	
Cassette	SRAM PG-1050 12-32 10 Speed	Shimano HG-61 11-34T	
Chain	SRAM PC-1030 10 Speed	Shimano HG-53	
Crankset	SRAM FC \$1000, GXP, 44/32/22T 10 Speed	Shimano M521 44-32-22T	
Bottom Bracket	SRAM GXP	Shimano BB-ES25 Square Taper	
Seatpost	Whyte 20mm Offset, 30.9mm X 400mm, 2014 Alloy	Whyte 20mm Offset, 30.9mm X 400mm, 2014 Alloy	
Seat	Whyte Custom	Whyte Custom	
Bar	Whyte Low Rise 20mm, 31.8mm Dia, 680mm wide	Whyte Low Rise 20mm, 31.8mm Dia, 680mm wide	
Stem	Whyte Custom, 70mm S, 70mm M, 80mm L	Whyte Custom, 70mm S, 70mm M, 80mm L	
Grips	Whyte Custom Lock-on's	Whyte Custom Lock-on's	
Brakes	Elixir 3, 160mm Rotor	Hayes Stroker Comp, V6 Rotor	
Brake Levers	Elixir 3	Hayes Stroker Comp	
Pedals	VP Full Alloy with Toe Clips	VP Composite Body, Alloy Cage, Toe Strap	
Target Available Date	Late September 2010	Early September 2010	

Model	Montpellier	Stirling	Cambridge
Target SRP	£2,999.00	£999.00	£899.00
Colour	Satin Granite Black with Orange	Satin Granite Black with Orange	Satin with Apple Green
Sizes Available	S, M, L	S, M, L	S, M, L
Frame	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted, with custom Whyte dropouts and Press Fit BB Shell	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts
Fork	Bladed Full Carbon Front Fork and Steerer, with double eyelets and low rider bosses	Bladed Carbon Front Fork with Alloy steerer Tube, double eyelets and low rider bosses	Bladed Carbon Front Fork, with dou- ble eyelets and low rider bosses
Rear Shock	N/A	N/A	N/A
Headset	FSA Semi Intergrated road, 1 1/8" Sealed Cartridge Bearings	FSA Semi Intergrated road, 1 1/8" Sealed Cartridge Bearings	FSA Semi Intergrated road, 1 1/8" Sealed Cartridge Bearings
Rear Hub	Pro III Hope Wheelset, 24 Hole	Alloy, Double Sealed Cartridge Bear- ing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole
Front Hub	Pro III Hope Wheelset, 24 Hole	Alloy, Double Sealed Cartridge Bear- ing Hub, 28 Hole	Alloy, Double Sealed Bearing Hub, 28 Hole
Spokes	Sapin Double Butted, Black Stainless with Alloy Nipples	DT Competition, Black Stainless with Brass Nipples	WTB PG 1.8mm, Black Stainless with Brass Nipples
Rims	DT, Deep Section road rim	Alex Race 28, deep section road rim, 32 Hole rear and 28 front	Alex Race 28, deep section road rim 32 Hole rear and 28 Hole front
Tyre	Vittoria, Open Corsa EVO CX, 700 X 23c. Black	Continental Ultra Race, 700 X 25c, Black, with Puncture Protection	Maxxis Detonator, 700 X 28c, Grey, with Puncture Protection
Shift Levers	SRAM XX 10 Speed	SRAM SL700 10 Speed	SRAM SL700 10 Speed
Front Derailleur	SRAM Force 10 Speed	SRAM APEX 10 Speed	SRAM APEX 10 Speed
Rear Derailleur	SRAM Red Carbon 10 Speed	SRAM Rival 10 Speed	SRAM APEX Long Cage
Cassette	SRAM OG-1090, 11-28T 10 Speed	SRAM PG-1050 11-28T	SRAM APEX PG-1050 11-32T
Chain	SRAM PC-1050	Sram PC-1030	SRAM PC-1030
Crankset	SRAM Red BB-30, 34/50 10 Speed Compact	SRAM APEX 34/50 10 Speed Compact	SRAM \$150 34/50 10 Speed Compact
Bottom Bracket	SRAM Press Fit	SRAM GXP	SRAM Power Spline
Seatpost	Fi:zik Cyrano Seat Post, 27.2 X 350MM	Whyte 20mm Offset, 27.2mm X 350mm, 2014 Alloy	Whyte 20mm Offset, 27.2mm X 350mm, 2014 Alloy
Seat	Fi:zik Gobi XM	SR Viper, with Scuff Gaurds	Whyte Custom
Bar	Whyte Ultra Narrow, 31.8mm Dia, Flat Bar and 580mm wide	Whyte Ultra Narrow, 31.8mm Dia, 20mm Rise and 580mm wide	Whyte Ultra Narrow, 31.8mm Dia, 20mm Rise and 580mm wide
Stem	Whyte, 70mm S, 80mm M, 90mm L	Whyte, 70mm S, 80mm M, 90mm L	Whyte, 70mm S, 80mm M, 90mm L
Grips	Fi:zik Lock-on Leather Grips	Whyte Custom Lock-on's	Whyte Custom Lock-on's
Brakes	Hope X-2 Race brake, Matchmaker Clamps	Tektro Volans 160mm Rotor	Tektro Draco, 160mm Rotor
Brake Levers	Hope X-2 Race	Tektro Volans	Tektro Draco
Pedals	None	Full Alloy, with Toe Clip	Composite with Alloy Cage, with Toe Clip
Target Available Date	Mid August 2010	Mid August 2010	Mid August 2010

Model	Portobello	Coniston	Caledonian
Target SRP	£699.00	£1,099.00	£849.00
Colour	Satin Granite Black with Apple Green	Satin Granite with Orange	Gloss Ghost White with Pacific Blue
Sizes Available	S, M, L	S, M, L	S, M, L
Frame	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts
Fork	Bladed 6061 Alloy T6 Front Fork, with double eyelets and low rider bosses	RST Vogue Pro Air, 60mm Travel, Hydro Lock Out, rebound control and Alloy steerer	SR Suntour NCX-E LO Lite, 63mm travel, Hydro Lock-out and internal rebound control
Rear Shock	N/A	N/A	N/A
Headset	FSA Semi Intergrated road, 1 1/8" Sealed Cartridge Bearings	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings
Rear Hub	Alloy, Double Sealed Bearing Hub, 32 Hole	SRAM 506 Alloy, Double Sealed Bear- ing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole
Front Hub	Alloy, Double Sealed Bearing Hub, 28 Hole	SRAM 506 Alloy, Double Sealed Bear- ing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole
Spokes	WTB PG 1.8mm, Black Stainless with Brass Nipples	DT competition 1.8/1.6/1.8mm, Black Stainless with Brass Nipples	WTB 1.8mm, Black Stainless with Brass Nipples
Rims	Alex Race 28, deep section road rim, 32 Hole rear and 28 front	Alex EN-24 700c, 32 Hole with eyelets	Alex TD-24 700c, 32 Hole
Tyre	Maxxis Detonator, 700 X 28c, Black, with Puncture Protection	WTB All Terrain Comp 700 X 35c, Folding with reflective sidewall and puncture belt	WTB All Terrain Comp 700 X 35c
Shift Levers	Shimano SL-R440 9 Speed	Shimano Deore 9 Speed	Shimano Alvio 9 Speed
Front Derailleur	Shimano R440 9 Speed	Shimano Deore 9 Speed	Shimano Deore 9 Speed
Rear Derailleur	Shimano Sora 9 Speed	Shimano XT Shadow 9 Speed	Shimano SLX Shadow 9 Speed
Cassette	SRAM PG-950 9 Speed	SRAM PG-950 11-32 9 Speed	Shimano Deore HG-50 11-32 9 Speed
Chain	Shiman HG-53	Shimano HG-53	Shimano HG-53
Crankset	FSA Tempo 34/50 9 Speed Compact	Shiamno M660 SLX Hollow Tech II 48-36-26	Shiamno Deore M443 48-36-26 Octalink
Bottom Bracket	FSA Square Taper	Hollow Tech II	Shimano ES-25 Octalink
Seatpost	Whyte 20mm Offset, 27.2mm X 350mm, 2014 Alloy	Whyte 20mm Offset, 30.9mm X 400mm, 2014 Alloy	Whyte 20mm Offset, 30.9mm X 400mm, 6061 Alloy
Seat	Whyte Custom	Whyte Custom	Whyte Custom
Bar	Whyte Ultra Narrow, 31.8mm Dia, 20mm Rise and 580mm wide	Whyte High Rise 30mm, 31.8mm Dia, 620mm wide	Whyte High Rise 30mm, 31.8mm Dia, 620mm wide
Stem	Whyte, 70mm S, 80mm M, 90mm L	Whyte Custom, 90mm S, 100mm M, 110mm L	Whyte Custom, 90mm S, 100mm M, 110mm L
Grips	Whyte Custom Lock-on's	Whyte Custom Comfort Lock-on's	Whyte Custom Comfort Lock-on's
Brakes	Tektro Draco, 160mm Rotor	Avid Elixir 3 160mm Rotor	Hayes Stroker Comp 160mm Rotor
Brake Levers	Tektro Draco	Avid Elixir 3	Hayes Stroker Comp
Pedals	Composite with Alloy Cage, with Toe Clip	VP Full Allloy with Toe Clips	VP Composite with Alloy cage and Toe Clips
Target Available Date	Mid August 2010	Late August 2010	Late August 2010

Model	Malvern	Caledonian Womens	Malvern Womens
Target SRP	£649.00	£849.00	£649.00
Colour	Gloss Jet Black with Apple Green	Gloss Ghost White with Metallic Green	Gloss Jet Black with Varsity Blue
Sizes Available	S, M, L	S, M, L	S, M, L
Frame	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts	6061 Hydro Formed T6 Aluminium, Custom Drawn, Multi Butted and with custom Whyte dropouts
Fork	RST Neon Pro, 60mm Travel, Hydro Lock Out	SR Suntour NCX-E LO Lite, 63mm travel, Hydro Lock-out and internal rebound control	RST Neon Pro, 60mm Travel, Hydro Lock Out
Rear Shock	N/A	N/A	N/A
Headset	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings	FSA Semi Intergrated, 1 1/8" Sealed Cartridge Bearings
Rear Hub	Alloy, Double Sealed Bearing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole
Front Hub	Alloy, Double Sealed Bearing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole	Alloy, Double Sealed Bearing Hub, 32 Hole
Spokes	WTB 1.8mm, Silver Stainless with Brass Nipples	WTB 1.8mm, Black Stainless with Brass Nipples	WTB 1.8mm, Silver Stainless with Brass Nipples
Rims	Alex TD-24 700c, 32 Hole	Alex TD-24 700c, 32 Hole	Alex TD-24 700c, 32 Hole
Tyre	WTB All Terrain Comp 700 X 35c	WTB All Terrain Comp 700 X 35c	WTB All Terrain Comp 700 X 35c
Shift Levers	Shimano Alvio 9 Speed	Shimano Alvio 9 Speed	Shimano Alvio 9 Speed
Front Derailleur	Shimano Alivio 9 Speed	Shimano Deore 9 Speed	Shimano Alivio 9 Speed
Rear Derailleur	Shimano Alivio 9 Speed	Shimano SLX Shadow 9 Speed	Shimano Alivio 9 Speed
Cassette	Shimano Alivio HG-30 11-32 9 Speed	Shiman Deore HG-50 11-32 9 Speed	Shimano Alivio HG-30 11-32 9 Speec
Chain	Shimano HG-53	Shimano HG-53	Shimano HG-53
Crankset	Shiamno M431 Alivio 48-36-26	Shiamno Deore M443 48-36-26 Octalink	Shiamno M431 Alivio 48-36-26
Bottom Bracket	Square Taper	Shimano ES-25 Octalink	Square Taper
Seatpost	Whyte 20mm Offset, 30.9mm X 400mm, 6061 Alloy	Whyte 20mm Offset, 30.9mm X 400mm, 6061 Alloy	Whyte 20mm Offset, 30.9mm X 400mm, 6061 Alloy
Seat	Whyte Custom	Whyte Custom Womens Fit	Whyte Custom Womens Fit
Bar	Whyte High Rise 30mm, 31.8mm Dia, 620mm wide	Whyte High Rise 30mm, 31.8mm Dia, 620mm wide	Whyte High Rise 30mm, 31.8mm Dia 620mm wide
Stem	Whyte Custom, 90mm S, 100mm M, 110mm L	Whyte Custom, 90mm S, 100mm M, 110mm L	Whyte Custom, 90mm S, 100mm M, 110mm L
Grips	Whyte Custom Comfort Lock-on's	Whyte Custom Comfort Lock-on's	Whyte Custom Comfort Lock-on's
Brakes	Tektro Draco 160mm Rotor	Hayes Stroker Comp 160mm Rotor	Tektro Draco 160mm Rotor
Brake Levers	Tektro Draco	Hayes Stroker Comp	Tektro Draco
Pedals	VP Composite with Toe Clips	VP Composite with Alloy Cage and Toe Clips	VP Composite with Toe Clips
Target Available Date	Late August 2010	Late August 2010	Late August 2010