Phone: 03 9841 9892

### Section 1 - Identification

# H&S Nail Supplier Pty Ltd 8 Malei Court Templestowe VIC 3106 AUSTRALIA Chemical nature: Acrylic powder

| Chemical nature:   | Acrylic powder for use as cosmetic.                      |  |
|--|--|--|
| Trade Name:  | Dipper Acrylic Powder 2in1                               |  |
| Product Use:   | Cosmetic product.  |  |
| Creation Date:   | September, 2022  |  |
| This version issued:   | September, 2022 and is valid for 5 years from this date. |  |
| Poisons Information Centre: Phone 13 1126 from anywhere in Australia |  |  |

### Section 2 - Hazards Identification

### Statement of Hazardous Nature

SUSMP Classification: None allocated.

**ADG Classification:** None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

**UN Number:** None allocated

# GHS Signal word: NONE. Not hazardous.

### HAZARD STATEMENT:

There appear to be no hazards associated with this product.

### PREVENTION

### RESPONSE

P334: If molten material comes into contact with skin, do not attempt to remove it. Cool with cold running Wrap loosely with cold wet towel or bandage and take to hospital or doctor.

P342: If in discomfort or distressed by polymer decomposition fumes, see Section 4 of this SDS.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: In case of fire: Use carbon dioxide, dry chemical, foam, water fog, to extinguish.

### STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

#### DISPOSAL

P501: If they can not be recycled, dispose of contents to an approved waste disposal plant and containers to landfill (see Section 13 of this SDS).

### **Emergency Overview**

Physical Description & Colour: Pellets or powder, available in a variety of colours.

Odour: No odour.

| Section 3 – Composition and Information on Ingredients |           |         |                          |                           |
|--|-----------|---------|--------------------------|---------------------------|
| Ingredients  | CAS No    | Conc, % | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) |
| Methyl methacrylate homopolymer                        | 9011-14-7 | >95     | not set                  | not set                   |
| Other non hazardous ingredients                        | secret    | to 100  | not set                  | not set                   |
| <b></b>  | e .       |         |                          | e                         |

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

### **Section 4 - First Aid Measures**

### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

### SAFETY DATA SHEET

Issued by: H&S Nail Supplier Pty Ltd

# Product Name: Dipper Acrylic Powder 2in1 Page: 2 of 5

### This version issued: September, 2022

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. If polymer decomposition fumes (processing fumes) are inhaled, and adverse symptoms are experienced, move to fresh air. If patient is in discomfort or distressed or if symptoms persist more than about 15 minutes, contact the Poisons Information Centre (Phone 13 1126) or a doctor.

Skin Contact: Gently brush away excess particles. If molten material comes into contact with skin, do not attempt to remove it. Cool with cold running water until thoroughly cool (this may take longer than you expect as plastic is a poor heat conductor). Wrap loosely with cold wet towel or bandage and take to hospital or doctor. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently brush particles from eyes. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water until the particles are removed, while holding the evelid(s) open. Obtain medical attention if irritation persists, or if particles are lodged in surface of the eye(s). Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting. Wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

### Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liauids.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures. Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam or water fog.

Fire Fighting: When fighting fires involving significant quantities of this product, no special equipment is believed to be necessary.

# **Section 6 - Accidental Release Measures**

Accidental release: Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber and PVC. Eye/face protective equipment should comprise, as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable dust mask. Otherwise, not normally necessary. Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

# Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is chemically and physically stable and has no special storage requirements. However, make sure that packaging is sound and store in a suitable clean environment. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

# Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

#### SWA Exposure Limits TWA (mg/m<sup>3</sup>)

STEL (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

# SAFETY DATA SHEET

Issued by: H&S Nail Supplier Pty Ltd

Phone: 03 9841 9892

#### Product Name: Dipper Acrylic Powder 2in1 Page: 3 of 5 This version issued: September, 2022

**Eye Protection:** Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when lengthy skin contact is likely.

**Protective Material Types:** There is no specific recommendation for any particular protective material type. **Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable dust mask.

### **Section 9 - Physical and Chemical Properties:**

| Physical Description & colour: | Pellets or powder, available in a variety of colours.      |
|--------------------------------|--|
| Odour:                         | No odour.  |
| Freezing/Melting Point:        | 104-118°C  |
| Boiling Point:                 | Decomposes before boiling at 100kPa.                       |
| Flash point:                   | Combustible solid.   |
| Upper Flammability Limit:      | No data.   |
| Lower Flammability Limit:      | No data.   |
| Autoignition temperature:      | No data.   |
| Flammability Class:            | Combustible solid for which no flammability class applies. |
| Volatiles:                     | No specific data. Expected to be low at 100°C.             |
| Vapour Pressure:               | Negligible at normal ambient temperatures.                 |
| Vapour Density:                | Not applicable.  |
| Specific Gravity:              | Approx 1.19  |
| Water Solubility:              | Insoluble.   |
| pH:                            | No data.   |
| Volatility:                    | No data.   |
| Odour Threshold:               | No data.   |
| Evaporation Rate:              | Not applicable.  |
| Coeff Oil/water Distribution:  | No data  |
| Particle Characteristics:      | Pellets or powder.   |
| Viscosity:                     | Not applicable.  |
| Decomposition temp:            | Begins to decompose at 260°C                               |
| Autoignition temp:             | No data.   |

# Section 10 - Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: None known.

Incompatibilities: strong oxidising agents.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. **Polymerisation:** This product will not undergo polymerisation reactions.

# Section 11 - Toxicological Information

### Local Effects:

Target Organs: There is no data to hand indicating any particular target organs.

Major Health Hazards: no significant risk factors have been found for this product.

# Classification of Hazardous Ingredients

Ingredient

Health Hazard Statement Codes

No ingredient mentioned in the HCIS Database is present in this product at hazardous concentrations.

### **Potential Health Effects**

Inhalation:

# SAFETY DATA SHEET

Issued by: H&S Nail Supplier Pty Ltd

Phone: 03 9841 9892

#### Product Name: Dipper Acrylic Powder 2in1 Page: 4 of 5 This version issued: September, 2022

**Short Term Exposure:** Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation. In use, this product may be heated to the point where fumes are released. They may cause nausea and distress, but are unlikely to cause serious harm. However, they should be avoided.

**Long Term Exposure:** Long term inhalation of high amounts of any nuisance dust may overload lung clearance mechanism. No data for health effects associated with long term inhalation.

# Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use.

Long Term Exposure: No data for health effects associated with long term skin exposure.

# Eye Contact:

**Short Term Exposure:** This product is likely to be mechanically irritating. If exposure is minor or brief, no long term effects should result. However, if material is not removed promptly, scratches to surface of the eye may result with long term consequences.

Long Term Exposure: No data for health effects associated with long term eye exposure.

### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is not harmful. This product is unlikely to cause any irritation problems in the short or long term. **Long Term Exposure:** No data for health effects associated with long term ingestion.

# **Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

IARC: Methyl Methacrylate Homopolymer is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

# Section 12 - Ecological Information

Insufficient data to be sure of status.

# Section 13 - Disposal Considerations

**Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable in-house, consider controlled incineration, or contact a specialist waste disposal company.

# Section 14 - Transport Information

**UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

# **Section 15 - Regulatory Information**

**AICS:** All of the significant ingredients in this formulation are compliant with AICIS regulations.

# Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

| Acronyms:   |   |
|---|---|
| ADG Code  | Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition) |
| AICS/AIIC   | Australian Inventory of Industrial Chemicals  |
| SWA   | Safe Work Australia, formerly ASCC and NOHSC  |
| CAS number  | Chemical Abstracts Service Registry Number  |
| Hazchem Code  | Emergency action code of numbers and letters that provide information to emergency              |
|   | services especially firefighters  |
| IARC  | International Agency for Research on Cancer   |
| NOS   | Not otherwise specified   |
| NTP   | National Toxicology Program (USA)   |
| SUSMP   | Standard for the Uniform Scheduling of Medicines & Poisons                                      |
| UN Number   | United Nations Number   |
| THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW |   |

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

# SAFETY DATA SHEET

Issued by: H&S Nail Supplier Pty Ltd

Phone: 03 9841 9892

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7 Copyright © Kilford & Kilford Pty Ltd, September, 2022. <u>http://www.kilford.com.au/</u> Phone (02)8321 8866