# Replacement Bench Pad





# 

Read all safety warnings, instructions and illustrations provided for this piece of strength equipment. Failure to follow all instructions listed

below may result in serious injury or death. User assumes all potential risks of assembly or use of this product.

#### PERSONAL SAFETY

• Stay alert, watch what you are doing when assembling and operating the strength equipment. Do not use the strength equipment while you are tired or under the influence of drugs, alcohol or medication. A moment of inattention while operating or assembling the strength equipment may result in serious or fatal injury.

### **EQUIPMENT USE AND CARE**

- Visually inspect all components in order to identify potential deformation or damage. If damages are observed, discontinue assembly and contact the manufacturer at <a href="mailto:shipping@texasstrengthsystems.com">shipping@texasstrengthsystems.com</a>, <a href="mailto:wesz@texasstrengthsystems.com">wesz@texasstrengthsystems.com</a>.
- Ensure that all components are securely fastened before use.

### **Required Tools**

- 3/8" Allen Wrench (Included)
- 7/16" Drill Bit and Drill Driver (Not Included)
- 9/16" Socket and Socket Wrench (Not Included)

## Parts



RP-001 | (x1) | Part A



Threaded Insert | (x4) | Part C



RP-003 | (x4) | Part D



RP-004 | (x4) | Part E



RP-002 | (x1) | Part B \*Not Provided\*





Place part A onto part B as seen above in image 1. Ensure that part A is centered on part B.



Image 2

Once part A is centered on part B use the 7/16" drill bit and driver to drill  $\frac{3}{4}$ " deep into part B. Use the pre existing holes in part A as a guide.



Image 3

Remove part A and then place part C into the holes that were drilled using the 3/8" allen wrench.



Image 4

Position part A onto part B so that the holes are aligned and place part D and E into part C as seen above in image 4 using a 9/16" socket and socket wrench.



Thank you for choosing Texas Strength Systems for your fitness needs. If you have any questions, comments, or concerns please don't hesitate to contact our staff.

#### **Contact Information**

Email: <u>wesz@texasstrengthsystems.com</u> Phone: (210) 233-6110, (210) 920-4877