# 2021 **SMART THERMOSTAT** Fan coil unit series



## Zebrago (SZ) Technology Co.,Ltd



(R) Merry Chow Merry@zebrago.cc (S)+86 137 6036 3649

C206, 2F, in+ Office Area, Internet Industrial Base, Xin'an 6th Road, Bao'an, Shenzhen

Unique UI design. Voice control available.

Suitable for 86mm square or European 60 round wall box.

### Black and white match are elegant.

Full black negative screen shows your high taste.





#### **BAC-001** First choice for your smart home

Oval shape looks very soft



Suitable for 86mm square or European 60 round wall box. Concavo-convex design reject old-fashioned monotony. Round blue POWER button is more flexible. Support OEM / ODM customization.





Unique UI design.

Suitable for 86mm square or European 60 round wall box.



Concavo-convex design reject old-fashioned monotony .

## Round blue POWER button is more flexible.

Support OEM / ODM customization.






BAC-003







#### BAC-003 First choice for high quality and better price



### 0.5C Temperature Accuracy.

The brightness of backlight can be adjusted. Suitable for 86mm square or European 60 round wall box. Fashionable design.





BAC-2000



#### **BAC-2000**

Automate

Hot-selling in the high-end market Negative black screen with white Itters












## Memory for your settings.

#### The brightness of backlight can be adjusted.

Suitable for 86mm square or European 60 round









# BRUSHED STAINLESS STEEL IS MORE I DISTINGUISHED

8. \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*



Six touch buttons are full of fashion. The middle round design are more dynamic. Wall-mounted or built-in installation F ahrenheit and Celsius is changable.

### 5+1+1 four periods programmable

tບູດື Google Assistant Gwave 🔵 amazon alexa 💋 zigbee





# **TOP LUXURY DESIGN**







### Appendix of Model Se lection



	lw		
F 18	is'il	-	1
03333			
-0	Tere .	-	
			IJ

		Power S	Supply	Cor	trol		Fan				App	lication						Addition	al				C	olor	
No.	Model	220VAC	24VAC	Heat	Cool	1 Speed	3 Speed	0-10V	2-pipe	4-pipe	2 wired Motorized Valve	3 wired Motorized Valve	0-10V Motorized Valve	0-10V Damper	Modbus	WIFI	Keycard	Window	Programma ble	External Sensor	Battery	White	Black	Brushed SS	Other
1	BAC-001AL	V	V	V	V		V		V		٧	V							V		Optional	Pending	٧	V	√
2	BAC-001ALN	V	٧	٧	V		V		V		٧	٧			V							Pending	٧	V	V
3	BAC-001ALW	V	٧	٧	٧		V		V		V	V				٧			V			Pending	٧	V	V
4	BAC-001EL	V	V	V	V		V			V	V	V							V		Optional	Pending	٧	V	V
5	BAC-001ELN	V	٧	V	٧		V			V	٧	٧			V							Pending	٧	√	V
6	BAC-001ELW	V	V	٧	V		٧		10.00	V	V	٧				V			٧			Pending	٧	√	√
7	BAC-001ML	V	V	V	V		V		V				v						V		Optional	Pending	٧	V	V
8	BAC-001MLN	V	٧	V	V		V		V				V		٧						1	Pending	٧	V	V
9	BAC-001MLW	V	V	V	V		V		V	1			V			V			V			Pending	V	V	V





		Power S	upply	Con	trol		Fan				Ap	plication						Addit	ional			Со	lor
No.	Model	220VAC	24VAC	Heat	Cool	1 Speed	3 Speed	0-10V	2-pipe	4-pipe	2 wired Motorized Valve	3 wired Motorized Valve	0-10V Motorized Valve	0-10V Damper	Modbus	WIFI	Keycard	Window	Programmable	External Sensor	Battery	White	Black
1	BAC-003AL	V	٧	V	٧		v		V		V	٧							V		Optional	٧	V
2	BAC-003ALW	V	٧	V	V		٧		V		V	٧			V							٧	V
3	BAC-003EL	V	٧	٧	٧		V		V		V	٧					V		V		Optional	٧	V
4	BAC-003ELW	V	V	٧	٧		٧		V		V	٧			V					٧		٧	V





		Power	Supply	Con	trol		Fan				Ар	plication						Additiona	al					Color			Butto	n light
No.	Model	220VAC	24VAC	Heat	Cool	1 Speed	3 Speed	0-10V	2-pipe	4-pipe	2 wired Motorize d Valve	Motorize	0-10V Motorize d Valve	0-10V Damper	Modbus	WIFI	Keycard	Window		External Sensor	Battery	White	Black	Pink	Gold	Silver	One	Four
1	BAC-1000AL	V	v	V	٧		V		V		V	V							V		Optional	V	٧	V	V	V	V	
2	BAC-1000ALN	v	v	٧	٧		V		٧		٧	٧			V							٧	٧	٧	٧	٧		
3	BAC-1000ALK	V	V	V	٧		V		٧		V	V					V		٧		Optional	٧	٧	V	V	V		
4	BAC-1000ALNK	٧	v	V	V		v		V		٧	V			V		V					٧	٧	٧	٧	٧		
5	BAC-1000ALNW2	v	V	V	٧		V		V		V	V			V			V				٧	٧	٧	٧	٧		
6	BAC-1000ALNE	V	V	V	V		V		V		V	V			V					٧		٧	٧	٧	V	V		
7	BAC-1000ALE	V	V	V	٧		V		V		V	V							٧	٧	Optional	V	٧	٧	V	V		
8	BAC-1000ALW	V	V	V	٧		V		V		٧	٧				V			٧			٧	٧	٧	٧	٧		
9	BAC-1000EL	v	v	V	V		V			٧	V	V							٧		Optional	٧	٧	٧	V	٧	٧	
10	BAC-1000ELN	V	V	V	٧		٧			٧	V	V			V							٧	٧	٧	٧	٧		
11	BAC-1000ELNK	v	V	V	V		V			٧	V	V			V		V					٧	٧	٧	٧	٧		
12	BAC-1000ELW	v	V	٧	٧		V			٧	V	V				V			٧			٧	٧	٧	٧	٧		
13	BAC-1000ML	V	V	٧	٧		V		V				٧						٧		Optional	٧	٧	V	٧	٧	V	
14	BAC-1000MLN	v	v	V	٧		V		V				٧		V							٧	٧	٧	V	٧		
15	BAC-1000EML	V	V	٧	٧		V			٧			٧						٧			٧	٧	٧	٧	٧		
16	BAC-1000EMLN	V	V	V	٧		V			٧			V		V							V	٧	V	V	٧		
17	BAC-1000MLK	V	V	V	٧		v		٧				٧				V		٧			٧	٧	٧	٧	V		
18	BAC-1000MLW	V	V	٧	٧		V		٧				٧			V			٧			V	٧	٧	٧	٧		
19	BAC-1000ML-Fan	V	V	V	٧			V	V		٧	V							٧		Optional	٧	٧	٧	V	٧		
20	BAC-1000DL	V	V		٧									V					٧		Optional	٧	٧	٧	٧	٧		
21	BAC-1000DLN	V	V		٧									V	V							٧	٧	٧	V	V		
22	BAC-1000DX1	V		٧			V		1 Stage											٧		٧	٧	٧	٧	٧		
23	BAC-1000DX2		v	٧		V			2 Stage											٧		٧	٧	٧	٧	V		
24	BAC-1000DX3	V		V			V		2 Stage						V							٧	٧	٧	V	V		
25	BAC-1000DX4	٧		V		٧			2 Stage						v							٧	٧	٧	٧	٧		
26	BAC-1000DX5		V	V		v			2 Stage						V							V	٧	V	V	V		
27	BAC-1000DX6		V	٧			٧		2 Stage						v							٧	٧	٧	٧	٧		
28	BAC-1000DX1W	V		V			V		1 Stage											V		٧	٧	V	V	V		





		Power	Supply	Con	trol		Fan				A	oplication						Additi	onal					Color		Butto	on light
No.	Model	220VAC	24VAC	Heat	Cool	1 Speed	3 Speed	0-10V	2-pipe	4-pipe	2 wired Motorized Valve	3 wired Motorized Valve	0-10V Motorized Valve	0-10V Damper	Modbus	WIFI	Keycard	Window	Programm able	External Sensor	Battery	White	Black	Pink	Brushed SS	One	Four
1	BAC-2000AL	V	٧	٧	٧		V		٧		v	v									Optional	٧	٧	V	v	٧	
2	BAC-2000ALN	٧	٧	٧	٧		٧		V		v	V			٧							٧	٧	v	V		
3	BAC-2000ALK	٧	٧	٧	٧		V		٧		v	V					v		٧		Optional	٧	٧	v	V		
4	BAC-2000ALNK	v	v	v	٧		v		V		v	V			٧		v					٧	٧	V	V		
5	BAC-2000ALW	V	٧	٧	٧		V		v		v	V				٧			٧			٧	٧	v	V		
6	BAC-2000EL	٧	٧	٧	٧		v			٧	v	v							٧		Optional	٧	٧	٧	٧	٧	
7	BAC-2000ELN	V	٧	٧	٧		V			v	V	V			٧							٧	٧	v	V		
8	BAC-2000ELW	V	٧	٧	٧		٧			V	v	v				٧			v			٧	٧	v	V		
9	BAC-2000ML	٧	٧	٧	۷		V		٧				v						V		Optional	٧	٧	v	٧	٧	
10	BAC-2000MLN	V	٧	٧	v		V		V				v		٧							٧	٧	٧	V		
11	BAC-2000MLK	V	v	٧	٧		v		V				v				٧		V			٧	٧	V	٧		
12	BAC-2000MLNK	V	٧	٧	٧		v		٧				v		٧		٧					٧	٧	v	٧		





		Power	Supply	Con	trol		Fan				Ар	plication						Addit	ional			2	Co	olor		Butto	on light
No.	Model	220VAC	24VAC	Heat	Cool	1 Speed	3 Speed	0-10V	2-pipe	4-pipe	2 wired Motorized Valve	3 wired Motorized Valve	0-10V Motorized Valve	0-10V Damper	Modbus	WIFI	Keycard	Window	Program mable	External Sensor	Battery	White	Black	Pink	Brushed SS	One	Four
1	BAC-3000AL	V	V	٧	٧		٧		٧		V	٧							V		Optional	V	V	V	V	٧	
2	BAC-3000ALN	V	٧	٧	٧		٧		٧		٧	٧			٧							٧	V	V	v		
3	BAC-3000ALK	v	٧	٧	٧		v		٧		٧	V					V		٧		Optional	٧	٧	V	v		
4	BAC-3000ALW	v	٧	٧	٧		٧		٧		٧	٧				٧			٧			٧	٧	٧	v		
5	BAC-3000EL	٧	٧	٧	٧		v			٧	v	٧							٧		Optional	V	٧	٧	v	٧	
6	BAC-3000ELN	V	٧	٧	٧		٧			V	٧	٧			٧							٧	٧	٧	v		
7	BAC-3000ELW	٧	٧	٧	٧		V			٧	V	٧				٧			V			٧	٧	٧	v		
8	BAC-3000ML	٧	٧	٧	٧		v		v				٧						٧		Optional	٧	٧	٧	v	٧	





1.13		Power	Supply	Cor	ntrol		Fan			Арр	lication		1222	-			Additio	nal			-	2.28	Color		
No.	Model	220VAC	24VAC	Heat	Cool	1 Speed	3 Speed 0-10	V 2-pip	e 4-pipe	2 wired Motoriz ed Valve	3wired Motoriz ed Valve	Motorize	0-10V Damper	Modbus	WIFI	Keycard	Window	Program mable	External Sensor	Battery	White	Black	Pink	Brushe d SS	Gold
1	BAC-6000AL	V	V	V	٧		٧	V		v	V	1.0.00						v		Optional	V	V	٧	V	٧
2	BAC-6000ALN	V	٧	V	V	1.11	V	V		V	V			V		TIN					V	V	٧	٧	٧
3	BAC-6000ALK	V	٧	V	٧		٧	V		V	٧					٧		V		Optional	V	V	٧	٧	٧
4	BAC-6000ALNK	V	٧	٧	٧		V	V		V	V			V		٧				E-WE-	V	٧	٧	٧	٧
5	BAC-6000ALW	V	٧	٧	٧		٧	V	1.1.1.1.1	٧	٧		3.2-3		٧			V			V	V	٧	٧	٧
6	BAC-6000ALNW	V	٧	٧	٧		V	V		V	٧	1	1	V	V			V		18.	V	V	٧	٧	٧
7	BAC-6000EL	V	V	V	V	10.00	V		V	V	V		180	115	1.4	1911		V		Optional	٧	٧	٧	V	V
8	BAC-6000ELN	V	٧	٧	٧		V		٧	V	٧		1.200	٧							V	٧	٧	٧	٧
9	BAC-6000ELW	V	٧	V	V		V		V	V	V			- Alghald	٧	1111		V		1.2.11	V	٧	V	٧	V
10	BAC-6000ELNW	v	٧	V	٧		٧		V	V	٧			٧	٧			٧		1	v	٧	٧	٧	٧
11	BAC-6000ML	V	V	V	V		V	V				V			C SALE			٧		Optional	V	V	٧	٧	V
12	BAC-6000MLN	V	٧	V	V		V	V			See 1	٧		V	13	-10-	1	1.1			V	V	V	V	٧
13	BAC-6000MLK	v	٧	٧	٧		٧	V	March		200	٧		- 1.4		٧		V		-	٧	V	٧	٧	٧
14	BAC-6000MLNK	V	V	V	٧	2 47	V	V		1.000		V		V		V				1.5	V	V	٧	٧	٧
15	BAC-6000ML-Fan	V	٧	٧	٧	1	V			5	1.50	V	1	- Argen			1	٧		1.1	V	٧	٧	٧	٧





No.

	1127	Power	Supply	Con	ntrol	-	Fan		-		App	lication			1			Additio	nal		-		C	olor	
0.	Model	220VAC	SALE		Cool	1 Speed	3 Speed	0-10V	2-pipe	4-pipe	2 wired Motorized Valve	3 wired Motorized Valve	0-10V Motorized Valve	0-10V Damper	Modbus	WIFI	Keycard	Dressing Index	Program mable	External Sensor	Battery	White	Black	Brushed SS	Others
1	BAC-8000AL	V	V	V	V	- 8	٧		V		٧	v				-			V		Optional	V	٧	V	V
2	BAC-8000ALN	V	٧	٧	V		٧		V		٧	V	1		V	1					-	V	V	٧	V
3	BAC-8000ALW	V	٧	V	٧		٧		٧		٧	٧	1.		1.5	V	100	V	V			٧	V	٧	V
4	BAC-8000EL	V	٧	V	V	1	٧	1	121.8	٧	٧	V				1			V		Optional	V	V	٧	V
5	BAC-8000ELN	V	٧	٧	V	100	٧			V	٧	٧			V					12102		٧	٧	V	V
6	BAC-8000ELW	V	٧	٧	V	1000	٧	1	13.5	٧	٧	٧	12133	1444	1.5	٧		V	V	Per la Pres		٧	V	٧	V
7	BAC-8000ML	V	V	V	V		٧	2	٧				V			1000		la ser	V	130.04	Optional	٧	V	V	V
8	BAC-8000MLN	V	V	V	V		٧		٧				V		V	1.17						٧	V	٧	V
9	BAC-8000MLW	V	٧	V	٧		٧		٧				V		1989	V		٧	V	No.		V	V	V	V