

TUYA

Powered Smart Home

www.zbragoshop.com



Contents


01/ Smart Motorized Curtain

- Motorized Curtain Track System
- Tuya WiFi Curtain Motor
- Tuya Zigbee Curtain Motor
- RS485 Curtain Motor
- Z-wave Curtain Motor
- KNX Motor
- Extendable Curtain Track System
- 82 Series Tuya WiFi Curtain Motor
- 82 Series Tuya Zigbee Curtain Motor



02/ Smart Curtain Robot

- Tuya Bluetooth Smart Curtain Robot



03/ Smart Motorized Blinds

- Smart Motorized Blind System
- 25mm Tuya WiFi Tubular Motor
- 35mm Tuya WiFi Tubular Motor
- 45mm Tuya WiFi Tubular Motor
- 24E Electronic limit blinds motor




04/ Smart Module

- Tuya WiFi Curtain Module
- Tuya WiFi / Zigbee Switch Module




05/ Smart Switch & Socket

- Tuya WiFi & Zigbee Smart Button Switch
- Tuya WiFi & Zigbee Smart Touch Switch
- Tuya WiFi Smart Socket
- Tuya WiFi Smart Dimmer Switch
- Tuya WiFi Smart Water Heater Switch
- Tuya WiFi Smart Curtain Switch
- 6" Touch Control Panel
- 4" Touch Control Panel
- 5.7" Touch Control Panel
- 147 Standard (Wi-Fi Version)
- UK Standard (Wi-Fi Version)
- Tuya 1/2/3gang wall switch panel
- Tuya smart wifi appliance wall socket
- Tuya double frame smart socket



06/ Smart Lighting

- Tuya WiFi LED Bulb
- Tuya WiFi LED Ambient Light
- Tuya WiFi RGB LED Strip
- Tuya Smart Control Ceiling Fan Light with Black Painting Frame
- Tuya Smart Control Ceiling Fan Light with Chrome Plated Frame
- Tuya Smart Control Ceiling Fan Light with Wooden Effect Frame
- Tuya Smart Control Ceiling Fan Light D:600mm



07/ Smart Sensors

- Tuya WiFi/Zigbee PIR Motion Sensor
- Tuya WiFi Gas Detector
- Tuya WiFi Smoke Detector
- Tuya WiFi Water Leakage Detector
- Tuya WiFi/Zigbee Door & Window Sensor
- Tuya WiFi Smart Video Doorbell
- Tuya WiFi Smart Indoor Camera
- Tuya WiFi/Zigbee Valve Controller



08/ Smart Door Lock

- Tuya WiFi Smart Lock
- Tuya Smart Video Fingerprint lock






Smart Home

01

Smart Motorized Curtain

- Motorized Curtain Track System
- Tuya WiFi Curtain Motor
- Tuya Zigbee Curtain Motor
- RS485 Curtain Motor
- Z-wave Curtain Motor
- KNX Motor
- Extendable Curtain Track System
- 82 Series Tuya WiFi Curtain Motor
- 82 Series Tuya Zigbee Curtain Motor

Motorized Curtain Track System



- Motorized curtain track system including curtain motor, freely assembled curtain track, RF433 remote control & complete set accessories.
- Track size: 2.2m, 3.2m, 4.2m, 5.2m, 6.2m, 7.2m, 8.2m
 - 2.2m track set for window width < 2.16m
 - 3.2m track set for window width 2.16m-3.16m
 - 4.2m track set for window width 3.16m-4.16m
 - 5.2m track set for window width 4.16m-5.16m
 - 6.2m track set for window width 5.16m-6.16m
 - 7.2m track set for window width 6.16m-7.16m
 - 8.2m track set for window width 7.16m-8.16m

- 90°/ 135° track connectors available
 - Single track / double track optional
- Single open / double open (center open) optional
- Ceiling mount / wall mount optional
- Multiple controls: Handheld remote control, wall emitter control, switch control, smartphone control, voice control .

Motor Type:


- Tuya WiFi/Tuya Zigbee/RS485/Z-wave/KNX/4-Wire/5-Wire etc.
CN, EU, UK & US plug optional.

Motor Features:

- Manual start
- Manual operation if power cut
- Middle position set
- Automatically set the memory running point
- Tuya WiFi/Tuya Zigbee/RS485/Z-wave/KNX/5-Wire curtain motors support RF433 remote control. 4-wire motor no remote control.
- Only Tuya WiFi / Tuya Zigbee curtain motors work with Alexa & Google Home Voice Control & SmartLife APP.

Motor Specifications

Rated Torque	1.2N.m/2.0N.m
Rated Voltage	AC100-240V, 50/60Hz
Rated Power	40W/80W
Max Load	50KG/120KG
Radio Distance	> 50M
Protection Class	IP20



Tuya WiFi Curtain Motor
Tuya Zigbee Curtain Motor



Z-wave Curtain Motor




KNX Curtain Motor




5-wire Curtain Motor

Extendable Curtain Track System



82 Series Tuya WiFi Curtain Motor

82 Series Tuya Zigbee Curtain Motor



- Extendable curtain track system including curtain motor, extendable curtain track, RF433 remote control & complete set accessories.
- Suitable for straight window.
- Track size: 1.8m-3.3m; 2.4m-4.5m; 3.0m-5.7m
- Double open (center open) only.
- Ceiling mount / wall mount optional
- Motor type: 82 Series Tuya WiFi / Zigbee curtain motor
- Manual or Auto-control

- Alexa / Google Home voice control
- SmartLife app control
- RF433 remote control

Rated Torque	1.2N.m / 2.0N.m
Rated Voltage	100V-240V, 50/60Hz
Max Load	35KG/55KG
Noise Figure	<35dB
Protection Class	IP41



Smart Home

02

Smart Curtain Robot

- Tuya Bluetooth Smart Curtain Robot

Tuya Bluetooth Smart Curtain Robot



- For U rail, I rail & Roman rod.
- Curtains can run automatically after manual start.
- Built in battery, can work for 1-2 months once fully charged.
- Max load: 5-10kg
- SmartLife app control
- Timer control in APP
- Alexa/Google Home voice control
- Come with RF remote control, can control all in one or separately.




U-shaped Rail

- Inner groove rail that meet the size① (5.3mm- 10mm) and size②(16mm-30mm) can be used with our curtain robot.
- Inner groove rail style suitable curtain track, please refer to the above picture.



I-shaped Rail

- I-shaped rail that meet the size① (7mm-16mm) can be used with our curtain robot.
- I-rail style curtain track, please refer to the above picture.



Roman rod diameter
15.0mm-40.0mm



Smart Home

03

Smart Motorized Blinds


- Smart Motorized Blind System
- 25mm Tuya WiFi / Zigbee Tubular Motor
- 35mm Tuya WiFi / Zigbee Tubular Motor
- 45mm Tuya WiFi / Zigbee Tubular Motor
- 24E Electronic limit blinds motor

Smart Motorized Blind System




- Motorized blind system including tubular motor, outer tube or enclosure, wall brackets, idler & fabric.
- All will be installed and tested well before shipping.
- Alexa / Google Home voice control
- SmartLife app control
- RF433 remote control
- Roller blind fabric / Zebra blind fabric available


▼ Motorized Roller Shutter




▼ Motorized Wood Venetian Blind




▼ Motorized Roller Blind



▼ Motorized Awning



▼ Motorized Screen



25mm Tuya WiFi / Zigbee Tubular Motor



- Rated Torque : 0.8N.m / 1.5N.m
- Rated Voltage : 100-240V, 50/60Hz
- With crown & adapte for 38mm groove tube.
- Suitable for zebra blind / roller blind / Shangri-La blind etc.
- Super quiet & precise motor


35mm Tuya WiFi / Zigbee Tubular Motor

E: Electronic Radio

Ø35 Electronic Limit + Built-in Wireless Receiver + The Third Limit + Jogging & Tilt Function + Resistance And Stop Function




Extension



Motorized Roller Blinds




Motorized Wooden Venetian Blinds




Motorized Projection Screen



Motorized honeycomb blinds



Motorized roman blinds




Motorized pleated blinds




50mm groove tube

- With crown & adapte for 50mm groove tube.
- Suitable for motorized roller blinds / wooden venetian blinds / roman blinds / projection Screen / honeycomb blinds / pleated blinds

Dimension Drawing



AC 120V/60HZ



AC 230V/50HZ



35mm Tuya WiFi Tubular Motor Technical Parameters

230V / 50Hz --- IP44

Model Number	Rated Torque (N.m)	Rated Speed (rpm)	Motor Diameter (mm)	Rated Power (W)	Rated Current (A)	Running Time (min)	L1/L2 Length (mm)
Z-M35R-6/28	6	28	35	139	0.6	4	554/541
Z-M35R-10/17	10	17	35	139	0.6	4	554/541

120V / 60Hz --- IP44

Model Number	Rated Torque (N.m)	Rated Speed (rpm)	Motor Diameter (mm)	Rated Power (W)	Rated Current (A)	Running Time (min)	L1/L2 Length (mm)
Z-M35R-6/33	6	33	35	128	1.06	4	554/541
Z-M35R-10/21	10	21	35	128	1.06	4	554/541


45mm Tuya WiFi / Zigbee Tubular Motor

Ø45 E: Electronic Radio
Electronic Limit + Built-in Wireless Receiver + The Third Limit + Jogging & Tilt Function +
Resistance And Stop Function


Radio Technology



Extension




Motorized Roller Blinds





Motorized Roller Shutter



Motorized Awning




Motorized Ceiling Curtain



- With crown & adapte for 50mm round tube.

Dimension Drawing



45 mm Tuya WiFi Tubular Motor Technical Parameters

230V / 50Hz --- IP44

Model Number	Rated Torque (N.m)	Rated Speed (rpm)	Motor Diameter (mm)	Rated Power (W)	Rated Current (A)	Running Time (min)	L1/L2 Length (mm)
Z-M45R-20/15	20	15	45	153	0.68	4	514/498
Z-M45R-30/15	30	15	45	205	0.93	4	584/568
Z-M45R-40/15	40	15	45	215	0.95	4	584/568
Z-M45R-50/12	50	12	45	230	1.02	4	584/568


120V / 60Hz --- IP44

Model Number	Rated Torque (N.m)	Rated Speed (rpm)	Motor Diameter (mm)	Rated Power (W)	Rated Current (A)	Running Time (min)	L1/L2 Length (mm)
Z-M45R-20/19	20	19	45	214	1.85	4	514/498
Z-M45R-30/13	30	13	45	213	1.83	4	584/568
Z-M45R-40/13	40	13	45	235	1.95	4	584/568
Z-M45R-50/13	50	13	45	270	2.30	4	584/568


24E Electronic limit blinds motor




Motorized Venetian Blinds




Motorized Pleated blinds



Motorized Honeycomb blinds



Motorized Roman blinds



24 single output shaft motor




24 dual output shaft motor

24 tubular motor has the characteristics of small body, low noise, constant speed, etc. It is mainly used for electric blinds, Motorized roman blinds, motorized honeycomb blinds and electric ceiling honeycomb blinds, etc. It can be equipped with external intelligent module to achieve intelligent home system control; 24 The motor adopts external power adapter for power supply, electronic limit, easy and convenient debugging

- Wireless remote control
- Electric limit
- Connect with smart home system
- Constant speed function

Motor version

- Enhanced version
- intelligence version
- WIFI version
- Tuya Zigbee
- Tuya Wifi
- Tmall directly connect



Motor parameter

Item No.	Input voltage	Max power	Rated frequency	Rated torque	Rated RPM	Working noise	Max load
ZM24E-08/33-1	12VDC	12W	/	0.8N.m	33PRM	32- 35dB	6KG
ZM24E-1/33-2	12VDC	12W	/	1N.m	33PRM	32- 35dB	8KG


● Difference between single output shaft motor and dual output shaft motor

Single output shaft motor: single output shaft motor has only one side output head, it is installed on the side of the top slot, its body is short, suitable for the width of 0.5~1.5 meters of blinds, honeycomb blinds, Roman blinds, etc., the maximum load is 6KG.

Dual output shaft motor: dual output shaft motor has bilateral output head, it is installed in the middle of the top slot, it has the characteristics of uniform and stable force, its body is longer than the single output, suitable for the width of $\geq 0.8\text{m}$ blinds, honeycomb blinds, Roman blinds, etc., the maximum load is 8KG.

● Motor standard accessories

- 1、 Motor bracket*2
- 2、 4-corner long shaft sleeve (single output*1 , double output*2)
- 3、 6-corner long shaft sleeve (single output*1 , double output*2)
- 4、 fixing ring*2
- 5、 Power adapter*1 (input voltage : 90-240V AC , output voltage : 12V DC current : 1A)



24 Motor power adapter




Smart Home

04

Smart Module

- Tuya WiFi Curtain Module
- Tuya WiFi / Zigbee Switch Module


Tuya WiFi Curtain Module



WiFi Curtain Module / WiFi + RF433 Curtain Module

- SmartLife APP Control + RF433 Remote Control
- Alexa / Google Home Voice Control
- Applicable Motor: 4-wire or 5-wire mechanic motor

Tuya WiFi Switch Module



- SmartLife APP Control+RF433 Remote Control
- Alexa / Google Home Voice Control
- Application: Household appliances, lighting, etc.

Smart Home




05

Smart Switch & Socket

- Tuya WiFi & Zigbee Smart Button Switch
- Tuya WiFi & Zigbee Smart Touch Switch
- Tuya WiFi Smart Socket
- Tuya WiFi Dimmer Switch
- Tuya WiFi Water Heater Switch
- Tuya WiFi Curtain Switch
- 6" Touch Control Panel
- 4" Touch Control Panel
- 5.7" Touch Control Panel
- 147 Standard (Wi-Fi Version)
- UK Standard (Wi-Fi Version)
- Tuya 1/2/3gang wall switch panel
- Tuya smart wifi appliance wall socket
- Tuya double frame smart socket


Tuya WiFi & Zigbee Smart Button Switch





WiFi/Zigbee Button Switch

- 100-240VAC 50/60Hz
- 10A, 600w/gang
- 1/2/3/4-gang optional
- White color
- Live wire/Live+Neutral wire optional
- EU/UK/US standard optional
- SmartLife app control
- Alexa / Google Home voice control


Tuya WiFi & Zigbee Smart Touch Switch



EU



US




WiFi/Zigbee Glass Cover Touch Switch

- 100-240VAC 50/60Hz
- 10A, 600w/gang
- 1/2/3/4-gang optional
- White/Black/Golden colors optional
- Live wire/Live+Neutral wire optional
- EU/UK/US standard optional
- SmartLife app control
- Alexa / Google Home voice control


New Smart Switches




EU/UK WiFi Dimmer Touch Switch



EU/UK WiFi (20A) Water Heater Touch Switch



EU Smart WiFi Curtain Switch



US WiFi Dimmer Touch Switch





US WiFi (20A) Water Heater Touch Switch



US WiFi Smart Curtain Switch

147 Standard (Wi-Fi Version)



Specifications



Dimension: 147*86*40MM


Operating voltage: 110V-240V/50-60HZ

Rated load: 625W/Gang


Frequency: Wifi 2.4G

Wireless Fidelity: 802.11b/g/n





MG-UKCM01W



MG-UKCM01B

Wifi 8 Gang Switch

- App Control –Control switches from anywhere with your smart phone.(Smart Life TUYA)
- Voice Control –Works perfectly with Amazon Alexa, Google Home
- Power statistics–You can check the electricity statistics per switch anytime
- Timing–Set scheduled/countdown timers to turn on/off at specified time
- Smart Scene–You can set the switch easily to achieve the desired scene mode
- Tempered glass panel, easy to clean,non-discoloring,always look as new.
- Control the switch directly ,No gateway required.
- Easy to install,Neutral wire required
- Status indication
- Support RF Remote Control



MG-UKFG01W



MG-UKFG01B

Specifications

Dimension: 147*86*40MM

Operating voltage:110V-240V/50-60HZ

Rated load:625W/Gang

Fan load:<600W

Frequency: Wifi 2.4G


Wireless Fidelity: 802.11b/g/n

Wifi 4Gang&Fan Switch

- App Control –Control switches from anywhere with your smart phone.(Smart Life TUYA)
- Voice Control –Works perfectly with Amazon Alexa, Google Home
- Power statistics–You can check the electricity statistics per switch anytime
- Timing–Set scheduled/countdown timers to turn on/off at specified time
- Tempered glass panel, easy to clean,non-discoloring, always look as new.
- With red and blue LED indicator,very distinguished.
- Control the switch directly ,No gateway required.
- Easy to install,Neutral wire required
- Status indication
- Support RF Remote Control
- Used for ceiling fans ,and memory the last setting, It supports 50% output setting.
- Brand new imported IC & capacitive touch sense, more superior performance & sensitive touch.
- Applicable to all the common lamps, such as incandescent, fluorescent lamps, led lamps ,motor and so on
- Suitable for home, office, hotel, hospital and so on.




MG-UKWB01W



MG-UKWB01B



MG-UKSocketU01



MG-UKSocketU02

Wifi Wall Socket & USB Charger

- App Control –Control switches from anywhere with your smart phone.(Smart Life TUYA)
- Voice Control –Works perfectly with Amazon Alexa, Google Home
- Power statistics–You can check the electricity statistics per switch anytime
- High quality crystal tempered glass panel design, never fade.
- With blue LED indicator, very distinguished.
- Wall socket status indication
- With 2 USB charger.
- Touch button to turn on/off the wall socket
- Applicable to all the common lamps, such as incandescent, fluorescent lamps, led lamps ,motor and so on
- Suitable for home, office, hotel, hospital and so on.

Specifications

Dimension: 147*86*40MM

Operating voltage:110V-240V/50-60HZ

Wall socket load:13A

USB 2.0 5V 4A

Frequency: Wifi 2.4G

Wireless Fidelity: 802.11b/g/n



MG-UKWG01W



MG-UKWG01B

Wifi 4Gang Switches & Wall Socket

- App Control –Control switches from anywhere with your smart phone.(Smart Life TUYA)
- Voice Control –Works perfectly with Amazon Alexa, Google Home
- Power statistics–You can check the electricity statistics per switch anytime
- High quality crystal tempered glass panel design, never fade.
- With blue LED indicator, very distinguished.
- E-start, no sparking contacts.
- Lamps and wall socket status indication
- Touch button to turn on/off the lamp and socket
- Applicable to all the common lamps, such as incandescent, fluorescent lamps, led lamps ,motor and so on
- Suitable for home, office, hotel, hospital and so on.

Specifications

Dimension: 147*86*40MM

Operating voltage:110V-240V/50-60HZ



Rated load:625W/Gang

Wall socket load:13A

Frequency: Wifi 2.4G

Wireless Fidelity: 802.11b/g/n

UK Standard (Wi-Fi Version)



Specifications

Dimension: 86*86*34MM

Operating voltage: 110V-240V/50-60HZ

Rated load: 625W/Gang

Frequency: Wifi 2.4G

Wireless Fidelity: 802.11b/g/n





MG-UKWF01W



MG-UKWF01B



MG-UKWF02W



MG-UKWF03W




MG-UKWF04W



MG-UKWF02B




MG-UKWF03B



MG-UKWF04B

Wifi Touch Switch

- App Control –Control switches from anywhere with your smart phone.(Smart Life TUYA)
- Voice Control –Works perfectly with Amazon Alexa, Google Home
- Power statistics–You can check the electricity statistics per switch anytime
- Timing–Set scheduled/countdown timers to turn on/off at specified time
- Share Control– Control your smart home together with your family
- Smart Scene– You can set the switch easily to achieve the desired scene mode
- Tempered glass panel, easy to clean,non-discoloring, always look as new.
- With red and blue LED indicator,very distinguished.
- Control the switch directly ,No gateway required.
- Easy to install,Neutral wire required
- Status indication
- Support 2 way and 4 way



MG-UKWSW



MG-UKWSB



MG-UKWF01



MG-UKWF02

Wifi Wall Socket

- High quality crystal tempered glass panel design, never fade
- With blue LED indicator, very distinguished
- Socket status indication
- Current Statistics
- Support Alexa and google home

Specifications


Dimension: 86*86*39MM

Operating voltage:110V-240V/50-60HZ

Rated load:10A

Wireless Fidelity: 802.11b/g/n

Frequency: Wifi 2.4G



MG-UKWFC01W



MG-UKWFC01B

Wifi Curtain Switch

- Touch '◀▶' button, the curtain will open; touch '▶▶' button, the curtain will close; touch '||' button, the curtain will stop
- Current Statistics
- Curtain status indication
- Support Alexa and google home
- Only support the curtain with stop function.
- Rated load: 100-600W/Gang



MG-UKLC01W



MG-UKLC01B

Wifi Light & Curtain Switch

- Touch '◀▶' button, the curtain will open; Touch again, it will stop
- Touch '▶▶' button, the curtain will open; Touch again, it will stop
- Touch '○' button to turn on/off the lights.
- Only support the curtain with stop function.
- Curtain status indication
- Current Statistics
- Support Alexa and google home
- Rated load: 100-600W/Gang



MG-UKDC01W



MG-UKDC01B

Wifi Double Curtain Switch

- Touch' ⏪ ' button, the curtain will open; Touch again ,it will stop
- Touch' ⏩ ' button, the curtain will open; Touch again ,it will stop
- Only support the curtain with stop function.
- Curtain status indication
- Current Statistics
- Support Alexa and google home
- Rated load: 100-600W/Gang



MG-UKWFD33



MG-UKWFD34

Wifi Dimmer Switch

- Support stepless adjusted and equal pole dimming
- Touch' ⏪ ' button, the light will become brighter. Touch' ⏩ ' button, the light will become weaker.
- Lamps status indication
- Current Statistics
- Memory the last state
- Support Alexa and google home
- Rated load: 600W/Gang
- Used for incandescent lamps, halogen lamps,dimmer LED lamp
- It supports 50% output setting,applicable to most of lamps.



MG-UKWF01



MG-UKWF02

Wifi Fan Switch

- Support stepless adjusted and equal pole speeding
- Fan status indication
- Current Statistics
- Memory the last state
- Rated load: 600W/Gang
- Only support the Fan can infinitely variable control
- It supports 50% output setting, applicable to most of fans



MG-UKLF01



MG-UKLF02

Wifi Light & Fan Switch

- Support stepless adjusted and equal pole speeding
- Fan status indication
- Current Statistics
- Memory the last state
- Fan Rated load: 600W/Gang
- Light Rated load: 625W/Gang
- Only support the Fan can infinitely variable control
- It supports 50% output setting, applicable to most of fans



MG-UKBL01




MG-UKBL02

Wifi Light&Fan Switch


- Only support the boiler
- Turn on/off the L and N wire immediately.
- Boiler status indication
- Current Statistics
- Timing-Set scheduled/countdown timers to turn on/off at specified time
- Support Alexa and google home
- Rated load: 16A

Wifi 2Way-4Way Switch


- The same light can be controlled by two switches in two different places Do not need to turn on/off the light in one place, very convenient.
- Every intermediate touch switches consist of two switches (Switch A & Switch B).
- Lamps status indication
- Current Statistics




Tuya 1/2/3gang wall switch panel



1gang



2gang



3gang

- Zertifizierung:CE,RoHS
- Color: Black/White/Gold
- Frequency: 433.92 MHz
- WIFI Standard: Wifi 2.4GHz b/g/n
- WiFi Frequency: IEEE802.11 b/g/nMax.
- Current:10A
- Max. Voltage:90 ~ 250V
- Max. Strom:10A
- Wireless consumption:≤0.2W
- APP:Tuya/Smart Life
- Voice Control:Google Home, Amazon Alexa
- Quick Details

Tuya smart wifi appliance wall socket



UK

- Material: Tempered glass panel + Fire proof PC
- Certificate: TUV, CE, ROHS, SASO, G-mark, CB
- Max. Spannung: 110 ~ 250V
- Switch Wall Box: $\varnothing = 75\text{mm}$, Width=71mm, Depth $\geq 35\text{mm}$
- Rated Voltage: AC 110V-250V(50HZ/60HZ)
- Rated Current: 13A
- Wifi Type: Wi-Fi 2.4GHz
- WiFi frequency: IEEE802.11 b/g/n
- Working Temperature: $-20^{\circ}\text{C} - 70^{\circ}\text{C}$
- Mobile Compatible System: IOS/Android 4.1 above



Universal

- Material: Tempered glass panel + Fire proof PC
- Certificate: TUV, CE, ROHS, SASO, G-mark, CB
- Max. Spannung: 110 ~ 250V
- Switch Wall Box: $\varnothing = 75\text{mm}$, Width=71mm, Depth $\geq 35\text{mm}$
- Rated Voltage: AC 110V-250V(50HZ/60HZ)
- Rated Current: 13A
- Wifi Type: Wi-Fi 2.4GHz
- WiFi frequency: IEEE802.11 b/g/n
- Working Temperature: $-20^{\circ}\text{C} - 70^{\circ}\text{C}$
- Mobile Compatible System: IOS/Android 4.1 above

Tuya double frame smart socket




- Zertifizierung:CE,RoHS
- Color: Black/White/Gold
- Frequency:433.92 MHz
- WIFI Standard:Wifi 2.4GHz b/g/n
- WiFi Frequency:IEEE802.11 b/g/n
- Max. Current:10A
- Max. Voltage:90 ~ 250V
- Mechanical Life:100000 times
- Max. Strom:10A
- Load:1000W/Gang
- Wireless consumption: $\leq 0.2W$
- Max. Spannung:90 ~ 250V
- Zertifizierung:CE,RoHS,CB
- Frequency:433.92 MHz
- APP:Tuya/Smart Life
- Voice Control:Google Home, Amazon Alexa

Tuya WiFi Smart Socket



UK



EU



US

WiFi Smart Socket

- Single Socket
- SmartLife APP Control
- Alexa / Google Home Voice Control


Wireless standard	IEEE802.11b/g/n,2.4GHz
Pin type	EU/US/UK
Housing color	White
Plastic material	ABS+PC

6" Touch Control Panel




- Special for whole home automation, actually a panelled home hub with touch screen. Connect over 100+ smart devices.
- Support Devices Control | Scenes Interactions | Zigbee Gateway
- There's a knob on 6 inch S8E panel, that's an all-in-one switch which controls multiple variates like lights brightness, AC temperature, curtain extend percentage etc.
- There's a knob on 6 inch S8E panel, that's an all-in-one switch which controls multiple variates like lights brightness, AC temperature, curtain extend percentage etc.
- Input: 100~240VAC, 50/60Hz
- Power: 2 Circuits, ≤ 200W Each (RS 485, RJ45, 2 Relays)
- Wireless Protocol: Wi-Fi, Bluetooth, Zigbee
- Dimension 205.6x85.6x10mm (without the base)
- Dimension 205.6x85.6x37.2mm (with the base)
- Dimension 60.9*62.9*24.6mm (the back base)

4" Touch Control Panel



Main Features

- One Smart control panel could control all your smart switches, smart plugs, lights, air conditioners, curtains, locks, security cameras, smart sensors, up to 100+ ZigBee sub devices.
- 4-inch HD LCD, IPS, multi touch screen, Dual array microphone with noise reduction, Auto light sensor, built in 1W speaker, simple in wall installation.
- The Smart control panel also has ZigBee Gateway function.
- WiFi, BLE, ZigBee all in one. Configure the sub devices and scenes in the smart phone APP and real-time synchronization.





Lighting control system




Indoor Environment System



Community Monitoring System



Access Control System



Media System



Scene Control System



Home Security System



Fire Alarm System

5.7" Touch Control Panel



5.7" Smart Home Touch Screen Control Panel is a multifunctional control panel for Smart Home, Home Automation System and Smart Hotel Room Control System. Can control all the electronics, such as the lights, electric curtains, air conditioners, smart locks, security cameras, etc.

- 5.7 inch TFT LCD Screen, IPS, 18:9 HD Resolution
The same display effect and contrast as smart phones
- Light sensor and Proximity Sensor
- 2 mega-pixel front camera optional
- CNC Aluminium middle frame



Smart Home

06

Smart Lighting

- Tuya WiFi LED Bulb
- Tuya WiFi LED Ambient Light
- Tuya WiFi RGB LED Strip
- Tuya Smart Control Ceiling Fan Light with Black Painting Frame
- Tuya Smart Control Ceiling Fan Light with Chrome Plated Frame
- Tuya Smart Control Ceiling Fan Light with Wooden Effect Frame
- Tuya Smart Control Ceiling Fan Light D:600mm




Tuya Smart Control Ceiling Fan Light with Black Painting Frame



- Lighting style: 1.Starlight Cover 2.Opal White Cover
- Available by Tuya smart control
- 6 gears adjustable wind by remote and stepless wind speed
- Low noise,The leaf fan can realize the setting of forward and reverse transfer,
- The integrated backside part;
- High photosynthetic efficiency,safe environmental protection
- Less power consumption,long life,
- Easy installation & easy control.

Item No.	323052-	323052-
Lampshade	starlight	opal white
Size(D*H)	Φ60.4x17cm	
Input voltage	220-240VAC + 24VDC motor	
Work frequency	50Hz	
Luminous flux	4000LM(when mixed to 4000K)	
CCT	3000K-5500K	
Lamp Power	Max.40W	
Fan Power	Max.20W	






Tuya Smart Control Ceiling Fan Light with Chrome Plated Frame



- Lighting style: 1.Starlight Cover 2.Opal White Cover
- Available by Tuya smart control
- 6 gears adjustable wind by remote and stepless wind speed
- Low noise,The leaf fan can realize the setting of forward and reverse transfer,
- The integrated backside part;
- High photosynthetic efficiency,safe environmental protection
- Less power consumption,long life,
- Easy installation & easy control.

Item No.	323052-	323052-
Lampshape	starlight	opal white
Size(D*H)	Φ60.4x17cm	
Input voltage	220-240VAC + 24VDC motor	
Work frequency	50Hz	
Luminous flux	4000LM(when mixed to 4000K)	
CCT	3000K-5500K	
Lamp Power	Max.40W	
Fan Power	Max.20W	




Tuya Smart Control Ceiling Fan Light with Wooden Effect Frame



- Lighting style: 1.Starlight Cover 2.Opal White Cover
- Available by Tuya smart control
- 6 gears adjustable wind by remote and stepless wind speed
- Low noise,The leaf fan can realize the setting of forward and reverse transfer,
- The integrated backside part;
- High photosynthetic efficiency,safe environmental protection
- Less power consumption,long life,
- Easy installation & easy control.

Item No.	323052-5	323052-6
Lampshape	starlight	opal white
Size(D*H)	Φ60.4x17cm	
Input voltage	220-240VAC + 24VDC motor	
Work frequency	50Hz	
Luminous flux	4000LM(when mixed to 4000K)	
CCT	3000K-5500K	
Lamp Power	Max.40W	
Fan Power	Max.20W	






Tuya Smart Control Ceiling Fan Light D:600mm



- Lighting style: 1.Starlight Cover 2.Opal White Cover
- Available by Tuya smart control
- 6 gears adjustable wind by remote and stepless wind speed
- Low noise,The leaf fan can realize the setting of forward and reverse transfer,
- The integrated backside part;
- High photosynthetic efficiency,safe environmental protection
- Less power consumption,long life,
- Easy installation & easy control.

Item No.	323052-1	323052-2
Lampshape	starlight	opal white
Size(D*H)	Φ60x17cm	
Input voltage	220-240VAC + 24VDC motor	
Work frequency	50Hz	
Luminous flux	4000LM(when mixed to 4000K)	
CCT	3000K-5500K	
Lamp Power	Max.40W	
Fan Power	Max.20W	






Tuya WiFi LED Bulb



9W Smart Wi-Fi Light Bulb

- (RGB+Cold White+Warm White)
- (RGB + Warm White)
- (RGB + Cold White)
- SmartLife app control
- Alexa / Google Home voice control

Tuya WiFi LED Ambient Light



- Alexa, Google assistant, Tmall Genie, Xiaodu etc.
- Control via "Smart Life" APP and connect through WIFI signals
- Multiple APP operation functions: timer, color changing, group control and account sharing etc.
- Come out with a USB connection port, portable and super simple installation, could create your desired atmosphere anywhere.

Tuya WiFi RGB LED Strip



- SmartLife APP Control
- Alexa/Google Home Voice Control
- Music magic strip
- RGB magic color music controller
- Power plug: EU/UK/US etc.
- LED Strip including led strip, wifi controller & power adapter

Home safety in hands



07

Smart Sensors

- Tuya WiFi/Zigbee PIR Motion Sensor
- Tuya WiFi Smoke Detector
- Tuya WiFi Gas Detector
- Tuya WiFi Water Leakage Detector
- Tuya WiFi/Zigbee Door & Window Sensor
- Tuya WiFi Smart Video Doorbell
- Tuya WiFi Smart Indoor Camera
- Tuya WiFi/Zigbee Valve Controller

Tuya WiFi/Zigbee PIR Motion Sensor



PIR Motion Sensor



Ceiling PIR Motion Sensor

- Based on the TUYA smart home platform, it works with most of TUYA based smart products.
- Working alone, no need to connect to the host, it will send out message when detect any person.

Tuya WiFi Smoke Detector



- It is a smart photoelectric smoke sensor, with ultra-low-power MCU design.
- It is an early warning device, it can't detect gas, heat, or fire, nor stop fire or put out fire.
- It is capable of real-time detecting of smoke. Red LED will be ON and alarm to alert you and your family timely once it detects the danger of fire smoke,
- It can be widely used in household, lounge, coffee house, dancing hall, and any other places that need fire alarm monitoring.

Tuya WiFi Gas Detector



- Tuya WiFi flammable gas alarm is designed to detect the leakage of flammable gas and prevent the potential harm.
- High stable semiconductor gas sensor, with high stability and small sensitivity drift. When a flammable gas leakage is detected and the concentration value set of the alarm is reached, the alarm will send an alarm signal.
- This product is used for indoor where leakage may occur, such as kitchens.
- It will send out message to mobile phone when detect the gas leakage.
- WiFi Standard: 802.11 b/g/n
- Alarm concentration: 6% LEL \pm 3% LEL (CH₄)

Tuya WiFi Water Leakage Detector



- Put it in kitchen, living room or toilet, once it detects water leakage, or over-high water level, alarm notification will be sent through app.
- Can link with intelligent water valve to cut off water source.

Tuya WiFi/Zigbee Door & Window Sensor




- Based on the TUYA smart home platform, it works with most of TUYA based smart products.
- Working alone, it no needs to connect to the host, send out message when the door & window opened.

Tuya WiFi Smart Video Doorbell



- Sensor: 1/3" 2.0MP 720p CMOS Sensor
- Lens: 1.4mm@F2.2 Horizontal angle: 73°
- Mic distance: 5 Meters
- Audio: 2W Built-in speaker
- Storage: Support Micro SD Card (Max 256G)
- Wi-Fi standard: IEEE802.11b/g/n
- Adapter: DC5V 1A±10%
- Consumption: 6W MAX
- IR Distance: MAX 5 Meters

Tuya WiFi Smart Video Intercom



- Supports TUYA Smart APP
- Multi-Language for option
- Three kinds of personalized menus option
- Support IOS & Android smart phone
- 7inch TFT display resolution 1024*600
- Photo Frame & clock & voice message
- motion detection
- Talking/Unlock/Monitoring/Internal calling / Transfer calling
- Support max.128G SD Card
- ABS Plastic case, Acrylic panel, Touch Screen
- Support to connect 2 call panel +2Camera+6Monitor+3 electric Locks

- Wide-Angle AHD1080P/2MP (1920*1080P)
- 3.2mm Lens, With IR Cut, Angle148°
- With Night vision , infrared LED5PCS
- Waterproof IP65
- With Exit Button Function
- Support Set intercom Volume
- Suitable for different electronic lock
- Aluminum Alloy Case
- Support switch signal from 1080P-720P-CVBS

Tuya WiFi Smart Indoor Camera



- Sensor: 1/3" 2.0MP 1080p CMOS Sensor
- Lens: 1.4mm@F2.2 Horizontal angle: 73°
- Audio: 2W Built-in speaker
- Storage: Support Micro SD Card (Max 256G)
- Wi-Fi standard: IEEE802.11b/g/n
- Adapter: DC5V 1A±10%

Tuya NVR & Camera Kit




Wireless suit

Wired suit



8CH
5MP



- Automatic Wireless Connection, plug and play
- 1080P H.265+ wireless network 4ch 8CH recorder and 8 1080P wireless cameras
- In open space without interference transmission distance up to 200 meters
- Insert professional surveillance Wireless board, with stronger anti-interference ability
- One-push to configure
- Support alarm push motion detection and alarm output(voice/email/ FTP etc.)
- AI Human detection
- Support Android/Apple cell phone or pad by LAN & WAN visit and control
- Suit to homes, offices, small businesses & retail stores
- Easy to Install, User-Friendly Operation
- APP: Tuya app
- Support the outdoor and indoor ,support the waterproof IP66.


Tuya WIFI/Zigbee Valve Controller



Can link with water leakage detector & gas leakage detector.

- Adjustable bracket for 2 sizes pipe: DN15, DN20
- Operating environment: -10°C --- 50°C (Note: the pipe can't freeze)
- Voltage: DC12V-1A
- Power: 5W
- Power consuming: $\leq 0.3W$
- Radio protocol: WiFi 2.4GH
- Pressure: 1.6MP
- Time off wifi valve auto: 5-10 seconds
- Time off wifi valve electric: 5-10 seconds
- Torque: 40kg
- Application: Farmland, kitchen, etc.

Smart Home



08

Smart Doork Lock

- Tuya WiFi Smart Lock
- Tuya Smart Video Fingerprint lock

Tuya WiFi Smart Lock



- Multiple unlocking methods: advanced 6-in-1 keyless entry smart door lock: Bluetooth application, M1 card, fingerprint, password, wristband or key
- TUYA App
- Unique and stylish thin plate, 380*78mm, compatible with various mortises, suitable for 99% of doors.
- One-click access to the biometric fingerprint sensor is faster and safer, with a spare USB external power interface to prevent power failure
- The sturdy and safe aluminum alloy lock plate, anti-corrosion and firm, waterproof rubber structure upgrade, can be used for exterior doors.
- Reversible handle: You can change the direction of the door handle as needed, just follow the manual operation, which is simple and convenient.

Tuya Smart Video Fingerprint lock



- 1 seconds fingerprint unlock, say goodbye to key, enjoy convenient life
- Support: fingerprint / Access card / Pass Code / Metal key / inner door quick opening / APP remote unlocking;
- 3200ma lithium batteries with super long endurance, lasting power and more reassuring
- Class C safety lock cylinder, aluminum alloy shell, strictly guard your home;
- No gateway, WiFi direct connection, Tuya smart app remote intelligent control
- Real time monitoring of door lock status and timely alarm in case of abnormality
- Various door bodies can be installed, applicable to security doors, stainless steel doors
- Built-in camera 500DPI, the app can push the capture when alarm or door bell ring



More Products under Development

Thanks for Reading

Updated on 2022.05