

PRODUCT DATASHEET

L 18 W/4000

Basic T8 | Tubular fluorescent lamps 26 mm, with G13 bases



TECHNICAL DATA


Electrical data

Nominal voltage	230 V
Nominal wattage	18.00 W
Rated wattage	18.00 W
Lamp current	0.37 A

Photometrical data

Rated luminous flux	1200 lm
Light color	4000
Rated color temperature	4000 K
Nominal luminous flux	1200 lm
Color temperature	4000 K
Luminous flux	1200 lm

Dimensions & weight



Tube diameter	26 mm
Length	590.0 mm
Length with base excl. base pins/connection	590.00 mm
Diameter	26.0 mm

Lifespan


Service life	5000 h
Lifespan	13000 h ¹⁾
Rated lamp life time	13000 h
Nominal lamp life time	13000 h

¹⁾ With CCG/LLCG

Additional product data

Base (standard designation)	G13
-----------------------------	-----

Mercury content	4.3 mg
Show WEEE picto	Yes



Circuit diagram

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321959652	L 18 W/4000	Shipping carton box 25	142 mm x 145 mm x 632 mm	13.01 dm ³	2625.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.