

PRODUCT DATASHEET

L 58 W/4000

Basic T8 | Tubular fluorescent lamps 26 mm, with G13 bases



TECHNICAL DATA



Electrical data

Nominal wattage	58.00 W
Rated wattage	58.00 W

Photometrical data

Rated luminous flux	4600 lm
Luminous flux at 25 °C	3500 lm
Light color	4000
Rated color temperature	4000 K
Nominal luminous flux	4600 lm
Color temperature	4000 K
Luminous flux	4600 lm

Dimensions & weight



G13
IEC 7004-51
DIN 49653 T1

Tube diameter	26 mm
Length	1500 mm
Length with base excl. base pins/connection	1500.00 mm


Lifespan

Service life	5000 h
Lifespan	13000 h ¹⁾
Rated lamp life time	13000 h
Nominal lamp life time	13000 h

¹⁾ With CCG/LLCG

Additional product data

Base (standard designation)	G13
Mercury content	8.0 mg
Show WEEE picto	Yes



Circuit diagram

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321959843	L 58 W/4000	Shipping carton box 25	1542 mm x 142 mm x 145 mm	31.75 dm ³	6520.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.