







cirru§creens

Nero G4 - Fixed Frame Screen Instruction Manual

Part List




Remark: Above spare parts quantity inside () is equipped.

Installation

1-1.One-hole Nut

Slide 3pcs one-hole nuts into each long frame.


1-1



1-2.Springs

Refer to spring sticker on each frame, slide the correct quantity of springs into each frame. Please note that the direction of the hooks should be downwards.


1-2



1-3.Four-hole Corner Bracket


Slide 1pcs small (sharp end) and 1pcs big (round end) corner brackets into each side of the long frame as below.
(Please note that the small corner bracket should be in the same groove with the nut.)

1-3




② Frame Assembly:

2-1



2-2. Secure frame pieces with black round head screws provided.


2-2




③. Support Bar Assembly

Locate the support bar onto the middle of the retainer plates as below picture and secure it with 2pcs black round head screws provided.

3-1




3-2



④. Screen Materials Attachment

1). Locate and smooth out the film sheet (F) on the clean and flat ground, the unroll the screen materials evenly onto the film sheet. Please note that the projection surface should be downwards and the back side should be upwards. Then insert the plastic sticks through the edges of the materials as the picture below.


4-1



2). Locate the assembled frame onto the screen materials carefully, meanwhile makesure the distance frome every edge of the screen materials to the frame's edge consistent.

3).Slide the springs to aline with the mounting position of the screen materials.


4-2&3




⑤. Secure Screen Materials


1). Fold the edges of the screen materials to the back of the frame.

First to follow the sequence(ABCDEFGG) shown below, secure the materials by hooking with the springs. Then secure the rest until all have been secured.




5-1








Smooth out the wrinkles through the entire perimeter of the frame's edges by the gloved hands.



5-5





- ⑥ Install the decorative frames
 Slide 3pcs one-hole nuts into each long decorative frame;
 Slide 2pcs one-hole nuts into each short decorative frame;
 Then assemble the decorative frames with the assembled base frame.



6-2

- Install the retaining plate
 Screw the retaining plates on the one - hole nuts as below pictures.


6-3




⑦ Install the mounting brackets and the screen.

1). Secure two mounting brackets with the 1-hole nut in the top frame by round head screws. Do not tighten the screws completely, the brackets should just can slide left and right.


2). Take the same action to secure the circular metal piece of the lower frame, But with flat head screws. Do not tighten the screws completely.




7-1



7-2




3). Measure the overall Length (A) and Height (B) of the screen frame.



4). Drill 4 holes in the wall at the desired height. The two holes horizontal distance should be $\frac{2}{3}A$, the vertical distance should be B minus 105mm.

7-4



5). Hammer the expansion bolts into those 4 drilled holes, drive 2pc round head self-tapping screws into the upper expansion bolts and leave 5mm protrusion for hanging the screen on. Install the lower 2pcs magnet pieces by 2pcs flat self-tapping screws supplied. Hang the screen on the upper brackets and attach the lower frame to the wall by the magnets.

