



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

SECTION 1: Identification

1.1 Product identifier

Trade name Bloomco DA MAX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle polishing compound

1.3 Details of the supplier of the safety data sheet

Bloomco, Division of Double B Automotive Warehousing Inc.
5035 North Service Road, #B1
Burlington, Ontario, Canada L7L 5V2

Telephone: (905) 332-8070 OR
1-(800) 667-9168
Website: Bloomco.ca
Email (competent person): info@bloomco.ca

1.4 Emergency telephone number Emergency information service

CANUTEC 613-996-6666 OR *666 for cell phones

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	carcinogenicity	2	Carc. 2	H351
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labeling

- Signal word warning

- Pictograms

GHS07, GHS08



- Hazard statements

H319 Causes serious eye irritation.



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Suspected
cancer.

H351
of causing

H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/ attention.
- P314 Get medical advice/attention if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling Polyvinylpyrrolidone

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Solvent naphtha(petroleum), heavy aromatic, Naphthalene Depleted	CAS No 64742-94-5	3 – < 12	Flam. Liq. 4 / H227 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304	
Distillates (petroleum), hydrotreated heavy naphthenic	CAS No 64742-52-5	1 – < 3	Acute Tox. 4 / H332 Asp. Tox. 1 / H304	



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Distillates (petroleum), hydrotreated light	CAS No 64742-47-8	1 – < 3	Asp. Tox. 1 / H304	
Solvent naphtha (petroleum), heavy aliph.	CAS No 64742-96-7	1 – < 3	Flam. Liq. 3 / H226 Acute Tox. 3 / H331 Asp. Tox. 1 / H304	
Polyvinylpyrrolidone	CAS No 9003-39-8 88-12-0	1 – < 3	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Eye Dam. 1 / H318 Carc. 2 / H351 STOT SE 3 / H335 STOT RE 2 / H373	

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



Version number: GHS 1.0

Date of compilation: 2020-02-05

SECTION 6:

Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

not required

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

7.3 Specific end use(s)

See section 16 for a general overview.



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

SECTION 8:
Exposure

controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
CA	aluminium, insoluble compounds	1344-281	OEL (BC)		1					r	"BC Regulation"
CA	aluminium oxide	1344-281	PEV/VEA		10					AI, noAsb_less1Sil	Regulation OHS
CA	aluminium oxide (alumina)	1344-281	OEL (AB)		10						OHS Code
CA	Jet fuels	6474247-8	OEL (BC)		200					HyCarb, i, vap	"BC Regulation"
CA	mineral oil	8042-475	OEL (AB)		5		10			mist	OHS Code

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
CA	N-vinyl-2pyrrolidone	88-12-0	OEL (AB)	0.05	0.2						OHS Code
CA	N-vinyl-2pyrrolidone	88-12-0	OEL (BC)	0.05							"BC Regulation"

Notation

- AI calculated as AI (aluminum)
- Ceiling-C ceiling value is a limit value above which exposure should not occur
- HyCarb calculated as hydrocarbons i
- inhalable fraction
- mist as mists
- noAsb_less1 contains no asbestos and less than 1% free crystalline silica Sil
- r respirable fraction



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

STEL
short-term

exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)
vap as vapors

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Polyvinylpyrrolidone	9003-39-8 88-12-0	DNEL	0.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Polyvinylpyrrolidone	9003-39-8 88-12-0	DNEL	0.4 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Polyvinylpyrrolidone	9003-39-8 88-12-0	DNEL	0.3 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Polyvinylpyrrolidone	9003-39-8 88-12-0	DNEL	0.4 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Polyvinylpyrrolidone	9003-39-8 88-12-0	DNEL	0.014 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	PNEC	9.33 mg/kg	(top) predators	water	short-term (single instance)
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	PNEC	9.33 mg/kg	aquatic organisms	water	short-term (single instance)
Polyvinylpyrrolidone	9003-39-8 88-12-0	PNEC	0.045 mg/l	aquatic organisms	freshwater	short-term (single instance)
Polyvinylpyrrolidone	9003-39-8 88-12-0	PNEC	0.004 mg/l	aquatic organisms	marine water	short-term (single instance)



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Polyvinylpyrrolidone	9003-39-8 88-12-0	PNEC	3,373 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Polyvinylpyrrolidone	9003-39-8 88-12-0	PNEC	0.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Polyvinylpyrrolidone	9003-39-8 88-12-0	PNEC	0.02 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Polyvinylpyrrolidone	9003-39-8 88-12-0	PNEC	0.017 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls
General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection
Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (viscous)
Color	off-white
Odor	characteristic



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Other safety

parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	0.6 vol%
- Upper explosion limit (UEL)	5.9 vol%
Vapor pressure	31.69 hPa at 25 °C
Density	1.19 g/cm ³ 9.94lbs/US Gal
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	220 °C (auto-ignition temperature (liquids and gases))

Viscosity

- Kinematic viscosity	4,202 mm ² /s at 25 °C
- Dynamic viscosity	5,000 cP at 25 °C
Explosive properties	not explosive (GHS of the United Nations, annex 4)



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Oxidizing properties	none
----------------------	------

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T2D (maximum permissible surface temperature on the equipment: 215°C)
--	---

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Solvent naphtha(petroleum), heavy aromatic, Naphthalene Depleted	64742-94-5	inhalation: vapour	5.28 mg/l/4h
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	inhalation: vapour	11 mg/l/4h
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	inhalation: dust/mist	2.18 mg/l/4h
Solvent naphtha (petroleum), heavy aliph.	64742-96-7	inhalation: vapour	5.28 mg/l/4h



Safety Data Sheet
acc. to Hazardous Products Regulations (HPR)

DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Polyvinylpyrrolidone	9003-39-8 88-12-0	oral	500 mg/kg
Polyvinylpyrrolidone	9003-39-8 88-12-0	dermal	1,100 mg/kg
Polyvinylpyrrolidone	9003-39-8 88-12-0	inhalation: dust/mist	3.07 mg/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Polyvinylpyrrolidone	9003-39-8 88-12-0	EC50	4,812 mg/l	microorganisms	17 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Sewage

disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

- | | | |
|------|--|---|
| 14.1 | UN number | not subject to transport regulations |
| 14.2 | UN proper shipping name | not assigned |
| 14.3 | Transport hazard class(es) | not assigned |
| 14.4 | Packing group | not assigned |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 | Special precautions for user | There is no additional information. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Transport information - National regulations - Additional information (UN RTDG)

not assigned

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations specific for the product in question
- National regulations (United States)
- Toxic Substance Control Act (TSCA) all ingredients are listed
- Superfund Amendment and Reauthorization Act (SARA TITLE III)
- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)
- none of the ingredients are listed
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)
- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)
- none of the ingredients are listed



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	carrier fluid / dissolver	
aluminium oxide	1344-28-1	abrasive	
White mineral oil (petroleum)	8042-47-5	lubricant	
Solvent naphtha(petroleum), heavy aromatic, Naphthalene Depleted	64742-94-5	solvents	
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	solvents	EC Annex VI CMRs - Cat. 1B
Distillates (petroleum), hydrotreated light	64742-47-8	solvents	
Solvent naphtha (petroleum), heavy aliph.	64742-96-7	solvents	
acrylic polymer		viscosity modifier	
Polyvinylpyrrolidone	9003-39-8 88-12-0	polymer	
polyoxyethylene sorbitan monooleate	9005-65-6	surfactant	

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Polyvinylpyrrolidone	88-12-0		

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

VOC content

Regulated Volatile Organic Compounds (VOC-EPA): 4.002 %

Regulated Volatile Organic Compounds (VOC-Cal ARB): 4.002 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
 Flammability: flammability hazard
 Health: health hazard
 Personal protection: personal protective equipment (PPE) for normal use
 Physical hazard: reactivity



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National regulations (Canada)

Domestic Substances List (DSL)

All ingredients are listed.

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
CA	DSL	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board



Safety Data Sheet
acc. to Hazardous Products Regulations (HPR)

DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

Abbr.	Descriptions of used abbreviations
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin



DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05



STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Hazardous Products Regulations (HPR).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.



Safety Data Sheet
acc. to Hazardous Products Regulations (HPR)

DA MAX

Version number: GHS 1.0

Date of compilation: 2020-02-05

H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.