SAFETY DATA SHEET

1. Identification

Product identifier: BLOOMCO MR. FOAMY VELOUR & FABRC CLEANER

Other means of identification SDS number: RE1000003754

Recommended restrictions

Product use: Cleaner Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: Address:

Telephone:

Fax:

DOUBLE B-BLOOMCO 5035 NORTH SERVICE ROAD, UNIT B4 BURLINGTON, ON L7L 5V2 905-332-8070

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol	Category 1
Health Hazards	

Serious Eye Damage/Eye Irritation Category 2A

Label Elements

Hazard Symbol:



Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
Other hazards which do not result in GHS classification:	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Ethanol, 2-(2-butoxyethoxy)-		112-34-5	1 - 5%
Butane		106-97-8	1 - 5%
Alcohols, C9-11, ethoxylated		68439-46-3	0.5 - 1.5%
Propane		74-98-6	0.5 - 1.5%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures	
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Inhalation:	Move to fresh air.
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Most important symptoms/effe	cts, acute and delayed
Symptoms:	No data available.
Hazards:	No data available.
Indication of immediate medica	I attention and special treatment needed
Treatment:	No data available.
5. Fire-fighting measures	
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Suitable (and unsuitable) exting	guishing media
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. Accidental release measures	S
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Ethanol, 2-(2-butoxyethoxy) Inhalable fraction and vapor.	TWA	10 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2013)
Ethanol, 2-(2-butoxyethoxy) Inhalable fraction and vapor.	TWA	10 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Ethanol, 2-(2-butoxyethoxy) Inhalable fraction and vapor.	TWA	10 ppm	US. ACGIH Threshold Limit Values (03 2013)
Butane	STEL	1,000 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (08 2017)
Butane	TWA	600 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017)
Butane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Butane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Butane	STEL	1,000 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2018)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)

	STEL	750 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (06 2017)
Butane	TWA	800 ppm 1,900 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Butane	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	-104.44 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.

SDS_CA - RE1000003754

Upper/lower limit on flammabilit	ty or explosive limits
••	
Flammability limit - upper (•
Flammability limit - lower (9	
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	4,481.5922 - 5,515.8058 hPa (20 °C)
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/v	water): No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
10. Stability and reactivity	
Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous	No data available.
reactions:	

Conditions to avoid:Avoid heat or contamination.Incompatible Materials:No data available.Hazardous DecompositionNo data available.

11. Toxicological information

Products:

Information on likely routes of exposure
Inhalation:No data available.Skin Contact:No data available.Eye contact:No data available.Ingestion:No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	ATEmix: 47,357.95 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	LD 50 (Rabbit): 2,764 mg/kg
Alcohols, C9-11, ethoxylated	LD 50 (Rabbit): 2,216 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	LC 50 (Various): > 20 mg/l
Butane	LC 50 (Mouse): 1,237 mg/l
Alcohols, C9-11, ethoxylated	LC 50: > 20 mg/l LC 50: > 5 mg/l
Propane	LC 50 (Mouse): 1,237 mg/l
Repeated dose toxicity Product:	No data available.
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 90 - 120 d): 14 ppm(m) Inhalation
Butane	Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Alcohols, C9-11, ethoxylated Propane	NOAEL (Rat(Female, Male), Oral, 90 d): >= 500 mg/kg Oral Read-across based on grouping of substances (category approach), Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Skin Corrosion/Irritation Product:	No data available.
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	in vivo (Rabbit): Not irritant Experimental result, Supporting study
Alcohols, C9-11,	

Serious Eye Damage/Eye Irritation Product: No data available.	
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	Rabbit, 24 - 72 hrs: Highly irritating
Respiratory or Skin Sensitization Product:	on No data available.
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	Skin sensitization:, in vivo (Guinea pig): Non sensitising
Carcinogenicity Product:	No data available.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified	
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified ACGIH Carcinogen List:	
No carcinogenic componer	nts identified
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity - Single Exposure Product: No data available.	
Specific Target Organ Toxicity Product:	- Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.
12. Ecological information	
Ecotoxicity:	

Acute hazards to the aquatic environment:

Fish Product:

No data available.

Specified substance(s):	
Ethanol, 2-(2- butoxyethoxy)-	LC 50 (Lepomis macrochirus, 96 h): 1,300 mg/l Experimental result, Key study

	LC 50 (Pimephales promelas, 96 h): 2,400 mg/l Experimental result, Supporting study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Alcohols, C9-11, ethoxylated	LC 50 (96 h): 0.9 mg/l LC 50 (Oncorhynchus mykiss, 96 h): 5 - 7 mg/l Experimental result, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	LC 50 (Daphnia magna, 48 h): +/- 1,743 mg/l QSAR QSAR, Supporting study
Putono	
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Chronic hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Alcohols, C9-11, ethoxylated	NOAEL (Pimephales promelas): 0.16 mg/l Read-across based on grouping of substances (category approach), Weight of Evidence study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Alcohols, C9-11, ethoxylated	NOAEL (Daphnia magna): 1.75 mg/l Read-across based on grouping of substances (category approach), Weight of Evidence study
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
Specified substance(s): Ethanol, 2-(2- butoxyethoxy)-	85 % (28 d) Detected in water. Experimental result, Key study
Butane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Alcohols, C9-11, ethoxylated	100 % (28 d) Detected in water. Read-across based on grouping of substances (category approach), Weight of Evidence study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
BOD/COD Ratio	

Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available.	
Specified substance(s): Alcohols, C9-11, ethoxylated	Pimephales promelas, Bioconcentration Factor (BCF): 237 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study
Partition Coefficient n-octanol / Product:	water (log Kow) No data available.
Specified substance(s): Alcohols, C9-11, ethoxylated	Log Kow: 3.3 - 3.73 Yes QSAR, Weight of Evidence study
Mobility in soil:	No data available.
Known or predicted distribu Ethanol, 2-(2- butoxyethoxy)-	ition to environmental compartments No data available.
Butane Alcohols, C9-11,	No data available. No data available.
ethoxylated	
Propane	No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Wash before disposal. Dispose to controlled facilities.
Contaminated Packaging:	No data available.
14. Transport information	
TDG	
UN Number:	UN 1950
UN Proper Shipping Name: Transport Hazard Class(es)	Aerosols, flammable
Class:	2.1
Label(s): EmS No.:	-
Packing Group:	_
Environmental Hazards:	Νο
Marine Pollutant	No
Special precautions for user:	Not regulated.
IMDG	
UN Number:	UN 1950
UN Proper Shipping Name: Transport Hazard Class(es)	Aerosols, flammable
Class:	2
Label(s): EmS No.:	_
Packing Group:	_
Environmental Hazards:	No

Not regulated.
UN 1950
Aerosols, flammable
2.1
_
No
No
Not regulated.

15. Regulatory information

Canada Federal Regulations

List of Toxic Substances (CEPA, Schedule 1) Not Regulated

Export Control List (CEPA 1999, Schedule 3) Not Regulated

National Pollutant Release Inventory (NPRI)

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4) NPRI Not Regulated

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements NPRI PT5 ButanePropane1,6-

Octadiene, 7-methyl-3methylene-

Greenhouse Gases

Not Regulated

Controlled Drugs and Substances Act

CA CDSI	Not Regulated
CA CDSII	Not Regulated
CA CDSIII	Not Regulated
CA CDSIV	Not Regulated
CA CDSV	Not Regulated
CA CDSVII	Not Regulated
CA CDSVIII	Not Regulated

Precursor Control Regulations

Not Regulated

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol Not applicable

Inventory Status: EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
Ontario Inventory:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date:	07/22/2019
Revision Date:	No data available.
Version #: Further Information:	1.0 No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.