

SAFETY DATA SHEET

FICHE D'INFORMATION

CLASS							
A	B	C	D ₁	D ₂	D ₃	E	F
	X			X			

SECTION 1 - PRODUCT IDENTIFICATION AND USE

PRODUCT IDENTIFIER: HEAVY COAT UNDERCOATING/603L			
PRODUCT USE: PROTECTIVE COATING			
MANUFACTURER'S NAME: DYMAR CHEMICALS LTD		SUPPLIER'S NAME: DYMAR CHEMICALS LTD	
STREET:		STREET: 4020A Sladeview Cres, Unit #2	
CITY:	PROVINCE: AB	CITY: MISSISSAUGA	PROVINCE: ONTARIO
POSTAL CODE:	EMERGENCY TELEPHONE NUMBER: CANUTEC (613)-996-6666	POSTAL CODE: L5L 6B1	EMERGENCY TELEPHONE NUMBER: (905) 828-6022

SECTION 2 - HAZARDOUS INGREDIENTS

INGREDIENTS: (LIST ONLY CONTROLLED PRODUCTS)	%	CAS NUMBER	LD ₅₀ OF INGREDIENT & SPECIES AND ROUTE	LC ₅₀ OF INGREDIENT & SPECIES AND ROUTE
MINERAL SPIRITS	15-30%	8052-41-3	>5 GM/KG ORAL	> 5 GM.M ³
ASPHALT	25-40%	8052-42-4	N/A	N/A

SECTION 3 - PHYSICAL DATA - UN NUMBER

PHYSICAL STATE: VISCOUS LIQUID	ODOUR AND APPEARANCE: BLACK-GREASE LIKE SOLVENT ODOUR			COLOUR THRESHOLD: N/AV
VAPOUR PRESSURE: 1.3 KPA @38 DEG C	VAPOUR DENSITY: 4.9	EVAPORATION RATE: .11	BOILING POINT: >157 DEG C	FREEZING POINT: -18 DEG C
pH: N/APP	SPECIFIC GRAVITY: (WATER =1) 1.18	DENSITY (KG/M): 1180	COEFFICIENT OF WATER/OIL DISTRIBUTION: N/AV	UN: 1993 PACK GRP III

SECTION 4 - FIRE AND EXPLOSION DATA

FLAMMABLE? YES: __ NO: X CLASSIFIED AS COMBUSTIBLE LIQUID		
MEANS OF EXTINGUISHMENT: DRY CHEMICAL, WATER FOG, CO2, FOAM, SAND/EARTH		
FLASH POINT, °C & METHOD: PENSKY MARTENS 40.5 DEG.C	LOWER FLAMMABLE LIMIT % IN AIR: N/AV	UPPER FLAMMABLE LIMIT, % IN AIR: N/AV
AUTOIGNITION TEMPERATURE: N/AV	HAZARDOUS COMBUSTION PRODUCTS:	
EXPLOSION DATA: N/AV	SENSITIVITY TO STATIC DISCHARGE: N/AV	

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY: YES: X NO: __ IF NO:
INCOMPATIBILITY WITH OTHER SUBSTANCES: YES: X NO: __ IF YES: STRONG OXIDIZERS, HYDROGEN PEROXIDE, BROMINE, CHROMIC ACID
REACTIVITY, AND UNDER WHAT CONDITIONS?: EXCESSIVE HEAT, OPEN FLAMES
HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE AND CARBON DIOXIDE FROM BURNING

SAFETY DATA SHEET FICHE D'INFORMATION	PRODUCT IDENTIFIER:
	PAGE 2 HEAVYCOAT UNDERCOAT/603L

SECTION 6 - TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:	INGESTION: X	INHALATION: X	EYE CONTACT: X	SKIN ABSORPTION:	SKIN CONTACT: X
-----------------	--------------	---------------	----------------	------------------	-----------------

EFFECTS OF ACUTE EXPOSURE: **INHALATION: IRRITATION OF EYES, NOSE AND THROAT, DIZZINESS SKIN CONTACT: DERMATITIS: INGESTION: NAUSEA, VOMITING.**

ROUTE OF CHRONIC EXPOSURE: **NORMALLY SKIN CONTACT ONLY**

EXPOSURE LIMITS: 525 MG/M³ (TLV/TWA)	IRRITANCY OF PRODUCT: N/AV	SENSITIZATION TO PRODUCT: N/AV	CARCINOGENICITY: N/AV
TERATOGENICITY: N/AV	REPRODUCTIVE TOXICITY: N/AV	MUTAGNICITY: N/AV	SYNERGISTIC PRODUCTS: N/AV

SECTION 7 - PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATOR (SPECIFY TYPE): NIOSH CERTIFIED, DUAL ORGANIC VAPOURS/MIST & PARTICULATES	GLOVES (TYPE & MATERIAL): VITON, NITRILE, PVC GLOVES	EYE PROTECTION REQUIRED (TYPE): CHEMICAL SAFETY GOGGLES
CLOTHING (SPECIFY): N/AV	FOOTWEAR (TYPE): SAFETY SHOES RECOMMENDED	OTHER: NONE

SPECIFIC ENGINEERING CONTROLS: **VENTILATION TO MAINTAIN FRESH AIR DILUTION TO MAINTAIN ALLOWABLE TLV**

HANDLING PROCEDURES AND EQUIPMENT: **AVOID ALL IGNITION SOURCES SUCH AS FLAMES AND SPARKS**

LEAK AND SPILL CONTAINMENT AND DISPOSAL: **TRANSFER INTO CONTAINERS FOR DISPOSAL, SEAL TIGHTLY, ABSORB ON INERT INGREDIENT SUCH AS EARTH, SAND OR VERMICULITE.**

WASTE DISPOSAL: **IN ACCORDANCE WITH ALL FEDERAL, PROVINCIAL AND LOCAL REGULATIONS**

SPECIAL STORAGE AND/OR TEMPERATURE REQUIREMENTS: **MAXIMUM STORAGE TEMPERATURE 38°C (100° F)**

SPECIAL SHIPPING INSTRUCTIONS: **NOT REGULATED IN CONTAINERS 450 LITRES OR LESS**

SECTION 8 - FIRST AID

SPECIFIC FIRST AID MEASURES:

EYES: IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF WATER FOR 15 MINUTES AND CALL A PHYSICIAN.

SKIN CONTACT: REMOVE EXCESS WITH CLOTH OR PAPER. WASH THOROUGHLY WITH HAND CLEANER FOLLOWED BY SOAP & WATER.

IF SWALLOWED: CALL A PHYSICIAN IMMEDIATELY, DO NOT INDUCE VOMITING.

SECTION 9 - PREPARATION INFORMATION AND UPDATE

PREPARED BY: R. Yvonne	TELEPHONE: (905) 802-6022	DATE: JUNE 26, 2018
UPDATED BY: R. YVONNE DATE: 06/26/18	UPDATED BY: R. YVONNE DATE: June 26/18	UPDATED BY: R. YVONNE DATE: June 26/18
UPDATED BY: R. YVONNE DATE: 06/26/18		

Precautionary Statement

Keep away from heat, hot surfaces, sparks, open flames & other ignition sources. No smoking (P210). Keep container tightly closed (P233). Ground & bond container receiving equipment (P240). Use explosion proof equipment (P241). Use only non-sparking tools (P242). Take precautionary measures against static discharge (P243). Avoid breathing mists, vapors & sprays (P261). Wash thoroughly after handling(P264). Do not eat, drink or smoke while using this product (P270). Use only

outdoors or in a well ventilated area (P271). Contaminated work clothes should not be allowed out of the workplace (P272). Wear protective gloves, clothing, eye protection, face protection (P280)