

acc. to Hazardous Products Regulations (HPR)

Vehicle polish

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

SECTION 1: Identification

1.1 Product identifier

Trade name Bloomco Fine Finish

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

1.3 Details of the supplier of the safety data sheet

B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States

Telephone: 1.800.875.6320, 1.303.289.6320

e-mail: info@bbblending.com Website: bbblending.com

e-mail (competent person) btirrell@bbblending.com

1.4 Emergency telephone number

Emergency information service USA 1.800.535.5053, INTL 1.352.323.3500

24 hr emergency information

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.7	reproductive toxicity	2	Repr. 2	H361f

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

Additional information

Containing a PBT-/vPvB-substance in a concentration of ≥ 0,1%.

2.2 Label elements

Labeling

- Signal word warning

- Pictograms

GHS07, GHS08



Canada: en Page: 1 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

- Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H361f Suspected of damaging fertility.

- Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazardous ingredients for labelling

octamethylcyclotetrasiloxane

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
odorless mineral spirits	CAS No 64742-48-9	12-<20	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304	
Distillates (petroleum), hydro- treated light	CAS No 64742-47-8	3 – < 12	Flam. Liq. 4 / H227 Asp. Tox. 1 / H304	
octamethylcyclotetrasiloxane	CAS No 556-67-2	1-<3	Flam. Liq. 3 / H226 Repr. 2 / H361f	PBT vPvB
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1-<3	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Eye Dam. 1 / H318	
decamethylcyclopentasilox- ane	CAS No 541-02-6	0.1-<1	Flam. Liq. 4 / H227	PBT vPvB

Notes

PBT: The substance was identified as a PBT (persistent, bioaccumulative and toxic) vPvB: The substance was identified as a vPvB (very persistent and very bioaccumulative)

For full text of abbreviations: see SECTION 16. Exact percentage of ingredients is withheld as a trade secret.

Canada: en Page: 2 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Canada: en Page: 3 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
CA	aluminium, insol- uble compounds	1344-28- 1	OEL (BC)		1					r	"BC Regu- lation"
CA	aluminium oxide	1344-28- 1	PEV/ VEA		10					Al, noAs b_les s1Sil	Regu- lation OHS
CA	Aluminum oxide (Alumina)	1344-28- 1	OEL (AB)		10						OHS Code

Canada: en Page: 4 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
CA	Glycerin	56-81-5	OEL (AB)		10					mist	OHS Code
CA	glycerine	56-81-5	OEL (BC)		10					i, mist	"BC Regu- lation"
CA	glycerine	56-81-5	PEV/ VEA		10					mist	Regu- lation OHS
CA	glycerine	56-81-5	OEL (BC)		3					r, mist	"BC Regu- lation"
CA	Jet fuels	64742- 47-8	OEL (BC)		200					Hy- Carb, i, vap	"BC Regu- lation"
CA	mineral oil	8042-47- 5	OEL (AB)		5		10			mist	OHS Code

Notation

Al calculated as Al (aluminum)

Ceiling-C ceiling value is a limit value above which exposure should not occur

HyCarb calculated as hydrocarbons

inhalable fractio

mist as mists

noAsb_less1 contains no asbestos and less than 1% free crystalline silica

Sil

respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless

otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted

average (unless otherwise specified

vap as vapors

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalatory	worker (industry)	acute - local ef- fects
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	2,080 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C9-11 eth- oxylated	68439-46-3	DNEL	294 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

Canada: en Page: 5 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
decamethylcyclo- pentasiloxane	541-02-6	DNEL	97.3 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
decamethylcyclo- pentasiloxane	541-02-6	DNEL	24.2 mg/m³	human, inhalatory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg/} l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.059 ^{mg/} kg	pelagic organisms	sediments	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	1.7 ^{mg/} kg	(top) predators	water	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.44 ^{µg/} l	aquatic organisms	freshwater	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.044 ^{µg/} l	aquatic organisms	marine water	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg/} l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 ^{mg/} kg	aquatic organisms	freshwater sedi- ment	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.3 ^{mg/} kg	aquatic organisms	marine sediment	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.59 ^{mg/} kg	benthic organisms	sediments	short-term (single instance)
octamethylcyclotet- rasiloxane	556-67-2	PNEC	0.16 ^{mg/} kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1038 ^{mg/} l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.1038 ^{mg/} l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1.4 ^{mg/} l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	13.7 ^{mg/} kg	benthic organisms	sediments	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	13.7 ^{mg/} kg	pelagic organisms	sediments	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	1 ^{mg/} kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C9-11 eth- oxylated	68439-46-3	PNEC	0.014 ^{mg/} l	aquatic organisms	water	intermittent re- lease

Canada: en Page: 6 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 ^{mg/} l	microorganisms	sewage treatment plant (STP)	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 ^{mg/} kg	benthic organisms	sediments	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	13 ^{mg/} kg	(top) predators	water	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.1 ^{mg/} kg	pelagic organisms	sediments	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.2 ^{µg/} l	aquatic organisms	freshwater	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	0.12 ^{µg/} l	aquatic organisms	marine water	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 ^{mg/} l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 ^{mg/} kg	aquatic organisms	freshwater sedi- ment	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.1 ^{mg/} kg	aquatic organisms	marine sediment	short-term (single instance)
decamethylcyclo- pentasiloxane	541-02-6	PNEC	1.27 ^{mg/} kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Canada: en Page: 7 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (viscous)
Color	off-white
Odor	fruity

Other safety parameters

pH (value)	8-8.6 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	>100 °C at 101.3 kPa >212 °F at 1 atm
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- Lower explosion limit (LEL)	0.6 vol%
- Upper explosion limit (UEL)	19 vol%
Vapor pressure	31.69 hPa at 25 °C
Density	8 lbs/US Gal
Vapor density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	215 °C

Viscosity

- Kinematic viscosity	5,000 cSt at 25 °C

Canada: en Page: 8 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Explosive properties	not explosive (GHS of the United Nations, annex 4)
Oxidizing properties	none

9.2 Other information

Temperature class (USA, acc. to NEC 500)	T3 (maximum permissible surface temperature on the equipment: 200°C)
	200°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Alcohols, C9-11 ethoxylated	68439-46-3	oral	1,200 ^{mg/} kg
Alcohols, C9-11 ethoxylated	68439-46-3	dermal	2,000 ^{mg/} kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Canada: en Page: 9 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 ^{µg/} l	fish	96 h
octamethylcyclotet- rasiloxane	556-67-2	EC50	>1,000 ^{mg/_l}	aquatic invertebrates	96 h
Alcohols, C9-11 eth- oxylated	68439-46-3	LC50	7 ^{mg/} l	fish	96 h
Alcohols, C9-11 eth- oxylated	68439-46-3	EC50	2.5 ^{mg/_l}	aquatic invertebrates	48 h
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 ^{µg/} I	fish	96 h
decamethylcyclopentas- iloxane	541-02-6	EC50	>2.9 ^{µg/} l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
odorless mineral spirits	64742-48-9	EC50	15.41 ^{mg/} l	microorganisms	40 h
octamethylcyclotet- rasiloxane	556-67-2	LC50	10 ^{µg/} I	fish	14 d
octamethylcyclotet- rasiloxane	556-67-2	EC50	>500 ^{mg/} I	aquatic invertebrates	24 h

Canada: en Page: 10 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
decamethylcyclopentas- iloxane	541-02-6	LC50	>16 ^{µg/} l	fish	14 d
decamethylcyclopentas- iloxane	541-02-6	EC50	>15 ^{µg/} I	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

The substance fulfills the very bioaccumulative criterion.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).

12.6 Other adverse effects

Endocrine disrupting potential

The mixture contains substance(s) with an endocrine disrupting potential.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number 3082

14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

14.3 Transport hazard class(es)

Class 9 (environmentally hazardous)

14.4 Packing group III (substance presenting low danger)

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

Canada: en Page: 11 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport information - National regulations - Additional information (UN RTDG)

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Class

Environmental hazards yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9, fish and tree

Special provisions (SP) 274, 331, 335, 375 (UN RTDG)

Excepted quantities (EQ) E1 (UN RTDG)
Limited quantities (LQ) 5 L (UN RTDG)

International Maritime Dangerous Goods Code (IMDG)

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S.

Class 9

Marine pollutant yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9, fish and tree



Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR)
UN number 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Class 9

Environmental hazards yes (hazardous to the aquatic environment)

Packing group III

Danger label(s) 9, fish and tree

Canada: en Page: 12 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)



Special provisions (SP) A97, A158, A197

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

15.1.5 Toxic Substance Control Act (TSCA) all ingredients are listed 0.1

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

15.1.5 California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and0.6 Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard
Flammability: flammability hazard
Health: health hazard

Personal protection: personal protective equipment (PPE) for normal use

Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Canada: en Page: 13 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
1.1	Trade name: Fine Finish	Trade name: Bloomco Fine Finish	yes
1.3	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive CO 80233 Northglenn United States	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States	yes
	Telephone: 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com Website: bbblending.com	Telephone: 1.800.875.6320, 1.303.289.6320 e-mail: info@bbblending.com Website: bbblending.com	
1.3	Competent person responsible for the safety data sheet: Robert Blahnik		yes
1.3	e-mail (competent person): bblahnik@bbblending.com		yes
1.3		e-mail (competent person): btirrell@bbblending.com	yes
2.1	Classification acc. to GHS: Annex - Hazard class and category - Hazard statement code(s)	Classification acc. to GHS	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes

Canada: en Page: 14 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

	10-11-23 (GHO 1)		
Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
2.1	Remarks: For full text of H-phrases: see SECTION 16.		yes
2.1	Hazards not otherwise classified: Health hazards not otherwise classified (HHNOS): not assigned Physical hazards not otherwise classified (PHNOS): not assigned		yes
2.1		The most important adverse physicochemical, human health and environmental effects: The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).	yes
2.1		Additional information: Containing a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.2	Signal word: danger	- Signal word: warning	yes
2.2		Pictograms: change in the listing (table)	yes
2.2	Hazard statements		yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2	Precautionary statements		yes
2.2	Precautionary statements - prevention		yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Precautionary statements - storage		yes
2.2		Precautionary statements - storage: change in the listing (table)	yes
2.2	Precautionary statements - disposal		yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2		Hazardous ingredients for labelling: octamethylcyclotetrasiloxane	yes
3.2		Hazardous ingredients acc. to GHS: change in the listing (table)	yes

Canada: en Page: 15 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
4.1	Following eye contact: Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.	Following eye contact: Remove contact lenses, if present and easy to do. Continue rinsing.	yes
4.2	Most important symptoms and effects, both acute and delayed: Symptoms and effects are not known to date.		yes
4.3	Indication of any immediate medical attention and special treatment needed: none		yes
6.1	For emergency responders: Wear breathing apparatus if exposed to vapours/ dust/spray/gases.	For emergency responders: Wear breathing apparatus if exposed to vapors/ dust/aerosols/gases.	yes
6.2	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose ofi t.	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose ofi t. If substance has entered a water course or sewer, inform the responsible authority.	yes
7.2	Managing of associated risks		yes
7.2	Incompatible substances or mixtures: Observe hints for combined storage.		yes
7.2	Consideration of other advice		yes
8.1	National limit values		yes
8.1	Occupational exposure limit values (Workplace Exposure Limits)		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1	Relevant DNELs/DMELs/PNECs and other threshold levels: No data available.		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Odour: fruity		yes
9.1		Odor: fruity	yes
9.1	• lower explosion limit (LEL): 0.7 vol%	Lower explosion limit (LEL): 0.6 vol%	yes
9.1		Vapor density: this information is not available	yes
9.1	Auto-ignition temperature: 311 °C	Auto-ignition temperature: 215 °C	yes
9.1	Viscosity: not determined	Viscosity	yes

Canada: en Page: 16 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
9.1		Kinematic viscosity: 5,000 cSt at 25 °C	yes
9.1	Explosive properties: none	Explosive properties: not explosive (GHS of the United Nations, annex 4)	yes
9.2	Solvent content: 85.85 %		yes
9.2	Solid content: 14.15 %		yes
9.2		Temperature class (USA, acc. to NEC 500): T3 (maximum permissible surface temperature on the equipment: 200°C)	yes
10.4	Physical stresses which might result in a hazardous situation and have to be avoided: strong shocks		yes
10.5	Incompatible materials: There is no additional information.	Incompatible materials: Oxidizers	yes
11.1	Acute toxicity of components of the mixture		yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1	Respiratory or skin sensitisation: Shall not be classified as a respiratory or skin sensitiser.	Respiratory or skin sensitization: Shall not be classified as a respiratory or skin sensitizer.	yes
11.1	Summary of evaluation of the CMR properties: May cause cancer. Shall not be classified as germ cell mutagenic. Shall not be classified as a reproductive toxicant.		yes
11.1	Carcinogenicity		yes
11.1	National Toxicology Program (United States): none of the ingredients are listed		yes
11.1	IARC Monographs: none of the ingredients are listed		yes
11.1	Specific target organ toxicity (STOT): Shall not be classified as a specific target organ toxicant.		yes
11.1		Germ cell mutagenicity: Shall not be classified as germ cell mutagenic.	yes
11.1		Carcinogenicity: Shall not be classified as carcinogenic.	yes
11.1		Reproductive toxicity: Suspected of damaging fertility.	yes
11.1		Specific target organ toxicity - single exposure: Shall not be classified as a specific target organ toxicant (single exposure).	yes
11.1		Specific target organ toxicity - repeated exposure: Shall not be classified as a specific target organ tox- icant (repeated exposure).	yes

Canada: en Page: 17 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Volation 01. 2010-11-23 (On 0.1)			
Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
11.1	Aspiration hazard: May be fatal if swallowed and enters airways.	Aspiration hazard: Shall not be classified as presenting an aspiration hazard.	yes
12.1	Toxicity: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Shall not be classified as hazardous to the aquatic environment.	Toxicity: Very toxic to aquatic life with long lasting effects.	yes
12.1	Aquatic toxicity (acute)		yes
12.1	Aquatic toxicity (acute) of components of the mixture		yes
12.1	Aquatic toxicity (chronic)		yes
12.1	Aquatic toxicity (chronic) of components of the mixture		yes
12.2	Degradability of components of the mixture		yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3	Bioaccumulative potential of components of the mix- ture		yes
12.3		Bioaccumulative potential of components of the mix- ture: change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mix- ture: change in the listing (table)	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.3	Bioaccumulative potential: Data are not available.	Bioaccumulative potential: The substance fulfills the very bioaccumulative criterion.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: The mixture contains a substance that was identified as a PBT (persistent, bioaccumulative and toxic). The mixture contains a substance that was identified as vPvB (very persistent and very bioaccumulative).	yes
12.6	Other adverse effects: Data are not available.	Other adverse effects	yes
12.6		Endocrine disrupting potential: The mixture contains substance(s) with an endo- crine disrupting potential.	yes
13.1	Waste treatment of containers/packagings: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packages: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number	UN number: 3082	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S.	yes

Canada: en Page: 18 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

	10-11-23 (0110-1)		
Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
14.3	Class:	Class: 9 (environmentally hazardous)	yes
14.4	Packing group: not relevant	Packing group: III (substance presenting low danger)	yes
14.5	Environmental hazards: none (non-environmentally hazardous acc. to the dangerous goods regulations)	Environmental hazards: hazardous to the aquatic environment	yes
14.7		Information for each of the UN Model Regulations	yes
14.7		Transport information - National regulations - Additional information (UN RTDG)	yes
14.7		UN number: 3082	yes
14.7		Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S.	yes
14.7		Class: 9	yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7		Packing group: III	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): 274, 331, 335, 375 (UN RTDG)	yes
14.7		Excepted quantities (EQ): E1 (UN RTDG)	yes
14.7		Limited quantities (LQ): 5 L (UN RTDG)	yes
14.7		International Maritime Dangerous Goods Code (IM-DG)	yes
14.7		UN number: 3082	yes
14.7		Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S.	yes
14.7		Class: 9	yes
14.7		Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.7		Packing group: III	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes

Canada: en Page: 19 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

	-10-11-23 (GHO 1)		
Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
14.7		Special provisions (SP): 274, 335, 969	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		EmS: F-A, S-F	yes
14.7		Stowage category: A	yes
14.7		International Civil Aviation Organization (ICAO-IATA/DGR)	yes
14.7		UN number: 3082	yes
14.7		Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.	yes
14.7		Class: 9	yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7		Packing group: III	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): A97, A158, A197	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 30 kg	yes
15.1	National regulations (United States)		yes
15.1	SARA TITLE III (Superfund Amendment and Reauthorization Act)		yes
15.1	List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302): none of the ingredients are listed		yes
15.1	Industry or sector specific available guidance(s)		yes
15.1	NPCA-HMIS® III: Hazardous Materials Identification System (American Coatings Association)		yes
15.1		NPCA-HMIS® III: change in the listing (table)	yes

Canada: en Page: 20 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
15.1	NFPA® 704: National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)		yes
15.1		NFPA® 704: change in the listing (table)	yes
15.1	Proposition 65 List of chemicals: none of the ingredients are listed		yes
15.1	Relevant European Union (EU) safety, health and environmental provisions		yes
15.1	Classification according to GHS (1272/2008/EC, CLP)		yes
15.1		Classification according to GHS (1272/2008/EC, CLP): change in the listing (table)	yes
15.1		National regulations (United States)	yes
15.1.50.1		Toxic Substance Control Act (TSCA): all ingredients are listed	yes
15.1.50.1		Superfund Amendment and Reauthorization Act (SARA TITLE III)	yes
15.1.50.1		The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304): none of the ingredients are listed	yes
15.1.50.1		Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)	yes
15.1.50.1		List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4): none of the ingredients are listed	yes
15.1.50.1		Clean Air Act: none of the ingredients are listed	yes
15.1.50.6		California Environmental Protection Agency (Cal/ EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987: none of the ingredients are listed	yes
15.1.50.6		Industry or sector specific available guidance(s)	yes
15.1.50.6		NPCA-HMIS® III: Hazardous Materials Identification System. Americ- an Coatings Association.	yes
15.1.50.6		NPCA-HMIS® III: change in the listing (table)	yes
15.1.50.6		NFPA® 704: National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).	yes
15.1.50.6		NFPA® 704: change in the listing (table)	yes
15.1.50.6		National inventories	yes

Canada: en Page: 21 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
15.1.50.6		National inventories: change in the listing (table)	yes
15.2		Chemical Safety Assessment: Chemical safety assessments for substances in this mixture were not carried out.	yes
16	Key literature references and sources for data: - OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 - 49 CFR § 172.101 Hazardous Materials Table (DOT)	Key literature references and sources for data: Hazardous Products Regulations (HPR).UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes
16		List of relevant phrases (code and full text as stated in chapter 2 and 3): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million

Canada: en Page: 22 / 23



acc. to Hazardous Products Regulations (HPR)

Fine Finish

Version number: GHS 2.0 Revision: 2019-04-11 Replaces version of: 2016-11-29 (GHS 1)

Abbr.	Descriptions of used abbreviations	
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contaminants (Quebec)	
Repr.	Reproductive toxicity	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
STEL	Short-term exposure limit	
STOT SE	Specific target organ toxicity - single exposure	
TWA	Time-weighted average	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Hazardous Products Regulations (HPR).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Canada: en Page: 23 / 23