

# 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

**Identification of Preparation:** Motor Degreaser. November 1, 2017 **Date of Safety Data Sheet:** 

**Use of Preparation:** Water Based Engine Shampoo.

Company Identification: Bloomco, Division of Double B Automotive Warehousing Inc.

5035 North Service Road, #B1, Burlington, Ontario. L7L 5V2

(905) 332-8070

**Company Emergency Telephone** 

Number

Emergency Phone: 1-800-667-9168

**Transportation Emergency** 

**Telephone Number** 

CANUTEC 613-996-6666 or \* 666 for cell phone

### 2. HAZARD IDENTIFICATION

**Emergency Overview:** 

**OSHA / WHMIS 2015 Hazards** 

Classification of substance or mixture

GHS-US/Canadian classification:

**GHS Hazards** 

Acute Toxicity (Oral) Category 4 H302 Skin Corrosive Category 1A H314 Eve Damage Category 1 H318

**Label Elements** 

GHS-US/ Canada Labeling Hazard Pictograms (GHS):



Signal Word (GHS): Danger Hazard Statements (GHS): H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage

H318: Causes serious eye damage

**Precautionary Statements (GHS):** 

P102: Keep out of reach of children.

P260: Do not breathe mist, spray, and vapours.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.



P280: Wear face protection, protective clothing, protective gloves, and eye protection.

Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTRE or doctor/physician

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P363: Wash contaminated clothing before re-use.

P501: Dispose of contents / container in accordance with local regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Description:** Chemical Blend

Ingredient	CAS#	% by Wt	Classification
Ethoxylated C 9-11 Alcohols	68439-46-3	1-5	Acute Toxicity Category 4 (Oral) - H302 Serious Eye Damage/Eye Irritation Category 1 - H318
Sodium silicate pentahydrate	6834-92-0	1-5	Skin Corrosion/Irritation Category 1A - H314 Serious Eye Damage/Eye Irritation Category 1– H318
2-(2-Butoxyethoxy) ethanol	112-34-5	5-10	Acute Toxicity Category 5 (Oral) - H303 Serious Eye Damage/Eye Irritation Category 2B– H320 STOT Repeated Exposure Category 2 – H373
Ethanolamine	141-43-5	1-5	Acute Toxicity Category 4 (Oral) - H302 Skin Corrosion/Irritation Category 1B – H314 Serious Eye Damage/Eye Irritation Category 1 – H318 Flammable Liquids Category 4 – H227
Sodium Hydroxide	1310-73-2	1-5	Corrosive to Metals Category 1 - H290 Acute Toxicity Category 2 (Oral) - H300 Skin Corrosion/Irritation Category 1A - H314 Serious Eye Damage/Eye Irritation Category 1 - H318 Aquatic Hazard (Acute) Category 3 – H402

### 4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If symptoms persist consult physician.

**Eye Contact:** Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Repeat if required. If irritation persists, get medical

attention.

**Skin Contact:** Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

Date: November 1, 2017

SDS: Bloomco Division of Double B Automotive Warehousing Inc.- Motor Degreaser.



**Ingestion:** Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless

directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

**Notes to Physician:** Treatment based on judgment of attending physician.

5. FIRE FIGHTING MEASURES

**Suitable extinguishing media:** Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant

foam

Unsuitable extinguishing media: None known.

**Special exposure hazards**Thermal decomposition releases irritating gases.

**Special safety equipment:** Self-contained positive pressure breathing apparatus and protective clothing.

Fire and explosion Not flammable. Not an explosive hazard.

**Further information** Keep containers and surrounding cool with water spray.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

**Environmental Precautions** 

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

**Reference to Other Sections:** See Heading 8. Exposure controls and personal protection.

### 7. HANDLING AND STORAGE

# Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

### Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

Conditions for safe storage, including any incompatibilities:

**Storage:** Acids, oxidizers, reducing agents.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat or cold.

Information about storage in one common storage facility:

Do not store together with strong acids.

Date: November 1, 2017 SDS: Bloomco Division of Double B Automotive Warehousing Inc.- Motor Degreaser.



Store away from oxidizing agents.

Store away from foodstuffs.

### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory protection:** Use local exhaust or dilution ventilation.

**Hand protection:** Chemical resistant gloves.

**Eye protection:** Safety goggles or full-face shield.

**Skin protection:** Use body-covering impervious clothing.

Working hygiene: Take usual precautions when handling. Workers should wash hands before

eating, drinking or smoking.

**Exposure Guidelines:**No ingredients with exposure limits

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical State Liquid

AppearanceClearOdourTypical

Colour Orange/ Red. Odour Threshold No data available.

Property Values Remarks/Method

pH12.6-13.0None knownMelting/Freezing PointNo data availableNone knownBoiling Point/Range100 CNone knownFlash PointNot applicable.None known

Flash PointNot applicable.None knownEvaporation RateSimilarNone knownFlammability (solid, gas)Not flammableNone known

Flammability Limit in Air:

Upper LimitNo data availableNone knownLower LimitNo data availableNone knownVapour PressureNo data availableNone knownVapour densityNo data availableNone known

Specific Density 1.04 a/cm3

Water Solubility Soluble in water. None known Solubility Other Solvents No data available None known

Partition Coefficient:

n-octanol/waterNo data availableNone knownAutoignition temperatureNo data availableNone knownDecompositionNo data availableNone known

**Temperature** 

Date: November 1, 2017

SDS: Bloomco Division of Double B Automotive Warehousing Inc.- Motor Degreaser.



Kinematic ViscosityNo data availableNone knownDynamic ViscosityNo data availableNone knownExplosive PropertiesNo data availableNone knownOxidizing PropertiesNo date availableNone known

**Other Properties:** 

Softening Point

VOC Content %

Particle Size

Particle Size Distribution

No data available

No data available

No data available

### 10. STABILITY AND REACTIVITY

**Reactivity** Stable at normal ambient temperature and pressure.

Chemical stability

Stable under recommended handling and storage conditions (see

section 7).

Thermal decomposition/conditions to

avoid:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Extremely high or low temperatures

Conditions to avoid Extremely high or low temperatures.

Hazardous decomposition products Carbon oxides (CO, CO2). Sodium oxides.

Materials to avoid Reducing agents, oxidizing agent. Strong acids.

Hazardous polymerization Will not occur

## 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

Not calculated

On the skin: Causes severe skin irritation.
On the eye: Causes serious eye damage.

**Respiratory or Skin Sensitization:** No ingredients classified as sensitizer.

Additional toxicological information:

Carcinogenicity: Chemical Name None

## 12. ECOLOGICAL INFORMATION

Toxicity:
Persistence and Degradability:
Bioaccumulative Potential:
Mobility in Soil:
Not classified
Not available
Not available
Not available.

**Other Adverse Effects** 

**Other Information:** All of the organic components of this product are readily biodegradable.

## 13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national,



and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.

### 14. TRANSPORTATION INFORMATION

Canadian T.D.G. (Road & Rail): Regulated Material (quantity under 1 litres can be shipped Limited Quantity)

Proper Shipping Name: Corrosive Liquid, N.O.S.

Contains: Disodium Trioxsilicate, ethanolamine, sodium hydroxide.

Hazard Class: 8 ID Number: UN 1760 Packing Group: II



# **US** Department of Transportation (DOT): Regulated Material:

Proper Shipping Name: Corrosive Liquid, N.O.S.

Contains: Disodium Trioxsilicate, ethanolamine, sodium hydroxide.

Hazard Class: 8 ID Number: UN 1760 Packing Group: II



### Water Transportation (IMDG): Regulated Material

Proper Shipping Name: Corrosive Liquid, N.O.S.

Contains: Disodium Trioxsilicate, ethanolamine, sodium hydroxide.

Hazard Class: 8 ID Number: UN 1760 Packing Group: II



# Air Transportation (IATA): Regulated Material

Proper Shipping Name: Corrosive Liquid, N.O.S.

Contains: Disodium Trioxsilicate ethanolamine, sodium hydroxide.,

Hazard Class: 8



ID Number: UN 1760 Packing Group: II



# 15. REGULATORY INFORMATION

Occupational Health & Safety Regulations:

WHMIS 1988 Classification: Class D - Division 2B, Class E



**OSHA & WHMIS:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

#### International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies

KECL -

PICCS AICS Complies

#### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **U.S. State Regulations**

### **California Proposition 65**

Date: November 1, 2017



This product does not contain any Proposition 65 chemicals.

## **HMIS III Rating**

Health: 3 Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: C

SDS US (GHS HazCom 2012 and WHMIS 2015)

### **16. OTHER INFORMATION**

Prepared By: Lizmar

551 Catchmore Road Campbellford, Ontario

**K0L 1L0** 

**Issuing Date:** November 1, 2017

### Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**