# SAFETY DATA SHEET.

Issuing date 1-Mar-2018 Revision Date 1-Mar-2018 Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Frost Aeropolish

Recommended use of the chemical and

restrictions on use

Product code HT 18050

<u>Product Type</u> Extremely flammable aerosol

Synonyms None

Supplier's details

Recommended Use Polish.

Uses advised against No information available

Manufactured For:

Double B Automotive 5035 North Service Rd Unit B1 Burlington, ON L7L 5V2

Company Telephone: 905-332-7548

Chemical Emergency Phone INFOTRAC 1-352-323-3500 (International)

**Number** 1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

#### Classification

| Skin corrosion/irritation                          | Category 2     |
|--|----------------|
| Serious eye damage/eye irritation                  | Category 2B    |
| Specific target organ toxicity (single exposure)   | Category 3     |
| Specific target organ toxicity (repeated exposure) | Category 2     |
| Aspiration toxicity                                | Category 1     |
| Flammable aerosols                                 | Category 1     |
| Gases under pressure                               | Compressed Gas |

### GHS Label elements, including precautionary statements

#### **Emergency Overview**

### DANGER

#### Hazard Statements

Causes skin irritation

Causes eve irritation

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs (Central Nervous System, Eves, Kidney, Respiratory System, and Skin) through prolonged or repeated exposure.

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Appearance opaque

Physical state Aerosol

Odor Solvent

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

#### **Precautionary Statements - Response**

Specific treatment (see first aid on this label)

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse

If skin irritation occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None

## Other information

· Toxic to aquatic life with long lasting effects

0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name               | CAS-No     | Weight %* |
|-----------------------------|------------|-----------|
| PETROLEUM DISTILLATES       | 64741-65-7 | 60-70     |
| PROPANE/ISOBUTANE/N-BUTANE  | 68476-86-8 | 40-50     |
| PETROLEUM DISTILLATES       | 8052-41-3  | 10-20     |
| KEROSENE                    | 8008-20-6  | 10-20     |
| ANHYDROUS ALUMINUM SILICATE | 66402-68-4 | 1-10      |
| ISOPROPYL ALCOHOL           | 67-63-0    | 1-10      |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Artificial respiration and/or oxygen

may be necessary. If breathing has stopped, contact emergency medical services

immediately.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Drink plenty of water. Call a physician or Poison Control Center immediately.

## Most important symptoms/effects, acute and delayed

Main Symptoms Irritating to skin. Causes eye irritation. Inhalation causing Central Nervous System effects.

Ingestion causing lung damage.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Water fog.Dry chemical. Carbon dioxide (CO2). Cool containers/tanks with water spray.

**Unsuitable Extinguishing Media** Keep away from heat and sources of ignition. Do not smoke. Cool containers / tanks with water spray.

#### Specific hazards arising from the chemical

Extremely flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

#### **Explosion Data**

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective eq lipment and emergency procedures

Personal precautions Absorb with sand, clay, or other suitable material. Hard surfaces may be mopped with water.

Remove all sources of ignition. Avoid contact with the skin and the eyes. Evacuate personnel to be safe areas. Keep people away from and upwind of spill/leak. Contents under pressure. Do not puncture or incinerate cands. Wear protective gloves/clothing and

eye/face protection.

**Environmental precautions** 

**Environmental precautions**Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate

in low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to

contaminate ground water system. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment

Absorb or cover with dry earth, sand or other non-combustible material and transfer to

containers. Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not

puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top

of can.

### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** Keep container tightly closed in a dry and well-ventilated place. Keep away from open **conditions** flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out of the reach of

children. Store locked up.

**Incompatible products** Strong acids, alkalis, or oxidizing agents.

**Aerosol Level** 

HT 18050 FROST AEROPOLISH

3

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Guidelines** 

| Chemical Name                             | ACGIH TLV  | OSHA PEL   | NIOSH IDLH  |
|---|--|--|---|
| PROPANE/ISOBUTANE/N-BUTANE<br>68476-86-8  | 74-98-6: TWA: 1000 ppm<br>106-97-8: STEL: 1000 ppm<br>75-28-5: STEL: 1000 ppm  | 74-98-6:TWA: 1000 ppm<br>TWA: 1800 mg/m³<br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1800 mg/m³<br>106-97-8: (vacated) TWA: 800<br>ppm<br>(vacated) TWA: 1900 mg/m³ | 74-98-6:IDLH: 2100 ppm TWA:<br>1000 ppm<br>TWA: 1800 mg/m <sup>3</sup><br>106-97-8:TWA: 800 ppm<br>TWA: 1900 mg/m <sup>3</sup><br>75-28-5:TWA: 800 ppm TWA:<br>1900 mg/m <sup>3</sup> |
| PETROLEUM DISTILLATES<br>8052-41-3        | TWA: 100 ppm   | TWA: 500 ppm<br>TWA: 2900 mg/m³<br>(vacated) TWA: 100 ppm<br>(vacated) TWA: 525 mg/m³  | IDLH: 20000 mg/m <sup>3</sup><br>Ceiling: 1800 mg/m <sup>3</sup> 15 min<br>TWA: 350 mg/m <sup>3</sup>   |
| KEROSENE<br>8008-20-6                     | TWA: 200 mg/m³ total hydrocarbon vapor application restricted to conditions in which there are negligible aerosol exposures Skin - potential significant contribution to overall exposure by the cutaneous route | -  | TWA: 100 mg/m³  |
| ANHYDROUS ALUMINUM SILICATE<br>66402-68-4 | TWA: 5 mg/m³ Zr TWA: 0.02<br>mg/m³ Mn<br>TWA: 0.1 mg/m³ Mn   | TWA: 5 mg/m³ Zr<br>(vacated) TWA: 5 mg/m³ Zr<br>(vacated) STEL: 10 mg/m³ Zr  | IDLH: 25 mg/m³ Zr<br>TWA: 5 mg/m³ except Zirconium<br>tetrachloride Zr<br>STEL: 10 mg/m³ Zr   |
| ISOPROPYL ALCOHOL<br>67-63-0              | STEL: 400 ppm TWA:<br>200 ppm  | TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³                                       | IDLH: 2000 ppm TWA:<br>400 ppm<br>TWA: 980 mg/m³<br>STEL: 500 ppm<br>STEL: 1225 mg/m³   |

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Exposure controls** 

**Engineering Measures** Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

Skin and body protection Chemical resistant apron. Protective gloves.

HT 18050 FROST AEROPOLISH Revision Date 1-Mar-2018

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Aerosol

AppearanceOdorSolvent

ColorOdor ThresholdNo information available

<u>Property</u> <u>Values</u>

pH No information available Remarks • Methods

Melting/freezing point No information available

Boiling point/boiling range No information available

Flash Point -97 °C / -143 °F Based on propellant

**Evaporation rate** No information available

Flammability (solid, gas) No information available

Flammability Limits in Air

No information available

upper flammability limit

No information available

lower flammability limit

No information available

Vapor pressure

Vapor density No information available

Specific Gravity 0.790

Water solubility Practically insoluble

Partition coefficient: n-octanol/water No information available No

information available Not applicable

**Autoignition temperature** 

**Decomposition temperature** No information available

Viscosity No information available

**Explosive properties**No information available

**Other information** 

**VOC Content(%)** 73.74

## 10. STABILITY AND REACTIVITY

## Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions None

under normal processing.

## **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

Strong acids, alkalis, or oxidizing agents.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

### **Product Information**

**Inhalation** Vapors may irritate throat and respiratory system. May cause drownsiness and

dizziness based on components. May cause irritation of respiratory tract. Avoid

breathing vapors or mists.

**Eye contact** Irritating to eyes. Avoid contact with eyes.

Skin contact Irritating to skin. Repeated exposure may cause skin dryness or cracking. Prolonged

skin contact may defat the skin and produce dermatitis. Avoid contact with skin.

**Ingestion** May be harmful or fatal if swallowed. Aspiration into the lungs during swallowing may

cause serious lung damage which may be fatal.

#### Component Information

| Chemical Name                       | LD50 Oral            | LD50 Dermal             | LC50 Inhalation                     |
|-------------------------------------|----------------------|-------------------------|-------------------------------------|
| PETROLEUM DISTILLATES<br>64741-65-7 | > 7000 mg/kg (Rat)   | > 2000 mg/kg ( Rabbit ) | > 5.04 mg/L (Rat) 4 h               |
| KEROSENE<br>8008-20-6               | > 5000 mg/kg (Rat)   | > 2000 mg/kg ( Rabbit ) | > 5.28 mg/L (Rat) 4 h               |
| ISOPROPYL ALCOHOL<br>67-63-0        | = 1870 mg/kg ( Rat ) | = 4059 mg/kg ( Rabbit ) | = 72600 mg/m <sup>3</sup> (Rat) 4 h |

#### Information on toxicological effects

HT 18050 FROST AEROPOLISH Revision **Date** 1-Mar-2018

**Symptoms** Inhalation may cause nose, throat, and respiratory tract irritation. Irritation to skin and eyes.

May be harmful if swallowed.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin. Eye damage/irritation Irritating to eves.

Irritation Irritating to eyes, respiratory system and skin.

Sensitization None known. **Germ Cell Mutagenicity** None known.

Carcinogenicity There are no known carcinogenic chemicals in this product.

Reproductive toxicity This product does not contain any known or suspected reproductive hazards. May cause respiratory irritation. May cause drowsiness and dizziness.

Specific target organ systemic toxicity (single exposure)

Specific target organ systemic toxicity (repeated exposure)

May cause damage to organs through prolonged or repeated exposure.

**Target Organ Effects** Central nervous system, Eyes, Kidney, Respiratory system, Skin.

**Neurological effects** Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

**Aspiration hazard** May be fatal if swallowed and enters airways.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity

## 12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a marine pollutant according to DOT.

### **Ecotoxicity**

| Chemical Name         | Toxicity to algae       | Toxicity to fish          | Toxicity to    | Toxicity to daphnia and     |
|-----------------------|-------------------------|---------------------------|----------------|-----------------------------|
|                       |                         |                           | microorganisms | other aquatic invertebrates |
| PETROLEUM DISTILLATES | 30000 mg/L EC50         | -                         | -              | 2 mg/L LC50 Mysidopsis      |
| 64741-65-7            | Pseudokirchneriella     |                           |                | bahia 48h                   |
|                       | subcapitata 72h         |                           |                |                             |
| PROPANE/ISOBUTANE/N-  | -                       | -                         | -              | -                           |
| BUTANE                |                         |                           |                |                             |
| 68476-86-8            |                         |                           |                |                             |
| ISOPROPYL ALCOHOL     | 1000 mg/L EC50          | 11130 mg/L LC50           | -              | 13299 mg/L EC50 Daphnia     |
| 67-63-0               | Desmodesmus subspicatus | Pimephales promelas 96h   |                | magna 48h                   |
|                       | 96h 1000 mg/L EC50      | static 9640 mg/L LC50     |                |                             |
|                       | Desmodesmus subspicatus | Pimephales promelas 96h   |                |                             |
|                       | 72h                     | flow-through 1400000 µg/L |                |                             |
|                       |                         | LC50 Lepomis macrochirus  |                |                             |
|                       |                         | 96h                       |                |                             |

## Persistence and degradability No

information available.

#### **Bioaccumulation**

No information available.

| Chemical Name              | log Pow |
|----------------------------|---------|
| PROPANE/ISOBUTANE/N-BUTANE | 2.8     |
| 68476-86-8                 |         |
| ISOPROPYL ALCOHOL          | 0.05    |
| 67-63-0                    |         |

HT 18050 FROST AEROPOLISH Revision Date 1-Mar-2018

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Do not re-use empty containers.

Contaminated packaging

## 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D or

LIMITED QUANTITY

Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to DOT.

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

IMDG UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

## 15. REGULATORY INFORMATION

## **International Inventories**

| Chemical Name                  | TSCA | DSL/NDSL | EINECS/ELI<br>NCS | ENCS       | IECSC | KECL | PICCS | AICS |
|--------------------------------|------|----------|-------------------|------------|-------|------|-------|------|
| PETROLEUM<br>DISTILLATES       | Х    | Х        | Х                 | Х          | Х     | Х    | Х     | Х    |
| PROPANE/ISOBUTAN<br>E/N-BUTANE | Х    | X        | Х                 | Not listed | Х     | Х    | Х     | Х    |
| PETROLEUM<br>DISTILLATES       | Х    | X        | X                 | Х          | Х     | Х    | Х     | Х    |
| KEROSENE                       | Χ    | X        | X                 | X          | X     | X    | X     | X    |
| ANHYDROUS<br>ALUMINUM SILICATE | Х    | X        | Х                 | Х          | Х     | Х    | Х     | Х    |
| ISOPROPYL<br>ALCOHOL           | Х    | X        | Х                 | Х          | Х     | Х    | Х     | Х    |

#### <u>Legend:</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS

- Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name                            | CAS-No     | Weight %* | SARA 313 - Threshold<br>Values % |
|--|------------|-----------|----------------------------------|
| ANHYDROUS ALUMINUM SILICATE - 66402-68-4 | 66402-68-4 | 1-10      | 1.0                              |
| ISOPROPYL ALCOHOL - 67-63-0              | 67-63-0    | 1-10      | 1.0                              |

### SARA 311/312 Hazard Categories

| Acute Health Hazard               | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | Yes |
| Sudden Release of Pressure Hazard | Yes |
| Reactive Hazard                   | no  |

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name      | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA -<br>Hazardous Substances |
|--------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| ANHYDROUS ALUMINUM |                                | X                      |                           |                               |
| SILICATE           |                                |                        |                           |                               |
| 66402-68-4         |                                |                        |                           |                               |

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### U.S. State Regulations

## **California Proposition 65**

This product does not contain any known Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations

| Chemical Name         | New Jersey | Massachusetts | Pennsylvania |
|-----------------------|------------|---------------|--------------|
| PETROLEUM DISTILLATES | X          | X             | X            |
| 8052-41-3             |            |               |              |
| KEROSENE              | X          | X             | X            |
| 8008-20-6             |            |               |              |
| ANHYDROUS ALUMINUM    | X          |               | X            |
| SILICATE              |            |               |              |
| 66402-68-4            |            |               |              |
| ISOPROPYL ALCOHOL     | X          | X             | X            |
| 67-63-0               |            |               |              |

EPA Pesticide Registration Number Not applicable

## <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## **16. OTHER INFORMATION**

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard 2 Flammability 4 Physical Hazard 1 Personal protection B

Prepared By Regulatory Affairs

Issuing date 12-May-2015

Revision Date 12-May-2015

**Revision Note** 

No information available **Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**