

# MSDS MATERIAL SAFETY DATA SHEET

## Blue Eyelash Extension Adhesive

### Product and Company

Product Name: Strong Eyelash Extension Adhesive

Company: Lash Galore

Address: 861 San Bruno Ave West Unit 7, San Bruno, CA 94066

Phone: 480-723-0713

### Composition, Information on Ingredients

Ingredient	CAS No.	% Weight
Ethyl 2- Cyanoacrylate	7085-85-0	80% ~ 89%
Methoxyethyl Cyanoacrylate	21982-43-4	15.0%>
Poly Alkyl Methacrylate	9011-14-7	5%<
Latex	9006-04-6	5%>
Pigment		0.1% ~ 0.4%

### Hazards identification

Vapor is irritating to eyes, skin and mucous membranes and respiratory tract.

Potential Health Effects

May caused sensitization by inhalation, Narcotic effects, headache, dizziness, vomiting.

Skin : Dryness

Eye : Irritation

Potential Environmental Effects: Not available.

Sign and Symptoms of Exposure: Vapor is irritating to eyes and mucous membranes above TLV. Prolonged and repeated over exposure to vapors may cause symptoms of non-allergic asthma in sensitive individuals.

Existing Conditions aggravated by Exposure: None Known

### First Aid Measures

Ingestion : Ingestion is not likely. See supplemental page for emergency procedures.

Inhalation : Evacuate from further exposure. If unconsciousness occurs, see immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.

Skin contact : Remove contaminated clothing. Wash contact areas with soap and water.

Eye contact : Flush with water thoroughly for at least 15 minutes. Seek immediate medical assistance

Note to Physician : None for this material

### Fire Fighting Measures

Extinguishing Media : Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire.

Fire-Fighting Instructions : Do not enter any enclosed or confined fire space without full protective equipment,

including self-contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.

### **Accidental Release Measures**

Small Spills : Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum system. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning runoff out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spill area with a detergent and large amounts of water.

Large Spills : Use same procedure as small spill.

### **Handling and Storage**

Handling Precautions : Avoid skin or eye contacts. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area keep out of the reach of children.

Storage Requirements : Keep from freezing. Product will coagulate. Keep container tightly closed when not in use.

Do not get in eyes, on skin or on clothing. Monomer vapors can be evolved with material is heated. Containers, even those that have been emptied, will retain product residue vapors and are subject to proper waste disposal, as above.

### **Exposure Controls / Personal Protection**

**Protective Clothing/Equipment** : The use of gloves impermeable to the specific material handled is advised to prevent skin contact and possible irritation. Use Chemical Goggles if splashing may occur.

### **Physical and Chemical Properties**

Physical State : Liquid

pH : N/A

Water Solubility : N/A

Boiling Point : N/A

### **Stability and Reactivity**

**Hazardous Decomposition Products** : Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified

### **Toxicological Information**

Toxicity: Skin contact may cause burns.

Bond skin rapidly and strongly Skin and eye irritant

Routes of Entry: Inhalation (Yes), Skin (Yes), Ingestion (Yes)

Carcinogen etc : See Hazards Identification section

### **Ecological Information**

No Date Available

### **Disposal Consideration**

Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

## **Transport Information**

Class: Unlisted

UN Number: Unlisted

## **Regulatory Information**

**CA Proposition 65 :** No California proposition 65 chemicals are known to be present.

## **Other Information**

This MSDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. Products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.