

# MSDS MATERIAL SAFETY DATA SHEET

## Lash Extension Primer

### Product and Company

Product Name: Lash Galore Primer

Company: Lash Galore

Address: 52 S Linden Ave, SSF CA 94080

Phone: 4157230713

### Composition, Ingredients & Information

Ingredients	%	CAS No.
Water	<20	7732-18-5
Ethyl Alcohol	>50	64-17-5
AA	<15	108-24-7
Silane	<15	1760-24-3

### Hazards identification

Emergency overview:

Appearance: Colorless clear liquid. Flash Point: 16.6 deg C. Flammable liquid and vapor.

May cause central nervous system depression. Causes severe eye irritation. Causes respiratory tract irritation. Causes moderate skin irritation. This substance has caused adverse reproductive and fetal effects in humans. Warning! May cause liver, kidney and heart damage.

Target Organs: Kidneys, Heart, Central Nervous System, Liver

Potential Health Effects

Eye: Causes severe eye irritation. May cause painful sensitization to light. Conjunctivitis and corneal May cause chemical damage.

Skin: Causes moderate skin irritation. May cause cyanosis of the extremities.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

May cause systemic toxicity with acidosis. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea.

Advanced stages may cause collapse, unconsciousness, coma and possible death due to respiratory failure.

Inhalation: Inhalation of high concentrations may cause central nervous system effects characterized by nausea, headache, dizziness, unconsciousness and coma.

Causes respiratory tract irritation. May cause narcotic effects in high concentration. Vapors may cause dizziness or suffocation.

Chronic: May cause reproductive and fetal effects. Laboratory experiments have resulted in mutagenic effects.

Animal studies have reported the development of tumors. Prolonged exposure may cause liver, kidney and heart damage

### **First-aid measures**

Eye: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Gently lift eyelids and flush continuously with water.

Skin: Remove contaminated clothing. Wash contact areas with soap and water.

Inhalation: Evacuate from further exposure. If unconsciousness occurs, seek immediate medical assistance and call a physician. If the breath has stopped, have artificial respiration. If breathing difficulty occurs, have oxygen inhalation.

Ingestion: Accidental ingestion of product may necessitate medical attention. Do not induce vomiting.

### **Fire Fighting Measures**

Flash Point: Above 95°C

Method: Cleveland open cup. (Recommended)

Extinguishing Media: Use chemical foam, dry chemical, carbon dioxide or water

Explosion Hazard: No applicable information has been found.

Fire - Fighting Instructions: Contact emergency personnel. Use self-contained breathing apparatus and full protective gear, if large quantities of product are involved. Hazardous decomposition products may be released.

### **Accidental release measures**

Personal precautions, protective equipment and emergency procedures

- Avoid contact with eyes.

- Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up Clean up promptly by sweeping or vacuum.

### **Handling and storage**

Handling:

Keep away from sources of ignition and heat. No smoking or flames in working area. Take precautionary measures against static discharges.

Avoid contact with skin and eyes.

Wear proper protective equipment.

Use only in well ventilated areas.

Use exhaust ventilation to keep air concentration below exposure limit. Keep container tightly closed when not in use.

Install emergency showers and eye wash facility in working area.

Storage:

Keep away from all possible source of ignition.

Store in a cool, dry, well ventilated location.

Keep container tightly closed.

Keep away from combustible materials, heat, steam pipe or sunlight. Keep away from oxidizing materials.

**Other Precautions:**

Wash hands, face and gargle after work.

Practice good personal hygiene after using this material, especially before eating, drinking, smoking or using the rest room.

Keep out of reach of children. (S2)

**Physical and Chemical Properties**

Appearance	Liquid
Color	Transparent
Boiling point/range	Above 190°C
Melting point/range	N/A
Specific Gravity (H2O=1)	0.9~1.1
Vapor Pressure (at 25°C)	1 Pa
Vapor Density (Air=1)	4.9
Evaporation Rate (Butyl Acetate=1)	N/A
Solubility	Insoluble (Polymerized by water)

**Stability and Reactivity**

Condition to Avoid: High humidity, high temperature or direct sunlight.

Stability: Stable (Cool and Dry area)

Materials to avoid: Polymerized by contact with water, alcohols, amines, alkalies.

Hazardous Decomposition or by Products: CO<sub>2</sub>, oxides and nitrogen and unknown hydrocarbons.

**Toxicological Information**

Toxicity: Skin contact may cause burns. Bond skin rapidly and strongly. Skin and eye irritant.

Oral LD50: 6760mg /kg in rat. (Acute) (Pro forma amount) allied substance.

Routes of Entry: Inhalation(Yes), Skin(Yes), Ingestion(Yes)

Carcinogen etc: See Hazards Identification

**Ecological Information**

The product ingredients are expected to be safe for the environment at concentrations predicted under normal product use and geographic dispersion. Packaging components are compatible with the conventional solid waste management practices.

## **Disposal Considerations**

**Material Disposal** - Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.

**Container Disposal** - Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand.

**Local Legislation** - Disposal should be in accordance with applicable regional, national, and local laws and regulations.

## **Transport Information**

U.S.Department of Transportation Ground Transport (49 CFR 172)

### **Proper Shipping Name:**

Unrestricted (Not more than 450 liters.)

Combustible liquids n.o.s.(Cyanoacrylate ester) (More than 450 liters)

### **Hazard Class or Division:**

Unrestricted (Not more than 450 liters.) Combustible liquids. (More than 450 liters)

Identification number: None (Not more than 450 liters.) NA1993 (More than 450 liters)

Marine pollutant : None

International Air Transportation (ICA/IATA)

Proper shipping name : Unrestricted

Class or Division : Unrestricted

UN or ID Number : N/A

Water Transportation (IMO/IMDG)

### **CA Proportion 65:**

No California proposition 65 chemicals are known to be present.

## **Other Information:**

Estimated NFPA Code : \*NFPA is a registered trademark of the National Fire Protection Assn.

Health Hazard : 2

Fire Hazard : 2

Reactivity Hazard : 1

Specific Hazard : Does not apply

Estimated HMIS Code : \*HMIS is a registered trademark of the National Paint and Coatings Assn.

Flammability Hazard : 2

**Additional Information:**

This MSDS was prepared sincerely on the basis of the information we could obtain, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. Products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.