



8-TRX TREADMILL REFRESH OCTOBER LAUNCH

	BASE FEATURES	
DECK SYSTEM	Reversible MDF deck with phenolic coating	
RUNNING BELT SYSTEM	22in (55cm) wide belt	
SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)	
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot	
STEP UP HEIGHT	10in (25cm)	
INCLINE RANGE	0-20% max incline	
SPEED RANGE	0.5-15mph (0.5-24kmh)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR, Bluetooth w/19" display option	
CENTER CONTROLS BAR	Easily accessible Hot Bar® is located closer to the user with one-finger speed and elevation controls, integrated stop button and contact heart rate grips	
DISPLAY	Choose from LCD, 10" or 19" OpenHub display options	
USER DETECT SYSTEM	Yes, programmable on/off	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	500lb (227kg)	
DRIVE SYSTEM	5 HP AC motor	
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet	
ADDITIONAL FEATURES	3.5in rollers	
	FRAME	

	FRAME	
MATERIAL	Powder Coated Aluminum Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	85in (215cm)	
WIDTH	36in (91cm)	
HEIGHT	63in (160cm)	
PRODUCT WEIGHT	388lbs (176kg)	
SHIPPING DIMENSIONS	86in x 39in x 31in (218cm x 98cm x 80cm)	
SHIPPING WEIGHT	470lbs (213kg)	

ADDITIONAL SKUS

9-9291-8TRX-110-19-ATSC 9-9291-8TRX-110-LCDQ 9-9291-8TRX-110-LCDQ-KM 9-9294-8TRX-220-19-ATSC 9-9294-8TRX-220-19-PAL 9-9294-8TRX-220-LCDQ-KM 9-9294-8TRX-220-LCDQ-MI





8-TRX TREADMILL

SHIPPING WEIGHT

BASE FEATURES		
DECK SYSTEM	Reversible MDF deck with phenolic coating	
RUNNING BELT SYSTEM	22in (55cm) wide belt	
SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)	
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot	
STEP UP HEIGHT	10in (25cm)	
INCLINE RANGE	0-20% max incline	
SPEED RANGE	0.5-15mph (0.5-24kmh)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR, Bluetooth w/19" display option	
CENTER CONTROLS BAR	Easily accessible Hot Bar® is located closer to the user with one-finger speed and elevation controls, integrated stop button and contact heart rate grips	
DISPLAY	Choose from LCD, 10" or 19" OpenHub display options	
USER DETECT SYSTEM	Yes, programmable on/off	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	500lb (227kg)	
DRIVE SYSTEM	5 HP AC motor	
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet	
ADDITIONAL FEATURES	3.5in rollers	
	FRAME	
MATERIAL	Powder Coated Aluminum Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	85in (215cm)	
WIDTH	36in (91cm)	
HEIGHT	63in (160cm)	
PRODUCT WEIGHT	388lbs (176kg)	
SHIPPING DIMENSIONS	86in x 39in x 31in (218cm x 98cm x 80cm)	

ADDITIONAL SKUS

470lbs (213kg)

9-4080-4CT-10IN-60BLK, 9-9252-8TRX-220UL-19-ISDB-DMB-PAL, 9-9254-8TRX-220CE-19-ISDB-DMB-PAL, 9-9252-8TRX-220UL-19-ATSC, 9-9251-8TRX-110-LCDQ, 9-9251-8TRX-110-LCDQ-KM, 9-9251-8TRX-220CE-LCDQ-KM, 9-9254-8TRX-220CE-LCDQ-KM, 9-9252-8TRX-220UL-LCDQ, 9-9252-8TRX-220UL-LCDQ-KM, 9-9251-8TRX-110-10, 9-9254-8TRX-220CE-10 9-9294-8TRX-220-19-ATSC 9-9294-8TRX-220-PAL 9-9294-8TRX-220-LCDQ-KM 9-9294-8TRX-220-LCDQ-MI





8-TR TREADMILL

	BASE FEATURES	
DECK SYSTEM	Reversible MDF deck with phenolic coating	
RUNNING BELT SYSTEM	22in (55cm) wide belt	
SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)	
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot	
STEP UP HEIGHT	10in (25cm)	
INCLINE RANGE	0-15% max incline	
SPEED RANGE	0.5-12.5mph (0.5-20kmh)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR, Bluetooth w/19" display option	
CENTER CONTROLS BAR	Warm bar with contact HR and Emergency Stop	
DISPLAY	Choose from LCD, 10" or 19" OpenHub display options	
USER DETECT SYSTEM	Yes, programmable on/off	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	500lb (227kg)	
DRIVE SYSTEM	5 HP AC motor	
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet	
ADDITIONAL FEATURES	3.5in rollers	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	81in (206cm)	
WIDTH	32in (81cm)	
HEIGHT	63in (160cm)	
NET WEIGHT	425lb (193kg)	
SHIPPING DIMENSIONS	84in x 36in x 31in (214cm x 90cm x 80cm)	
SHIPPING WEIGHT	499lbs (227kg)	
	ADDITIONAL OWNS	

BASE FEATURES





8-UB UPRIGHT BIKE

BASE FEATURES		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
CONTROLS	Console	
BOTTOM BRACKET	Morse Taper	
PEDALS	One-sided, self-leveling platform with removable ratcheting strap and morse taper mounting	
SEAT ADJUSTMENT	Easy up ratcheting seat for ease of use	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	350lb (159kg)	
DRIVE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self- generating: touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Elbow pads support multiple riding positions in comfort	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	46in (117cm)	
WIDTH	23in (58cm)	
HEIGHT	63in (160cm)	
PRODUCT WEIGHT	141lbs (64kg)	
SHIPPING DIMENSIONS	48in x 22in x 34in (122cm x 57cm x 86cm)	
SHIPPING WEIGHT	157lbs (71kg)	

ADDITIONAL SKUS

9-8140-8UB-2019-15-ATSC

9-8140-8UB-LCD 9-8140-8UB-10 9-8140-8UB-2019-15-ISDB-DMB-PAL





8-RB RECUMBENT BIKE

BASE FEATURES		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
CONTROLS	Console- OpenHub	
BOTTOM BRACKET	Morse Taper	
PEDALS	One-sided, self-leveling platform with removable ratcheting strap and morse taper mounting	
SEAT ADJUSTMENT	Wrap around adjustment bar for ease of use	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder, USB port	
MAX USER WEIGHT	350lb (159kg)	
DRIVE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self- generating: touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Walk-thru design; mesh-back contoured seat for increased airflow and comfort; fold-down armrests alleviate should tension and allow for a more relaxed posture	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	65in (164cm)	
WIDTH	28in (71cm)	
HEIGHT	60in (151cm)	
PRODUCT WEIGHT	185lbs (84kg)	
SHIPPING DIMENSIONS	75in x 22in x 33in (191cm x 57cm x 84cm)	
SHIPPING WEIGHT	208lbs (95kg)	

ADDITIONAL SKUS

9-8150-8RB-LCD

9-8150-8RB-10

9-8150-8RB-2019-15-ISDB-DMB-PAL

9-8150-8RB-2019-15-ATSC





8-TH TRAILHIKER

<u> </u>		
	BASE FEATURES	
DECK SYSTEM	Dual ramping, reversible MDF decks with phenolic coating	
RUNNING BELT SYSTEM	9in (23cm) wide belt x 2	
SIZE OF RUNNING SURFACE	52in x 9in (132cm x 23cm) x 2	
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot	
STEP UP HEIGHT	12in (31cm)	
INCLINE RANGE	0-15% max incline	
SPEED RANGE	0.5-6mph (0.5-9.5kmh)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR	
CENTER CONTROLS BAR	Easily accessible Hot Bar® is located closer to the user with one-finger speed and elevation controls, integrated stop button and contact heart rate grips	
DISPLAY	LCD	
ACCESSORIES	Multiple bottle and accessory holders, pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	350lb (227kg)	
DRIVE SYSTEM	5 HP AC motor	
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet	
ADDITIONAL FEATURES	3.5in rollers	
	FRAME	
MATERIAL	Powder Coated Aluminum Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	83in (211cm)	
WIDTH	36in (91cm)	
HEIGHT	83in (211cm)	
PRODUCT WEIGHT	628lbs (285kg)	
SHIPPING DIMENSIONS	84in x 39in x 35in (214cm x 99cm x 88cm)	
SHIPPING WEIGHT	705lbs (320kg)	

ADDITIONAL SKUS

9-9261-8TH-110-LCD

9-9262-8TH-220UL-LCD

9-9264-8TH-220CE-LCD





8-VS VERSASTRIDER

BASE FEATURES		
STEP UP HEIGHT	11in (28cm)	
STRIDE TYPE	Dynamic Variable	
STRIDE LENGTH	10-32"	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
MOVEMENT ARMS	Converging movement arms with multiple hand grip options	
CONTROLS	Integrated into movement arms	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	400lb (181kg)	
DRIVE	Front Drive	
RESISTANCE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Rear courtesy step	
FRAME		
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	89in (226cm)	
WIDTH	35in (89cm)	
HEIGHT	69in (175cm)	
PRODUCT WEIGHT	586lbs (266kg)	
SHIPPING DIMENSIONS	89in x 35in x 49in (226cm x 90cm x 125cm)	
SHIPPING WEIGHT	694lbs (315kg)	

ADDITIONAL SKUS

9-6160-8VS-LCD 9-6160-8VS-2019-15-ISDB-PAL 9-6160-8VS-2019-15-ATSC 9-6160-8VS-10





8-RDE REAR DRIVE ELLIPTICAL

	BASE FEATURES	
STEP UP HEIGHT	11in (28cm)	
STRIDE TYPE	Fixed	
STRIDE LENGTH	18in (48cm)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
MOVEMENT ARMS	Multiple hand grip options	
CONTROLS	On Display	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	400lb (181kg)	
DRIVE	Rear drive	
RESISTANCE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Articulating pedals	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	86in (219cm)	
WIDTH	36in (91cm)	
HEIGHT	73in (185cm)	
PRODUCT WEIGHT	300lbs (136kg)	
SHIPPING DIMENSIONS	84in x 30in x 48in (213cm x 75cm x 122cm)	
SHIPPING WEIGHT	379lbs (172kg)	

ADDITIONAL SKUS

9-6150-8RDE-LCD 9-6150-8RDE-2019-15-ISDB-DMB-PAL 9-6150-8RDE-2019-15-ATSC

9-6150-8RDE-10





8-CT CROSS TRAINER

HEIGHT

PRODUCT WEIGHT

SHIPPING DIMENSIONS
SHIPPING WEIGHT

BASE FEATURES		
STEP UP HEIGHT	11in (28cm)	
STRIDE TYPE	Fixed	
STRIDE LENGTH	18in (48cm)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
MOVEMENT ARMS	Standard upright design	
CONTROLS	On Display- Openhub	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders: LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	400lbs (181 kg)	
DRIVE	Front drive	
RESISTANCE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Rear courtesy step	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	76in (193 cm)	
WIDTH	30in (76 cm)	

ADDITIONAL SKUS

79in x 30in x 50in (201cm x 75cm x 128cm)

72in (182 cm)

337lbs (153kg)

423lbs (192kg)

9-6140-8CT-LCD

9-6140-8CT-2019-15-ISDB-DMB-PAL

9-6140-8CT-2019-15-ATSC

9-6140-8CT-10











CONSOLES

CONSOLES			
DISPLAY	15" Star Trac	8 Series 10"	LCD
DISPLAY TYPE	Capacitive Touchscreen	Resistive Touchscreen	Static LCD
MULTI-LANGUAGE OP- TIONS	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Russian, Finnish, Danish, Chinese, Japanese, Turkish, Polish, Russian, Hebrew, Czech, Slovak	English, German, Spanish, Dutch, Portuguese, French, Swedish	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Katakana, Russian, Finnish
PRE-PROGRAMMABLE WORK OUTS	Yes, 20+	Yes, 11+	Yes, 14+
QUICK START OPTIONS	Yes, single button start options	Yes, single button start options	Yes, single button start options
TV TUNER ENABLED	Yes (Global TV tuner options)	No	No
ETHERNET AND WIFI ENABLED	Yes	No	No
BLUETOOTH DATA TRACKING/ APP CONNECTIVITY	Yes	Yes	Yes
BLUETOOTH HEADPHONES	Yes	No	No
BLUETOOTH HEART RATE	Yes	No	No
APPLE GYMKIT / SAMSUNG GALAXY WATCH CONNECTIVITY	Yes	No	Yes
RUNTV INTEGRATED WORKOUT VIDEOS	Yes	No	No
EGYM COMPATIBLE	Yes	No	No
INTEGRATED WEB- BASED APPS	Yes	No	No
CUSTOMIZABLE HOME SCREEN	Yes	No	No
HDMI STREAMING	Yes; cables not included	Yes, HDMI streaming available with PVS option; cables not included	Yes, HDMI streaming available with PVS option; cables not included
USB	USB port for software up- dates and device charging; cables not included	USB port for software up- dates and device charging; cables not included	USB port for software up- dates and device charging; cables not included
RFID	Optional	No	No
IPTV/SET TOP BOX COMPATIBLE	Yes, add-on accessories required	Yes, with PVS	Yes, with PVS, add-on accessories required
ANT+ FOR GROUP DISPLAY	Yes	Yes	Yes
PERSONAL FAN	Yes, programmable auto start	Yes, programmable auto start	Yes, programmable auto start
ASSET MANAGEMENT	Ecofit Optional	Ecofit Optional	Ecofit Optional
TABLET HOLDER	Integrated front	Integrated front, optional top add-on	Integrated front, optional top add-on
PVS	No	Optional	Optional
800/900 MHZ RECEIVER	No	Optional	Optional

PVS FEATURES		
PVS	10/8/4 Series	
DISPLAY TYPE	15.6" HD LED	
RESOLUTION	1366 x 768	
TUNER OPTIONS	1) ATSC/NTSC/QAM 2) PAL/DVB-T/DVB-C	
DIGITAL AND ANALOG SUPPORT	Yes	
SIGNAL INPUTS	Coax, HDMI	
INPUT RF SIGNAL RANGE	-70 dBm(Min) ~ - 10 dBm(Max)	
CLOSE CAPTION	Yes	
HEADPHONE JACK	3.5mm on Display	
SKUS	MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER TR MOUNT: 700-0386-13 700-0386-16 700-0386-20	
	MYE PVS SCREEN, 2016, PAL TUNER TR MOUNT: 700-0387-13 700-0387-16 700-0387-20	
	MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER TH MOUNT: 700-0388-13 700-0388-16 700-0388-20	
	MYE PVS SCREEN, 2016, PAL TUNER TH MOUNT: 700-0389-13 700-0389-16 700-0389-20	
	MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER BCG MOUNT: 700-0390-13 700-0390-16 700-0390-20	
	MYE PVS SCREEN, 2016, PAL TUNER BCG MOUNT: 700-0391-13 700-0391-16 700-0391-20	
	MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER FC MOUNT: 700-0392-13 700-0392-16 700-0392-20	
	MYE PVS SCREEN, 2016, PAL TUNER FC MOUNT: 700-0393-13 700-0393-16	

Core Health & Fitness is more than gym equipment, we offer innovative solutions for all your facility needs. This is why we've brought together five of the most recognizable fitness brands to ensure our customers can offer their members authentic fitness experiences. Whether working with us directly or through our partners and distributors worldwide, we provide the highest quality equipment backed by a service and support team that will always go the extra mile to get you what you need, when you need it. Partner with us and see how our Core Values motivate our every decision.



700-0393-20









CONSOLES

DISPLAY	LCD	19" Star Trac
DISPLAY TYPE	Static LCD	Capacitive Touchscreen
MULTI-LANGUAGE OPTIONS	English, German, Spanish, Dutch, Portuguese, French, Italian, Swed- ish, Katakana, Russian, Finnish	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Russian, Finnish, Danish, Chinese, Japanese, Turkish, Polish Russian, Hebrew, Czech, Slovak
PRE-PROGRAMMABLE WORK OUTS	Yes, 14+	Yes, 23+
QUICK START OPTIONS	Yes, single button start options	Yes, single button start options
TV TUNER ENABLED	No	Yes (Global Tuner Options)
ETHERNET AND WIFI ENABLED	No	Yes
BLUETOOTH DATA TRACKING/APP CONNECTIVITY	Yes	Yes
BLUETOOTH HEADPHONES	No	Yes
BLUETOOTH HEART RATE	No	Yes
APPLE GYMKIT / SAMSUNG GALAXY WATCH CONNECTIVITY	Yes	Yes
RUNTV INTEGRATED WORKOUT VIDEOS	No	Yes
EGYM COMPATIBLE	No	Yes
INTEGRATED WEB-BASED APPS	No	Yes
CUSTOMIZABLE HOME SCREEN	No	Yes
HDMI STREAMING	Yes, HDMI streaming available with PVS option; cables not included	Yes; cables not included
USB	USB port for software updates and device charging; cables not included	USB port for software updates and device charging; cables not included
RFID	No	Optional
IPTV/SET TOP BOX COMPATIBLE	Yes, with PVS	Yes, add-on accessories required
ANT+ FOR GROUP DISPLAY	Yes	Yes
PERSONAL FAN	Yes, programmable auto start	Yes, programmable auto start
ASSET MANAGEMENT	Ecofit Optional	Ecofit Optional
TABLET HOLDER	Integrated front, optional top add-on	Integrated front
PVS	Optional	No
800/900 MHZ RECEIVER	Optional	No

PVS FEATURES

PVS	10/8/4 Series	
DISPLAY TYPE	15.6" HD LED	
RESOLUTION	1366 x 768	
TUNER OPTIONS	1) ATSC/NTSC/QAM 2) PAL/DVB-T/DVB-C	
DIGITAL AND ANALOG SUPPORT	Yes	
SIGNAL INPUTS	Coax, HDMI	
INPUT RF SIGNAL RANGE	-70 dBm(Min) ~ - 10 dBm(Max)	
CLOSE CAPTION	Yes	
HEADPHONE JACK	3.5mm on Display	
SKUS	MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER TR MOUNT:	

700-0386-13 700-0386-16 700-0386-20

MYE PVS SCREEN, 2016, PAL TUNER TR MOUNT:

700-0387-13 700-0387-16 700-0387-20

MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER TH MOUNT:

700-0388-13 700-0388-16 700-0388-20

MYE PVS SCREEN, 2016, PAL TUNER TH MOUNT:

700-0389-13 700-0389-16 700-0389-20

MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER BCG MOUNT:

700-0390-13 700-0390-16 700-0390-20

MYE PVS SCREEN, 2016, PAL TUNER BCG MOUNT:

700-0391-13 700-0391-16 700-0391-20

MYE PVS SCREEN, 2016, ATSC/ NTSC TUNER FC MOUNT:

700-0392-13 700-0392-16 700-0392-20

MYE PVS SCREEN, 2016, PAL TUNER FC MOUNT:

700-0393-13 700-0393-16 700-0393-20

Core Health & Fitness is more than gym equipment, we offer innovative solutions for all your facility needs. This is why we've brought together five of the most recognizable fitness brands to ensure our customers can offer their members authentic fitness experiences. Whether working with us directly or through our partners and distributors worldwide, we provide the highest quality equipment backed by a service and support team that will always go the extra mile to get you what you need, when you need it. Partner with us and see how our Core Values motivate our every decision.

