




INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

# 4' Round Beam G2 Series



The Warelight linear LED 8 foot round beam brings clean lines and clear LED illumination to commercial and residential interiors. The linear lights can create a functional yet relaxing atmosphere and provide an even wash of light within a space.

## Specifications

CRI	>80	Ratings & Certifications	UL, Damp Listed
Light Source	LED	Dimmable	0-10v or Triac Dimming
Lens	Polycarbonate (PC)	Mounting Options	Suspended or Surface
Color Temperature	3000K - 3500K - 4000K - 5000K	Operating Temperature	-20° C to 40° C (-4° F to 104° F)
Wattage	40W	Lumens	4400 - 4800
LPW	110-120	Voltage	120-277v
Housing	White	Product Dimensions	47.17" L x 3.38" W x 3.25" H
Product Weight	7.72 lbs.	Shipping Dimensions	48.23" L x 3.62" W x 3.62" H
Shipping Weight	8.38 lbs.	Warranty	5-year
Finish	White		





INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## Order Information

Beam Round G2				Example: BEAMRD-4-40W-4CT-DMV-WH-G2		
Series	Length	Wattage	CCT	Voltage	Finish	Generation
<b>BEAMRD</b>	<b>4</b> 4 Foot	<b>40W</b> 40 Watt	<b>4CT</b> 3000K-3500K-4000K- 5000K Color Selectable	<b>DMV</b> 120-277v Universal Voltage 0-10v diming	<b>WH</b> White	<b>G2</b>
	<b>8</b> 8 Foot	<b>80W</b> 80 Watt				

## Mount Options

Suspended Mount with Canopy Kit



Canopy Kit




## Dimensions

Item	Length	Width	Height	Weight
BEAMRD-4-40W-4CT-DMV-WH-G2	47.17"	3.38"	3.25"	7.72 lbs.
BEAMRD-8-80W-4CT-DMV-WH-G2	94.02"	3.38"	3.25"	12.23 lbs.



PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## BEAMRD8



## BEAMRD4

