

DAB SERIES Outdoor Lighting

DAB-B23-80-150W-MCTP-SR
23" DESIGNER AREA BELL LIGHT SYSTEM


MCTP Multi Color Temperature & Multi Power/Wattage (Selectable)



Customer Name: _____

Project Name: _____

Note: _____ | Type: _____



Ideal for airports, auto dealerships, corporate offices, education, government, healthcare, industrial warehouses, municipal parking, gas stations, convenient stores, recreation and public venues, restaurants, hospitality, retail and grocery stores.

Features

- AL1060 Aluminum Hosing, Outdoor Powder Coating
- 7-Year Warranty
- Multi CCT and Power: Selectable Switch Inside Of The Fixture

Technical Specifications

Electrical:

- Voltage: 100-277V AC 50/60Hz
- Wattage: 80W/100W/150W
- Power Factor: 0.9
- THD<20%
- Efficacy: 130LM/W

Mechanical:

- AL1060 Aluminum Hosing, Outdoor Powder Coating
- Twist-Lock Zhaga Socket Pre-Installed. See Motion
- Sensor Accessories.
- 6' SJTW 18,3 AWG Power Cable
- 6' SJTW Dimming Cable
- Aluminum LED board: High Conductive, Waterproof, Aging Resistance, Salt eRsistance
- Programmable Bi-Level Motion Sensor & Emergency Backup Options
- Operating Temperature: -40°F~104°F
- IP Rating: IP66, Suitable for Wet Locations
- 7-Year Warranty

Lighting:

- Multi CCT and Power: Selectable Switch Inside Of The Fixture
- Dimmable: 0~10V Dimming
- Lens: High Light Transmittance PC, anti-UV and Fire Resistant
- LED: Lumileds 2835
- Total Lumens: 19500LM Max.
- Color Temperature: 3000K/4000K/5000K
- Color Rendering index: >70
- Beam Angle: Type V (150° X 150°)
- Lifespan: 70000 Hrs.

Applications:


- Ideal For Garden, Amusement Park, Residential Quater , Industrial Park And Pedestrian street.

Other Models:


- 100W | 13000LM | DAB-A16-50-100W-MCTP-SR
- 100W | 13000LM | DAB-B20-50-100W-MCTP-SR



Photometrics: DAB-B23-80-150W-MCTP-SR



BUD Rating: B2-U3-G2



80W 5000K, Area 45'x 65' Mounting Height: 9'

Performance Table: DAB-B23-80-150W-MCTP-SR

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
DAB-B23-80-150W-MCTP-SR	80W 100W 150W	120-277V	10400LM 13000LM 19500LM	3000K 4000K 5000K	B2-U3-G2	130

Sample Ordering

Model	Size	Watt	Max. Watt	Color Temp.	Sensor Ready
DAB	B23	80	150W	MCTP	SR


Accessories:

Blank = No Option
DAB-BA = DAB BELL ARM FOR MOUNTING ON SINGLE OR DOUBLE POLE ADAPTER, BLACK
DAB-PB-B = DAB DECORATIVE STRAIGHT POLE BRACKET MODEL B, FOR FLAT OR ROUND POLES, BLACK
DAB-WB-A = DAB STRAIGHT WALL BRACKET MODEL A, BLACK
DAB-PA2-1 = DAB 2in POLE ADAPTER FOR 1 BELL ARM, BLACK
DAB-PA2-2 = DAB 2in POLE ADAPTER FOR 2 BELL ARM, BLACK
DAB-PA3-1 = DAB 3in POLE ADAPTER FOR 1 BELL ARM, BLACK
DAB-PA3-2 = DAB 3in POLE ADAPTER FOR 2 BELL ARM, BLACK
DAB-PA4-1 = DAB 4in POLE ADAPTER FOR 1 BELL ARM, BLACK
DAB-PA4-2 = DAB 4in POLE ADAPTER FOR 2 BELL ARM, BLACK
DAB-WB-C = DAB BENT DECORATIVE WALL BRACKET MODEL C, BLACK
WEC-3MR-72-TLB-BK = 600W Max, ZHAGA 12-24VDC PIR SENSOR, BLACK, WITH BASE (OPTIONAL REMOTE CONTROL WEC-3RC)
WEC-3MBT-72-TLB-BK = 600W Max, ZHAGA 12-24VDC PIR SENSOR, BLACK, WITH BASE (OPTIONAL REMOTE CONTROL WEC-3RC)


Factory Installed Options:

Blank = No Option
OPT-EM-OD2INT = INTERNAL EMERGENCY BACK UP BATTERY
OPT-3MPC = MICROWAVE PHOTOCELL
OPT-CLR-95(BK/GR/SR/WH) = COLOR PAINT

ACCESSORIES:



FACTORY INSTALLED OPTIONS:



ACCESSORIES:




**DAB-BA
DAB-PA2-2**
2in POLE + 23in fixture
(double)




**DAB-BA
DAB-PA3-2**
3in POLE + 23in fixture
(double)




**DAB-BA
DAB-PA4-2**
4in POLE + 23in fixture
(double)



DAB-PA2-2
2 1/4"(W) x 6 1/8"(H)



DAB-PA3-2
3 1/2"(W) x 6 1/8"(H)



DAB-PA4-2
4 3/4"(W) x 7"(H)




**DAB-BA
DAB-PA2-1**
2in POLE + 23in fixture




**DAB-BA
DAB-PA3-1**
3in POLE + 23in fixture




**DAB-BA
DAB-PA4-1**
4in POLE + 23in fixture



DAB-PA2-1
2 1/4"(W) x 5 3/4"(H)



DAB-PA3-1
3 1/2"(W) x 6"(H)



DAB-PA4-1
4 3/4"(W) x 7"(H)




DAB-BA
2in POLE + 23in fixture head



DAB-BA
3in POLE + 23in fixture head




DAB-BA
4in POLE + 23in fixture head



DAB-BA
23 1/2"(W) x 25 1/2"(H)



DAB-WB-A
DAB-WB-A+23in fixture
for wall




DAB-WB-A



DAB-PB-B
DAB-PB-B+23in fixture
for pole




DAB-PB-B
DAB-PB-B+23in fixture
(double)
for pole



DAB-PB-B
20 3/4"(W) x 7 1/2"(H)



DAB-WB-C
DAB-WB-C+23in fixture
for wall



DAB-WB-C
26"(W) x 31"(H) x 5"(D)

*Decorative Arms & Poles Available Per Job Spec



COLOR CHART: * Choose from one of our Premium Colors with no set-up fee.

Gloss:



SILVER METALLIC
70 GLOSS
T357-GR105



SILVER METALLIC
30 GLOSS
T353-GR06



DARK RED 90
GLOSS
P009-RD02



INTERNATIONAL
ORANGE 90
GLOSS
T009-OG26



SAFETY ORANGE
90 GLOSS
T009-OG01



YELLOW 90
GLOSS
T009-YL14



YELLOW 90
GLOSS
T009-YL01



TRAFFIC GREEN
70 GLOSS
T007-GN16



GREEN 70 GLOSS
T007-GN13



GREEN 60 GLOSS
C006-GN03



BLUE 90 GLOSS
T009-BL01



DARK BLUE 80
GLOSS
T008-BL20



RAL 8028 TERRA
BROWN 90 GLOSS
C209-BR358

Hammer:




WHITE HAMMER
T013-WH09



BEIGE HAMMER
T013-BG38




GREY HAMMER
C013-GR08




SILVER
HAMMERTONE
T064-GR05




BLACK HAMMER
T013-BK62




RED HAMMER
T013-RD15



GREEN HAMMER
T013-GN220



BLUE HAMMER
T013-BL468



BRONZE HAMMER
T012-BR161

Texture:



WHITE TEXTURE
C031-WH120



FLINT GRAY
TEXTURE
T243-GR522



BLACK TEXTURE
C241-BK109



RED TEXTURE
T241-RD129




BLUE TEXTURE
C241-BL544




OIL RUBBED
BRONZE TEXTURE
T291-BR251


Vein:



BLACK/WHITE
VEIN
T075-WH34



SILVER VEIN
T375-BK26



COPPER VEIN
EXTERIOR
T075-BK211



GOLD VEIN
T375-BK10



COPPER VEIN
T375-BK07

