



WAREHOUSE-LIGHTING.COM
 INDUSTRIAL AND COMMERCIAL
 LIGHTING MFR SINCE 2003

PROJECT NAME _____
 ITEM # _____
 FIXTURE SCHEDULE _____
 NOTES _____

HBLEED G3 Series



Condor High Bay LED Lighting fixtures combine high performance LEDs and drivers. The HBLEED is the lighting solution for a wide variety of applications and mounting heights. Offering a choice of lumen outputs and color temperatures make the energy-efficient LED Condor the ideal solution for industrial, commercial, and other high bay applications.

Specifications – HBLEED210W

Wattage	210W	CRI	80+
CCT	4000K or 5000K	Mount Options	Vclips, 3' Hanging Chains, 5' or 10' Aircraft Cable Kit
Lumens	29,213*	Warranty	5 Years
Voltage	120-277V	Certifications	DLC Premium 5.1 and cULus
Efficacy	135 lm/W*	Starting Temp	-4°F - 122°F

*Efficacy based on 5000K. Data is considered to be representative of the series. Actual production may vary between up to ±10% of initial delivered lumens.





WAREHOUSE-LIGHTING.COM
INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Order Information

High Bay Series HBLED				Example: HBLED85W/5000KFR-G3		
Series	Wattage	CCT	Lens	Generation	Sensor	Hanging Options
HBLED	85W	4000K 5000K	FR Frosted	G3	Blank No Sensor	Blank Vclips Only
	155W				MPC-50H Motion Sensor	3CHK 3' Chain
	210W	5000K	CL Clear		EFS104 Bluetooth Motion Sensor	ACCK5LP 5' Aircraft Cable ACCK10LP 10' Aircraft Cable

Mount Options

Conduit Mount Box



Chain Kit



Surface Mounting



DLC Information

Item	DLC Version	DLC ID	Wattage	Lumens
HBLED85W/4000KFR-G3	5.1 Premium	S-QXR0SE	85W	11,475
HBLED85W/5000KFR-G3	5.1 Premium	S-ZLVA18	85W	11,560
HBLED155W/4000KFR-G3	5.1 Premium	S-EQ9375	155W	20,925
HBLED155W/5000KFR-G3	5.1 Premium	S-IF5QS9	155W	21,080
HBLED210W/5000KFR-G3	5.1 Premium	S-B70TU9	210W	29,213



WAREHOUSE-LIGHTING.COM




INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Dimensions

Item	Length	Width	Height	Weight
HBLED85W/4000KFR-G3	23.8"	13"	3.6"	10.12 lbs
HBLED85W/5000KFR-G3	23.8"	13"	3.6"	10.12 lbs
HBLED155W/4000KFR-G3	23.8"	13"	3.6"	10.45 lbs
HBLED155W/5000KFR-G3	23.8"	13"	3.6"	10.45 lbs
HBLED210W/5000KFR-G3	23.8"	17.3"	3.6"	12.54 lbs

HBLED85W, HBLED155W



HBLED210W

