

HBLED G3 Series



Condor High Bay LED Lighting fixtures combine high performance LEDs and drivers. The HBLED is the lighting solution for a wide variety of applications and mounting heights. Offering a choice of lumen outputs and color temperatures make the energy-efficient LED Condor the ideal solution for industrial, commercial, and other high bay applications.

Specifications – HBLED400W

Wattage	400W	CRI	80+
CCT	5000K	Mount Options	Vclips, 3' Hanging Chains, 5' or 10' Aircraft Cable Kit
Lumens	54,000*	Warranty	5 Years
Voltage	120-277V	Certifications	UL Damp Location, DLC Premium v5.1
Dimmable	0-10v, 10% - 100%	Operating Temp	-20° C to 50° C (-4° F to 122° F)

*Efficacy based on 5000K. Data is considered to be representative of the series. Actual production may vary between up to ±10% of initial delivered lumens.



Order Information

High Bay Series HBLED				Example: HBLED85W/5000KFR-G3		
Series	Wattage	CCT	Lens	Generation	Sensor	Mount Options
HBLED	85W 155W	4000K 5000K	FR Frosted Lens	G3	Blank No Sensor	Blank Vclips only
	210W*	5000K		CL Clear Lens		
			300W 400W		G3	EFS104 Bluetooth Motion Sensor

*210W available in G3 body (2' length) or 4FT body (4' length).

Mount Options

Conduit Mount Box



Chain Kit



Surface Mounting









DLC Information

Item	DLC Version	DLC ID	Wattage	Lumens*
HBLED85W/4000KFR-G3	5.1 Premium	S-QXR0SE	85W	11,475
HBLED85W/5000KFR-G3	5.1 Premium	S-ZLVA18	85W	11,560
HBLED155W/4000KFR-G3	5.1 Premium	S-EQ9375	155W	20,925
HBLED155W/5000KFR-G3	5.1 Premium	S-IF5QS9	155W	21,080
HBLED210W/5000KFR-G3	5.1 Premium	S-B70TU9	210W	29,213
HBLED210W/5000KFR-4FT	5.1 Premium	S-E30PNW	210W	28,560
HBLED300W/5000KFR-G3	5.1 Premium	S-D5ZLRF	300W	40,800
HBLED400W/5000KFR-G3	5.1 Premium	A-S-CWGVAF	400W	54,000




Dimensions

Item	Length	Width	Height	Weight
HBLED85W/4000KFR-G3	23.8"	13"	3.6"	10.12 lbs.
HBLED85W/5000KFR-G3	23.8"	13"	3.6"	10.12 lbs.
HBLED155W/4000KFR-G3	23.8"	13"	3.6"	10.45 lbs.
HBLED155W/5000KFR-G3	23.8"	13"	3.6"	10.45 lbs.
HBLED210W/5000KFR-G3	23.8"	17.3"	3.6"	12.54 lbs
HBLED210W/5000KFR-4FT	45.9"	13"	3.6"	16.28 lbs
HBLED300W/5000KFR-G3	45.9"	13"	3.6"	17.82 lbs
HBLED400W/5000KFR-G3	45.9"	17.3"	3.6"	17.82 lbs


HBLED85W, HBLED155W



HBLED210W-4FT, HBLED300W



HBLED400W



WARELIGHT



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

