

S16408

30T8/LED/HO-SIGN/72-840/BP 30W T8 LED; 4000K; 4100 Lumens; 120-277V; Type B; Single Ended; Ballast Bypass

Features

- Base rotates 90° for easy installation
 Direct wire 120-277V line voltage*

- NSF Approved
 No ballast or external driver required



S16408

Item Number	umber UPC		Voltage	Watts	Opera Freque		Lamp Shap	R:	Base	
S16408	045923164088		120-277	30	50/60Hz		Т8		Recessed Double Contact HO/VHO	
Lamp	Code	Finish	n MOL Inch		MOD In Inches	Initial Lu	mens	Average Rated Hours	Kelvin Temp	Color
30T8/LED/H 840/		Froste	ed 72)II	1.00"	410	0	50000	4000	Cool White

CRI	Beam Spread Deg	Operating Temperature	Pack	Package Type	CEC Status	RoHS Compliant	UL or ETL Listed			
83	330	-40C (-40F) to a maximum of +45C (+113F)	Lawful for sale in California	Yes	Yes					
	UL Classification Warranty									
			5 Year Limited							



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051



S16409

30T8/LED/HO-SIGN/72-865/BP 30W T8 LED; 6500K; 4100 Lumens; 120-277V; Type B; Single Ended; Ballast Bypass

Frosted

Features

- Base rotates 90° for easy installation
 Direct wire 120-277V line voltage*

865/BP

NSF Approved
No ballast or external driver required



S16409

50000

6500

Daylight

Item Number	UPC		Voltage	Watts	Oper Freq	ating uency		mp ape	В	sase	ANSI Base
S16409	045923164	1095	120-277	30	50/6	60Hz	Т	8		ed Double t HO/VHO	R17d
Lamp	Code	Finish	MOL Inch		MOD In Inches	Initial Lu	mens		ge Rated lours	Kelvin Temp	Color
30T8/LED/H0	O-SIGN/72-	Eronton	v 70		1 00"	410	1	5	0000	6500	Doylight

1.00"

CRI	Beam Spread Deg	Operating Temperature	Pack	Package Type	CEC Status	RoHS Compliant	UL or ETL Listed
83	330	-40C (-40F) to a maximum of +45C (+113F)	10	Sleeve	Lawful for sale in California	Yes	Yes
		UL Classification		Warranty			
		cULus Classified - Damp Lo	5 Year Limited				

4100



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051