

S16410

36T8/LED/HO-SIGN/96-840/BP 36W T8 LED; 4000K; 5000 Lumens; 120-277V; Type B; Single Ended; Ballast Bypass

Features

- Base rotates 90° for easy installation
 Direct wire 120-277V line voltage*
 NSF Approved
 No ballast or external driver required



S16410

Item Number UP			UPC		Voltage		Wat	ts	Opera Freque	9		Lamp Shape		Base			
S16410 04592316			923164	101	120-277		36		50/60)Hz	Т8		Recessed Double Contact HO/VHO		R17d		
Lamp Code				Finis	Finish MO Inc				OD In nches	Initial	Lumens	Average Rated Hours		Kelvin Temp	Color		
36T	8/LED/H 840,	N/96-	96- Frosted		96	"	1.00		5000		50000		4000	Cool White			
CRI	Beam Spread Operating Temperature Pack Package Type CEC S								Statu	s RoHS	6 Compliant	UL or ETL Listed					
83	33	0	-40C (-40F) to a maximum of +45C (+113F)					10	Sleeve		Lawful for sale in California			Yes	Yes		
	UL Classification													Warranty			
	cULus Classified - Damp Location Rated												Ę	5 Year Limited			



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051



S16411

36T8/LED/HO-SIGN/96-865/BP 36W T8 LED; 6500K; 5000 Lumens; 120-277V; Type B; Single Ended; Ballast Bypass

Features

- Base rotates 90° for easy installation
 Direct wire 120-277V line voltage*
 NSF Approved
 No ballast or external driver required



S16411

Item N	Item Number UPC				Voltage		Wat	ts	Operating Frequency			Lamp Shape		Base	ANSI Base	
S16	S16411 0459231641			118	120-277		36	;	50/60Hz		٦	T8		essed Double tact HO/VHO	R17d	
	Lamp Code				h MOL In Inches				DD In Iches	Initial L	umens	Average Rated Hours		d Kelvin Temp	Color	
36T	8/LED/H 865/	1/96-	6- Frosted 9		96'	"	1	.00''	50	000 50		50000	6500	Daylight		
CRI	Beam S De	erating	g Temperature			Pack	Packag	ackage Type		CEC Status		HS Compliant	UL or ETL Listed			
83	33	0	-40C (-40F) to a maximum of +45C (+113F)					10	Sleeve			Lawful for sale in California		Yes	Yes	
	UL Classification													Warranty		
	cULus Classified - Damp Location Rated													5 Year Limited		



National Toll-Free: 800.43.SATCO (800.437.2826) www.satco.com Distribution Centers: New York, Florida, Texas, Washington, California, Puerto Rico Corporate Offices: 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051