



S9917

43T8/LED/96-835/BP 120-277V
 43W T8 LED; Single pin base; 3500K; 50000 Average rated hours; 5500 Lumens; Type B; Ballast Bypass; Double Ended Wiring

Features

- Ballast by-pass - Double ended wiring
- No ballast or external driver required
- Direct wire 120-277V line voltage
- All glass tube
- Shatterproof coated - NSF approved
- 54W; 59W Fluorescent equivalency



S9917

Item Number	UPC	Voltage	Watts	Operating Frequency	Fluorescent Equivalent	Lamp Shape	Base
S9917	045923099175	120-277	43	50/60Hz	54W; 59W	T8	Single Pin

ANSI Base	Lamp Code	Dimmable/Non-Dimmable	Finish	MOL In Inches	MOD In Inches	Initial Lumens	Average Rated Hours
Fa8	43T8/LED/96-835/BP 120-277V	Non-Dimmable	White	96"	1.00"	5500	50000

Kelvin Temp	Color	CRI	Beam Spread Deg	Pack	Package Type	CEC Status	DLC ID:
3500	Neutral White	82	210	10	Eggcrate	Lawful for sale in California	PLJHZC0ZUF6I DLC Search

RoHS Compliant	UL or ETL Listed	UL Classification	Warranty
Yes	Yes	cULus - Damp Location Rated	5 Year Limited



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027





S9918

43T8/LED/96-840/BP 120-277V
 43W T8 LED; Single pin base; 4000K; 50000 Average rated hours; 5500 Lumens; Type B; Ballast Bypass; Double Ended Wiring

Features

- Ballast by-pass - Double ended wiring
- No ballast or external driver required
- Direct wire 120-277V line voltage
- All glass tube
- Shatterproof coated - NSF approved
- 54W; 59W Fluorescent equivalency



S9918

Item Number	UPC	Voltage	Watts	Operating Frequency	Fluorescent Equivalent	Lamp Shape	Base
S9918	045923099182	120-277	43	50/60Hz	54W; 59W	T8	Single Pin

ANSI Base	Lamp Code	Dimmable/Non-Dimmable	Finish	MOL In Inches	MOD In Inches	Initial Lumens	Average Rated Hours
Fa8	43T8/LED/96-840/BP 120-277V	Non-Dimmable	White	96"	1.00"	5500	50000

Kelvin Temp	Color	CRI	Beam Spread Deg	Pack	Package Type	CEC Status	DLC ID:
4000	Cool White	82	210	10	Eggcrate	Lawful for sale in California	PLQLREDLYD4V DLC Search

RoHS Compliant	UL or ETL Listed	UL Classification	Warranty
Yes	Yes	cULus - Damp Location Rated	5 Year Limited



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027





S9919

43T8/LED/96-850/BP 120-277V
 43W T8 LED; Single pin base; 5000K; 50000 Average rated hours; 5500 Lumens; Type B; Ballast Bypass; Double Ended Wiring

Features

- Ballast by-pass - Double ended wiring
- No ballast or external driver required
- Direct wire 120-277V line voltage
- All glass tube
- Shatterproof coated - NSF approved
- 54W; 59W Fluorescent equivalency



S9919

Item Number	UPC	Voltage	Watts	Operating Frequency	Fluorescent Equivalent	Lamp Shape	Base
S9919	045923099199	120-277	43	50/60Hz	54W; 59W	T8	Single Pin

ANSI Base	Lamp Code	Dimmable/Non-Dimmable	Finish	MOL In Inches	MOD In Inches	Initial Lumens	Average Rated Hours
Fa8	43T8/LED/96-850/BP 120-277V	Non-Dimmable	White	96"	1.00"	5500	50000

Kelvin Temp	Color	CRI	Beam Spread Deg	Pack	Package Type	CEC Status	DLC ID:
5000	Natural Light	82	210	10	Eggcrate	Lawful for sale in California	PL43Y9QFYJRP DLC Search

RoHS Compliant	UL or ETL Listed	UL Classification	Warranty
Yes	Yes	cULus - Damp Location Rated	5 Year Limited



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027

