



INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

# Saturn G2 Series



These high performing, high bay lights are an energy-efficient replacement for traditional HID fixtures with mounting heights ranging from 15' to 40' depending on wattage and application. These fixtures are instant on and give you the freedom to control the brightness with 0-10V dimming. They are widely used in warehouses, cold storage facilities, workshops, convention centers, retail stores, gymnasiums, factories, and other industrial and commercial indoor areas.

## Specifications – 150W

|                   |                   |                            |                                |
|-------------------|-------------------|----------------------------|--------------------------------|
| CRI               | <80               | Ratings and Certifications | UL, IP65, DLC Premium v5.1     |
| Light Source      | LED               | Dimmable                   | 0-10V                          |
| Voltage           | 120-277V          | Beam Angle                 | 110°                           |
| Color Temperature | 5000K             | Mounting Options           | Hook, Pendant, Bracket         |
| Wattage           | 150W              | Operating Temperature      | -40°C - +50°C (-40°F - +122°F) |
| LPW               | 185               | Lumens                     | 27,750                         |
| Housing           | Die-cast Aluminum | Finish                     | Black                          |
| Product Weight    | 3.9 lbs.          | Product Dimensions         | 10.4" x 10.4" x 4.72"          |
| Shipping Weight   | 5.4 lbs.          | Shipping Dimensions        | 12.8" x 12.8" x 7.7"           |
| Lifespan          | L70-50,000        | Warranty                   | 5 Year                         |





INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## Order Information

| Saturn Series |         |       | Example: WL-SIUFO-100W-50K-UNV-BK-G2 |             |            |
|---------------|---------|-------|--------------------------------------|-------------|------------|
| Series        | Wattage | CCT   | Voltage                              | Color       | Generation |
| WL-SIUFO      | 100W    | 5000K | UNV<br>120-277V                      | BK<br>Black | G2         |
|               | 150W    |       |                                      |             |            |
|               | 200W    |       |                                      |             |            |
|               | 240W    |       |                                      |             |            |

## Accessories

### Mounting Bracket Black or White

WL-BT-BRT-PA-BK-G3 / WL-BT-BRT-PA-WH-G3



### Emergency Battery Backup

WL-LECV-UFO-40D-R-G3



### EM Remote

WL-BT-RC-EM



### Conduit Boxes

CondMT-BK / CondMT-WH



### Sensor Remote

WL-HD05R



## DLC Information

| Item                        | DLC Version | DLC ID   | Wattage | Lumens |
|-----------------------------|-------------|----------|---------|--------|
| WL-SIUFO-100W-50K-UNV-BK-G2 | 5.1 Premium | S-VQ9E08 | 104.4W  | 19,446 |
| WL-SIUFO-150W-50K-UNV-BK-G2 | 5.1 Premium | S-8M50CZ | 153.3W  | 28,640 |
| WL-SIUFO-200W-50K-UNV-BK-G2 | 5.1 Premium | S-78AXSF | 201.2W  | 37,493 |
| WL-SIUFO-240W-50K-UNV-BK-G2 | 5.1 Premium | S-PE231C | 243.1W  | 46,870 |



INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## Dimensions

| Item                        | Height | Diameter | Weight    |
|-----------------------------|--------|----------|-----------|
| WL-SIUFO-100W-50K-UNV-BK-G2 | 4.52"  | 9.68"    | 3.13 lbs. |
| WL-SIUFO-150W-50K-UNV-BK-G2 | 4.72"  | 10.47"   | 3.93 lbs. |
| WL-SIUFO-200W-50K-UNV-BK-G2 | 5.07"  | 11.81"   | 4.59 lbs. |
| WL-SIUFO-240W-50K-UNV-BK-G2 | 5.39"  | 12.79"   | 5.56 lbs. |

## Photometrics

Saturn 150W 5K 110° Optic

