



INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

# Full Cutoff Wall Pack Series



Our Full Cutoff Wall Pack has zero up light and a type IV forward distribution that produces a pattern of light meant for mounting on the sides of buildings and walls. Along with its built-in photocell, it has multiple wattages and CCT's to choose from. The housing is a powder-coated die-cast aluminum and very easy to install.

## Specifications – 110W

CRI	74	Ratings and Certifications	cULus, RoHS, FCC, DLC Premium v5.1
Light Source	LED	Dimmable	Yes
Voltage	120-277	Beam Angle	Forward Throw
Color Temperature	3000K / 4000K / 5000K	Mounting Options	Wall
Wattage	60W / 80W / 110W	Operating Temperature	-20°C to 40°C (-4°F to 104°F)
LPW	132	Lumens	5,804
Housing	Die-cast Aluminum	Finish	Bronze
Product Weight	9.55 lbs.	Product Dimensions	14.23" L x 9.55" W x 8.15" H
Shipping Weight	10.05 lbs.	Shipping Dimensions	15.75" L x 11.5" W x 11" H
Lifespan	>54,000	Warranty	5 Year





INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## Order Information

Full Cutoff Wallpack			Example: WL-FCSL-C40WS-EM-PC-BZ-G1		
Series	Wattage	CCT/Watt	Photocontrol	Color	Generation
WL-FCSL		<b>CWS</b> 3000K/4000K/5000K			
	<b>40W</b>	<b>40W</b> 20W/30W/40W	<b>EM</b> Emergency	<b>BZ</b> Bronze	<b>G1</b>
	<b>55W</b>	<b>55W</b> 25W/45W/55W	<b>PC</b> Button photocell		
	<b>110W</b>	<b>110W</b> 60W/80W/110W			

## DLC Information

Item	DLC Version	DLC ID	Wattage	Lumens
WL-FCSL-C40WS-PC-BZ-G1	5.1 Premium	S-JCSHT6	40.5W	5,307
WL-FCSL-C40WS-EM-PC-BZ-G1	5.1 Premium	S-JCSHT6	40.5W	5,307
WL-FCSL-C55WS-PC-BZ-G1	5.1 Premium	S-NPQGR3	55.2 W	6,897
WL-FCSL-C55WS-EM-PC-BZ-G1	5.1 Premium	S-NPQGR3	55.2 W	6,897
WL-FCSL-C110WS-PC-BZ-G1	5.1 Premium	S-JPOSNE	105.8 W	13,174
WL-FCSL-C110WS-EM-PC-BZ-G1	5.1 Premium	S-JPOSNE	105.8 W	13,174



INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## Dimensions

Item	Length	Width	Height	Weight
WL-FCSL-C40WS-PC-BZ-G1	14.23"	9.55"	5.15"	6.7 lbs.
WL-FCSL-C40WS-EM-PC-BZ-G1	14.23"	9.55"	5.15"	7.2lbs.
WL-FCSL-C55WS-PC-BZ-G1	14.23"	9.55"	5.15"	6.7 lbs.
WL-FCSL-C55WS-EM-PC-BZ-G1	14.23"	9.55"	5.15"	7.2 lbs.
WL-FCSL-C110WS-PC-BZ-G1	14.23"	9.55"	8.15"	9.55 lbs.
WL-FCSL-C110WS-EM-PC-BZ-G1	14.23"	9.55"	8.15"	10.05lbs.

