



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Full Cutoff Wall Pack Series



Our Full Cutoff Wall Pack has zero up light and a type IV forward distribution that produces a pattern of light meant for mounting on the sides of buildings and walls. Along with its built-in photocell, it has multiple wattages and CCT's to choose from. The housing is a powder-coated die-cast aluminum and very easy to install.

Specifications – 55W

CRI	74	Ratings and Certifications	cULus, RoHS, FCC, DLC Premium v5.1
Light Source	LED	Dimmable	Yes
Voltage	120-277	Beam Angle	Forward Throw
Color Temperature	3000K / 4000K / 5000K	Mounting Options	Wall
Wattage	24W / 45W / 55W	Operating Temperature	-20°C to 40°C (-4°F to 104°F)
LPW	131	Lumens	5,804
Housing	Die-cast Aluminum	Finish	Bronze
Product Weight	6.7 lbs.	Product Dimensions	14.23" L x 9.55" W x 5.15" H
Shipping Weight	7.2 lbs.	Shipping Dimensions	15.75" L x 11.5" W x 8.25" H
Lifespan	>54,000	Warranty	5 Year





INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Order Information

Full Cutoff Wallpack			Example: WL-FCSL-C40WS-EM-PC-BZ-G1		
Series	Wattage	CCT/Watt	Photocontrol	Color	Generation
WL-FCSL		CWS 3000K/4000K/5000K			
	40W	40W 20W/30W/40W	EM Emergency	BZ Bronze	G1
	55W	55W 25W/45W/55W	PC Button photocell		
	110W	110W 60W/80W/110W			

DLC Information

Item	DLC Version	DLC ID	Wattage	Lumens
WL-FCSL-C40WS-PC-BZ-G1	5.1 Premium	S-JCSHT6	40.5W	5,307
WL-FCSL-C40WS-EM-PC-BZ-G1	5.1 Premium	S-JCSHT6	40.5W	5,307
WL-FCSL-C55WS-PC-BZ-G1	5.1 Premium	S-NPQGR3	55.2 W	6,897
WL-FCSL-C55WS-EM-PC-BZ-G1	5.1 Premium	S-NPQGR3	55.2 W	6,897
WL-FCSL-C110WS-PC-BZ-G1	5.1 Premium	S-JPOSNE	105.8 W	13,174
WL-FCSL-C110WS-EM-PC-BZ-G1	5.1 Premium	S-JPOSNE	105.8 W	13,174



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Dimensions

Item	Length	Width	Height	Weight
WL-FCSL-C40WS-PC-BZ-G1	14.23"	9.55"	5.15"	6.7 lbs.
WL-FCSL-C40WS-EM-PC-BZ-G1	14.23"	9.55"	5.15"	7.2lbs.
WL-FCSL-C55WS-PC-BZ-G1	14.23"	9.55"	5.15"	6.7 lbs.
WL-FCSL-C55WS-EM-PC-BZ-G1	14.23"	9.55"	5.15"	7.2 lbs.
WL-FCSL-C110WS-PC-BZ-G1	14.23"	9.55"	8.15"	9.55 lbs.
WL-FCSL-C110WS-EM-PC-BZ-G1	14.23"	9.55"	8.15"	10.05lbs.

