



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

LED Slim Linear Recessed Panel Series



WareLight's LED Slim Linear Recessed Panels are designed for modern, efficient, and customizable indoor lighting. Constructed with a durable aluminum frame and an opal polycarbonate lens, these panels are designed to blend seamlessly into any T grid ceiling with their recessed mounting style. From warm to cool white (3500K to 5000K), adjust the color temperature and wattage to fit the mood of the space or to enhance the functionality of the area. Available in 2-foot and 4-foot sizes, these panels integrate effortlessly into any space and are perfect for retail settings, schools, office and healthcare facilities.

Specifications

CRI	82	Ratings & Certifications	ETL
Light Source	Integrated LED	Beam Angle	Wide
Dimmable	0-10v	Mounting Options	Recessed
Color Temperature	Selectable 3500K - 4000K - 5000K	Operating Temperature	-30 ~ 40 °C (-22°F to +104°F)
Wattage	Selectable 10W-40W	Lumens	1,000-4,600Lm
LPW	100-115 lm/w	Lens	Polycarbonate
Voltage	120-277v	Warranty	5 Years
Finish	White		





INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003


PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Order Information

LED Linear Recessed Panel Series				Example: WL-SLRP4x24-20W-3CT-DMV		
Series	Width	Length	Wattage	Color Temperature	Voltage	Accessories
WL-SLRP	4 4 Inches	x24 24 Inches	20W 10W/15W/20W Select	3CT 35K/40K/50K Select	DMV Universal 120-277V	RFK Recessed Flange Kit
	6 6 Inches	x48 48 Inches	40W 20W/30W/40W Select			

*Accessories Sold Separately

Recessed Flange Kit (RFK)



Performance Chart

Model Number	Size	Wattage	Lumens	Efficacy	CRI
WL-SLRP4x24-20W-3CT-DMV	2 FT	10W/15W/20W	1,000-2,300	100-115 LM/W	82
WL-SLRP6x24-20W-3CT-DMV	2 FT	10W/15W/20W	1,000-2,300	100-115 LM/W	82
WL-SLRP4x48-40W-3CT-DMV	4 FT	20W/30W/40W	2,000-4,600	100-115 LM/W	82
WL-SLRP6x48-40W-3CT-DMV	4 FT	20W/30W/40W	2,000-4,600	100-115 LM/W	82



INDUSTRIAL AND COMMERCIAL
LIGHTING MFR SINCE 2003

PROJECT NAME _____
ITEM # _____
FIXTURE SCHEDULE _____
NOTES _____

Dimensions

Item	Length	Width	Height	Weight
WL-SLRP4x24-20W-3CT-DMV	23.7"	3.74"	2.52"	3.3 lbs.
WL-SLRP6x24-20W-3CT-DMV	23.7"	5.75"	2.52"	4.4 lbs.
WL-SLRP4x48-40W-3CT-DMV	47.76"	3.74"	2.52"	4.58 lbs.
WL-SLRP6x48-40W-3CT-DMV	47.76"	5.75"	2.52"	7.27 lbs.

