



INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

# Traditional Wall Pack Series



Utilizing the latest generation of LED chips and a patented smart controller, this uniquely designed wall pack delivers a similar light output to a 150/200 W metal halide, but it also has multiple wattage and CCT to choose from. Housing made of die-casting aluminum with reliable powder coating. It is attractive in appearance and performance.

## Specifications – 75W

CRI	70	Ratings and Certifications	IP65, DLC Premium v5.1
Light Source	LED	Dimmable	Yes
Voltage	120-277	Beam Angle	Wide
Color Temperature	4000K or 5000K	Mounting Options	Wall
Wattage	75W	Operating Temperature	-40°C to 40°C (-40°F to 104°F)
LPW	145	Lumens	10,200
Housing	Die-cast Aluminum	Finish	Bronze
Product Weight	8.34 lbs.	Product Dimensions	14.40L x 7.51W x 9.20H
Shipping Weight	9.46 lbs.	Shipping Dimensions	15.33L x 9.83W x 9.43H
Lifespan	50,000	Warranty	5 Year





INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## Order Information

Traditional Wall Pack G3			Example: WLWP-45W-50K-10D-G3	
Series	Wattage	CCT	Dimming	Generation
WLWP	45W	4000K	10D	G3
	60W			
	75W	or		
	90W	5000K		
	120W			

## DLC Information

Item	DLC Version	DLC ID	Wattage	Lumens
WLWP-45W-40K-10D-G3	5.1 Premium	S-YBN83Q	40.6 W	5,891
WLWP-45W-50K-10D-G3	5.1 Premium	S-29TWS6	41.2 W	6,152
WLWP-60W-40K-10D-G3	5.1 Premium	S-NHVJU4	55 W	7,920
WLWP-60W-50K-10D-G3	5.1 Premium	S-ZUXC3J	55.4 W	8,271
WLWP-75W-40K-10D-G3	5.1 Premium	S-FZV0L1	73.7 W	10,735
WLWP-75W-50K-10D-G3	5.1 Premium	S-MP7WB9	74.7 W	11,210
WLWP-90W-40K-10D-G3	5.1 Premium	S-9GYERH	83.3 W	12,065
WLWP-90W-50K-10D-G3	5.1 Premium	S-9FSIZD	84.4 W	12,600
WLWP-120W-40K-10D-G3	5.1 Premium	S-T2ZS16	112.5 W	15,797
WLWP-120W-50K-10D-G3	5.1 Premium	S-T92VOF	112.3 W	16,497



INDUSTRIAL AND COMMERCIAL  
LIGHTING MFR SINCE 2003

PROJECT NAME \_\_\_\_\_  
ITEM # \_\_\_\_\_  
FIXTURE SCHEDULE \_\_\_\_\_  
NOTES \_\_\_\_\_

## Dimensions

Item	Length	Width	Height	Weight
WLWP-45W-40K-10D-G3	14.40"	7.51"	9.20"	7.68 lbs.
WLWP-45W-50K-10D-G3	14.40"	7.51"	9.20"	7.68 lbs.
WLWP-60W-40K-10D-G3	14.40"	7.51"	9.20"	7.81 lbs.
WLWP-60W-50K-10D-G3	14.40"	7.51"	9.20"	7.81 lbs.
WLWP-75W-40K-10D-G3	14.40"	7.51"	9.20"	8.34 lbs.
WLWP-75W-50K-10D-G3	14.40"	7.51"	9.20"	8.34 lbs.
WLWP-90W-40K-10D-G3	14.40"	7.51"	9.20"	8.51 lbs.
WLWP-90W-50K-10D-G3	14.40"	7.51"	9.20"	8.51 lbs.
WLWP-120W-40K-10D-G3	14.40"	7.51"	9.20"	9.75 lbs.
WLWP-120W-50K-10D-G3	14.40"	7.51"	9.20"	9.75 lbs.

