# WMCS SERIES OUTDOOR LIGHTING


WMCS-UDL-RGBW-BK WMCS-UDL-RGBW-WH




Customer Name:

Project Name:

Note: Type:





10 1/4"(H) x 3 1/2"(W) x 5 7/8"(D)

Selection:

Ideal for general site lighting, walkways, and stairways, alleys, loading docks, doorway, pathway and parking areas

## **Features**

- Finish: Black & White
- Compatible with Westgate Smart App, Amazon Alexa, Amazon Echo, Google Home. Connects via WIFI or Bluetooth
- 7-Year Warranty
- Outdoor UP/Down Light

## **Technical Specifications**

### **Electrical:**

Voltage: 120V ACPower Factor: >0.95Wattage: 24WEfficacy: 80 LPW

• THD: <20%

## Mechanical:

- Housing: Die-cast Aluminum & Glass
- Finish: Black & White
- Maximum Ambient Temperature: -68°F to 104°F
- Wet Location
- IP Rating: IP64

## Lighting:

- Dimming: TRIAC Dimming
- RGBW: 15 Million Colors + 2700K~5000K White Tuning
- Total Lumens: 2400LM
- Color Rendering Index: CRI ≥ 80
- Rated life: 70,000 hrs
- Beam angle: 45° for each side

### **Applications:**

 Ideal for general site lighting, walkways, and stairways, alleys, loading docks, doorway, pathway and parking areas

#### Other Models:

- 24W | 2400LM | WMC-UDL-RGBW-BK
- 24W | 2400LM | WMC-UDL-RGBW-WH














#### Photometrics: wmcs-udl-rgbw







**Other Views:** 

Black Finish:

White Finish:





Side View

Front View



Back View



Lens View







Front View



Back View



Lens View

### Performance Table: wmcs-udl-rgbw

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	BUG Rating	LPW
WMCS-UDL-RGBW-BK	24W	120V	2400LM	RGBW	B1-U5-G0	100
WMCS-UDL-RGBW-WH	24W	120V	2400LM	RGBW	B1-U5-G0	100

2

# Sample Ordering

Model Light Direction Color Temp. Finish **WMCS** RGBW -**UDL** 

> BK = Black WH = White

## **Factory-Installed Option:**

Blank = No Option For Accessories OPT-PC-B = FOR 120V-277V PHOTOCELL OPT-EM-OD1INT = INTERNAL EMERGENCY BACK UP BATTERY

#### **Example:**

1. WMCS-UDL-RGBW-WH (FOR WMCS 24W UP/DOWN LIGHT RGBW BRONZE FIXTURE 120V)

2. WMCS-UDL-RGBW-WH (FOR WMCS 24W UP/DOWN LIGHT RGBW BRONZE FIXTURE 120V)

#### **FACTORY-INSTALLED OPTION:**



**OPT-PC-B** FOR 120V-277V PHOTOCELL



**OPT-EM-OD1INT** INTERNAL EMERGENCY BACK UP BATTERY















