

Certificate of Analysis

Sample Name:	ONP CBD Just Relax Powder	Eurofins Sample:	12972467
Project ID	UCKEL_HE_N-20230526-0099	Receipt Date	30-May-2023
PO Number	CVD	Receipt Condition	Ambient temperature
Description	3219169	Login Date	26-May-2023
		Date Started	05-Jun-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E031554

Analysis	RSD	Specifications	Result
Industrial Hemp Cannabinoid Profile			
CBDVA	0.0%		None detected at detection limit of 0.0004 %
CBDV	0.0%		None detected at detection limit of 0.0008 %
CBDA	0.0%		None detected at detection limit of 0.0004 %
CBGA	0.0%		None detected at detection limit of 0.0004 %
CBG	0.0%		0.0164 %
CBD	0.0%		0.380 %
THCV	0.0%		None detected at detection limit of 0.0008 %
CBN	0.0%		None detected at detection limit of 0.0004 %
Delta 9-THC	0.0%		None detected at detection limit of 0.0008 %
Delta 8-THC	0.0%		None detected at detection limit of 0.0017 %
THCA	0.0%		None detected at detection limit of 0.0017 %
CBC	0.0%		<0.00250 %
THCVA	0.0%		None detected at detection limit of 0.0004 %
CBNA	0.0%		None detected at detection limit of 0.0004 %
CBCA	0.0%		None detected at detection limit of 0.0017 %
CBL	0.0%		None detected at detection limit of 0.0004 %
Total Cannabinoids	0.0%		0.396 %
Total THC (THC + (THCA x 0.877))	0.0%		Not Detected %

* This analysis or component is not ISO accredited.

Certificate of Analysis

Sample Name:	ONP CBD Just Relax Powder	Eurofins Sample:	12972467
Project ID	UCKEL_HE_N-20230526-0099	Receipt Date	30-May-2023
PO Number	CVD	Receipt Condition	Ambient temperature
Description	3219169	Login Date	26-May-2023
		Date Started	05-Jun-2023
		Sampled	Sample results apply as received
		Online Order	901-2023-E031554

Analysis	RSD	Specifications	Result
Industrial Hemp Cannabinoid Profile			
Total CBD (CBD + (CBDA x 0.877))	0.0%		0.380 %
Aerobic Plate Count *			
Aerobic Plate Count	NA		66000 CFU/g
E. coli *			
Escherichia Coli	NA		Absent /10 g
Salmonella USP *			
Salmonella	NA		Absent /10 g
Staphylococcus *			
Staphylococcus Aureus	0.0%		Absent /25 g
Yeast and Mold Count *			
Combined Yeast and Mold Count	0.0%		<100 CFU/g

Method References

Testing Location

Aerobic Plate Count (USPC2021)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Certificate of Analysis

Method References

Testing Location

E. coli (USPE2022)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Industrial Hemp Cannabinoid Profile (IHCBD_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Official Methods of Analysis, AOAC 2018.11, AOAC International, Gaithersburg, MD (Modified).

Salmonella USP (USPS2022)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Staphylococcus (USPA2022)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Certificate of Analysis

Method References

Testing Location

Yeast and Mold Count (USPM2021)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Edward Ladwig - President Eurofins Food Chemistry Testing Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375



2918.01

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.