

# Safety Data Sheet

according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 08.05.2015

Revision Date 08.05.2015

## 1. Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**  
Product name: Haze Remover Paste  
Product Code: GR-750C
- **1.2 Details of the supplier of the Safety Data Sheet**  
Manufacturer/Supplier:  
Image Technology  
1380 N. Knollwood Circle  
Anaheim, CA 92801  
Phone: 714-252-0160
- **1.3 Emergency telephone number:**  
Infotrac  
(800) 535- 5053

## 2. Hazard Identification

- **2.1 Classification of the substance or mixture**
- GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)  
Specific target organ toxicity.  
Skin Corr.  
Eye Irrit.

GHS Label elements, including precautionary statements  
Pictogram



Signal word

Danger

### Hazard statement(s)

- Causes severe skin burns.
- Causes eye irritation and/or painful chemical burns of the eye and eyelids.
- Fumes from this product can cause irritation of the nose, nasal passages and lungs.
- Causes severe irritation and/or defatting of the mouth, esophagus, stomach, and intestinal tract.

### Precautionary statement(s)

- Keep away from heat.
- Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
- Wash skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves/ protective clothing/ eye protection/ face protection.

### NFPA rating (scale 0 – 4)



Health = 2  
Fire = 1  
Reactivity = 0

### HMIS-rating (scale 0 - 4)



Health = 2  
Fire = 1  
Reactivity = 0

# Safety Data Sheet

according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 08.05.2015

Revision Date 08.05.2015

- **HMIS Long Term Health Hazard Substances**

Substances is not listed.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT** : Not applicable

- **vPVB**: Not applicable

### 3. Composition/information on ingredients

#### 3.1 Substances

**Substance/mixture**

: Mixture

**Chemical name**

: Non Ionic Surfactant/Sodium Hydroxide/Water

#### CAS number/other identifiers

Ingredient name	%	CAS number	Trade Secret
Non Ionic Surfactant	< 15%	Prop. Blend	*
Sodium Hydroxide	< 5%	131-073-2	*
Water	< 80%	7732-18-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

- **4.1 Description of first aid measures**

- **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Do not leave affected persons unattended.

- **After inhalation:**

Remove from contaminated area promptly. Supply fresh air. If required, provide artificial respiration. Consult doctor promptly.

- **After skin contact:**

Flush exposed area with lukewarm water for 15 minutes. Consult physician immediately.

- **After eye contact:**

Rinse opened eye for 30minutes under running water.

Remove contact lenses if worn.

Consult physician immediately.

- **After swallowing:**

Do not induce vomiting. This product is a caustic. Have patient drink large amounts of water with lemon juice. Consult a physician immediately.

- **4. Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irritation.

Monitor circulation, possible shock treatment.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

### 5. Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:**

Water, Sand, CO2, Dry Foam.

- **For safety reasons unsuitable extinguishing agents:** None

## Safety Data Sheet

according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 08.05.2015

Revision Date 08.05.2015

- **5.2 Advice for firefighters**
- **Protective equipment:**  
Self contained breathing apparatuses are recommended for fire fighters. This material is considered a corrosive and can severe burn of the exposed areas of the body.
- **Additional information** No data available

### 6. Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment  
Keep unprotected persons away  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Contain spill with dikes of absorbent materials such as clay, sand, or vermiculite. Collect material in a certified class one disposal facility.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for more information on personal protection equipment  
See Section 13 for disposal information

### 7. Handling and Storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Empty containers may contain a flammable/explosive vapour. Always ensure that containers are tightly sealed unless in use. Never cut, drill, weld or grind on or near container.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location, away from sources of ignition, heat and oxidizing agents  
Store only in the original receptacle
- **Information about storage in one common storage facility:**  
Store away from flammable substances  
Store away from food stuffs
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles
- **7.3 Specific end use(s)** No further relevant information available

### 8. Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**  
**Ingredients with limit values that require monitoring at the workplace:** No required.  
**DNELs** No further relevant information available.  
**PNECs** No further relevant information available.  
**Additional information: The lists valid during the marketing were used as basis.**
- **8.2 Exposure controls**
- **Personal protective equipment:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.

# Safety Data Sheet

according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 08.05.2015

Revision Date 08.05.2015

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when high concentrations are present.

- **Protection on hands:**



Protective gloves

To avoid possible defatting of the skin or tissue damage, it is recommended that rubber or plastic gloves be worn.

- **Material of gloves**

Rubber or Plastic

The Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Not suitable are gloves made of the following materials:** Leather gloves

- **Eye protection:**



Safety glasses

When handling this product and there is the possibility of splashing it is recommended that proper protection for the eyes by worn. This consists of goggles and/or face shield Safety glasses with side shields- always protect the eyes.

- **Body protection:** When handling chemicals in 55 gallon drums, it is recommended that steel toed rubber boots and a splash apron be worn.

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

## 9. Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

### General Information

**Appearance:**

**Form:** Thick Paste

**Color:**

**Odor:** Mild Odor

**Odor threshold:** Not determined.

**pH (Concentrate):** 12-14

**pH (1% solution):** 9-12

**Change in condition**

**Freezing point/Freezing range:** Not determined.

**Boiling point/Boiling range:** 390F

**Flash point:** >200F

**Flammability:** Not determined.

**Auto-ignition temperature:** Not determined.

# Safety Data Sheet

according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 08.05.2015

Revision Date 08.05.2015

<b>Specific Gravity (water =1)</b>	>1
<b>Self-igniting:</b>	Not determined.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper</b>	Not determined.
<b>Vapour pressure:</b>	1.2
<b>Conversion Factor:</b>	Not determined.
<b>Molecular Weight:</b>	Not determined.
<b>Vapour density</b>	>1
<b>Evaporation rate (water=1)</b>	<0.01
<b>Solubility in / Miscibility with</b> Water	Complete
<b>Percentage of Volatiles:</b>	132g/1
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	Not determined.
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>9.2 Other information</b>	No further relevant information available.

## 10. Stability and reactivity

### •10.1 Reactivity

### •10.2 Chemical stability

### •Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

### •10.3 Possibility of hazardous reactions

Alkaline materials are especially corrosive to aluminum. Great care should be taken when handling aluminum in the area of corrosive alkaline materials.

### •As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes:

No further relevant information available.

### •10.4 Conditions to avoid

No further relevant information available.

### •10.5 Incompatible materials:

Strong oxidizers, strong acids.

### •10.6 Hazardous decomposition products:

No further relevant information available.

## 11. Toxicological information

### •11.1 Information on toxicological effects

### •Aquatic toxicity:

No data available

### •Primary irritant effect:

### •On the skin:

May be slight irritating

### •On the eye:

Likely to be severely irritating

### •Inhalation:

Fumes from this product can cause irritation of the nose, nasal passages and lungs.

### •Ingestion:

When concentrated solutions of this product are swallowed, it will cause chemical burns of the mucous membranes in the mouth, esophagus, stomach, and intestinal tract.

### •Sensitization:

Not determined.

### •Additional toxicological information:

No further relevant information available.

## 12. Ecological information

# Safety Data Sheet

according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 08.05.2015

Revision Date 08.05.2015

## •12.1 Toxicity

### •Aquatic toxicity:

LC50 - *Gambusia affinis* (Mosquito fish) - 125 mg/l - 96 h

LC50 - *Oncorhynchus mykiss* (rainbow trout) - 45.4 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates Immobilization EC50 - *Daphnia* (water flea) - 40.38 mg/l - 48 h

## •12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances

## •12.3 Bioaccumulative potential

No further relevant information available.

## •12.4 Mobility in soil

No further relevant information available.

## •Additional ecological information:

### •12.5 Results of PBT and vPvB assessment

•PBT: Not applicable

•vPvB: Not applicable

•12.6 Other adverse effects No further relevant information available.

## 13. Disposal considerations

### •13.1 Waste treatment methods

#### • Recommendation

All hazardous materials must be solidified and disposed of in an EPA approved class one facility. When disposing of chemicals, contact local, state, and federal environmental agencies to fully understand the necessary regulations governing the disposal of chemical wastes.

•Uncleaned packaging: must be vented and thoroughly dried prior to crushing and recycling

•Recommendation: Disposal must be made according to official regulations.

## 14. Transport information

### •14.1 Un-Number

UN1824

DOT, ADR, IMDG, IATA

### •14.2 Proper shipping name

Haze Remover GR-750C

DOT, ADR, IMDG, IATA

### 14.3 Transport hazard class(es)



### •Label

Haze Remover GR-750C

### •14.4 Packing group

III-Minor Danger

DOT, ADR, IMDG, IATA

## 15. Regulatory information

### •15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### •United States (USA)

#### •SARA

#### •Section 302

No chemicals in this material are subject to the reporting requirements of SARA title III, Section 302.

#### •Section 313 (Specific toxic chemical listings):

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA title III Section 313.

#### •SARA 311/312 Hazards:

Acute Health Hazard

## Safety Data Sheet

according to 1907/2006 EC (REACH), 1272/2008/EC (CLP), and GHS

Print Date 08.05.2015

Revision Date 08.05.2015

---

•**Proposition 65 (California):**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

•**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16. Other information

#### Notice to reader

This data is furnished gratuitously independent of sale of the product and only for your investigation and independent verification while data is believed to be correct, IMAGE TECHNOLOGY shall in no event be liable or responsible for damages whatsoever, directly or indirectly, resulting from the publication or use of or reliance upon data contained herein. No warranty, either implied or expressed, of merchantability of fitness or of any nature with respect to the product or to the data is made herein. You are urged to obtain data sheets for all IMAGE TECHNOLOGY materials you buy, process, use, or distribute, and are encouraged to advise anyone working with or exposed to such materials of the information contained herein.