# SAFETY DATA SHEET



Issue Date 14-Dec-2015

**1. IDENTIFICATION** Product identifier PREMIER WHITE **Product Name** Other means of identification **Product Code** EL9065 **Synonyms** EL9065XX; XX=01-99 Recommended use of the chemical and restrictions on use **Recommended Use** Textile ink. Restricted to professional users. Uses advised against No information available Details of the supplier of the safety data sheet Manufacturer Address **Rutland Group** 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046 E-mail address product\_safety@rutlandinc.com Emergency telephone number **Emergency Telephone** INFOTRAC 1-352-323-3500 2. HAZARDS IDENTIFICATION

Revision Date 14-Mar-2018

**Classification** 

OSHA Regulatory Status This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Label elements

**Emergency Overview** 

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous

Physical state liquid

Odor Low

Version 6

#### Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin

Unknown acute toxicity

65.7% of the mixture has not undergone testing for acute toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

CAS No.	Weight-%	Trade Secret
13463-67-7	15 - 40	*
9002-86-2	10 - 30	*
1332-58-7	3 - 7	*
80-51-3	1 - 5	*
	13463-67-7 9002-86-2 1332-58-7	13463-67-7 15 - 40   9002-86-2 10 - 30   1332-58-7 3 - 7

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

-	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	No information available.

### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

# Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas.
Environmental precautions	
Environmental precautions	See section 12 for additional ecological information.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F
Incompatible materials	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	-	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	-
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m <sup>3</sup> respirable	-	-
9002-86-2	particulate matter		
KAOLIN	TWA: 2 mg/m <sup>3</sup> particulate matter	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7	containing no asbestos and <1%	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
	crystalline silica, respirable	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	
	particulate matter	(vacated) TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	
DIPHENYLOXIDE-4,4'-DI-SULFOH	TWA: 0.1 mg/m <sup>3</sup> inhalable	-	-
YDRAZIDE	particulate matter		
80-51-3			

NIOSH IDLH Immediately Dangerous to Life or Health

.

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 3 mg/m <sup>3</sup>		
PVC HOMOPOLYMER	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-
RESIN		_	_	
9002-86-2				
KAOLIN	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
1332-58-7				
DIPHENYLOXIDE-4,4'-DI-S	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-
ULFOHYDRAZIDE		Adverse reproductive effect	_	
80-51-3				

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7	-	STEL: 20 mg/m <sup>3</sup>	-	STEL: 20 mg/m <sup>3</sup>
PVC HOMOPOLYMER	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-
RESIN				
9002-86-2				
KAOLIN	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
1332-58-7	-	STEL: 4 mg/m <sup>3</sup>	-	STEL: 4 mg/m <sup>3</sup>
DIPHENYLOXIDE-4,4'-DI-S	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
ULFOHYDRAZIDE	-	STEL: 0.3 mg/m <sup>3</sup>	-	STEL: 0.3 mg/m <sup>3</sup>
80-51-3				

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-	-	-
KAOLIN 1332-58-7	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> STEL: 4 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>
DIPHENYLOXIDE-4,4'-DI-S ULFOHYDRAZIDE 80-51-3	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	-

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

#### **Engineering Controls**

Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state	liquid		
Appearance	viscous	Odor	Low
Color	white or colored	Odor threshold	No information available
Property	Values	Remarks • Method	
рН	7-9		
Melting point/freezing point	No information available		
Boiling point / boiling range	177 °C / 351 °F		
Flash point	No information available		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific Gravity	1.43		
Water solubility	Insoluble in water		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
Molecular weight	No information available		
VOC Content	<50 g/L		
Density	No information available		
Bulk density	No information available		
-			

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 10000 mg/kg (Rat)	-	-
13463-67-7			
DIPHENYLOXIDE-4,4'-DI-SULFOH	= 2300 mg/kg (Rat)	> 200 mg/kg (Rabbit)	-
YDRAZIDE			
80-51-3			

# Information on toxicological effects

#### Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No informatio				
Germ cell mutagenicity	No information available.				
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Chemical Name	ACGIH	IARC	NTP	OSHA	
TITANIUM DIOXIDE	-	Group 2B	-	X	
13463-67-7					
PVC HOMOPOLYMER	-	Group 3	-	-	
RESIN					
9002-86-2					
X - Present Reproductive toxicity	No informatio				
STOT - single exposure	No informatio	n available.			
STOT - repeated exposur	re No information available.				
Target Organ Effects	Lungs, Respiratory system.				
Aspiration hazard	No information available.				
Numerical measures of te	oxicity - Product Information	ation			
		pter 3.1 of the GHS docu	iment.		
ATEmix (oral)	34477 mg/kg	l			

ATEMIX (oral)	34477 mg/kg
ATEmix (dermal)	3432 mg/kg
ATEmix (inhalation-gas)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

69.7 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

# **Bioaccumulation**

No information available.

Other adverse effects	No information available
	13. DISPOSAL CONSIDERATIONS
Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

### International Inventories

#### On Inventory (Yes/No)

Yes Yes Yes Yes Yes Yes
Yes

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

No
No
No
No
No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
KAOLIN 1332-58-7	Х	X	Х
DIPHENYLOXIDE-4,4'-DI-SULFOH YDRAZIDE 80-51-3	Х	-	-
ISOOCTYL ALCOHOL	Х	Х	Х

26952-21-6			
ISOPROPYL ALCOHOL	Х	Х	Х
67-63-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>

HMIS

Health hazards 1 Health hazards 1 Flammability 1

Flammability 1

Instability 0 Physical hazards 0 Physical and Chemical Properties -Personal protection B

Issue Date14-Dec-2015Revision Date14-Mar-2018Revision Note14-Mar-2018SDS sections updated 3 1515

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet