# **SAFETY DATA SHEET**



Issue Date 01-Jun-2015 Revision Date 01-Jun-2015 Version 1

### 1. IDENTIFICATION

**Product identifier** 

Product Name NPT THERM-O-LINE CLEAR

Other means of identification

Product Code ES0026

**Synonyms** ES002601, ES002603, ES002604, ES002605, ES002607, ES002608, ES002609, ES002

ES002610, ES002612, ES002613, ES002614, ES002615, ES002616, ES002617, ES002619, ES002620, ES002621, ES002622, ES002623, ES002633, ES002635,

ES002655

Recommended use of the chemical and restrictions on use

**Recommended Use**Textile ink. Restricted to professional users.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046

**E-mail address** product\_safety@rutlandinc.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500

## 2. HAZARDS IDENTIFICATION

## Classification

### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Label elements

### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous Physical state liquid Odor Low

### Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

Toxic to aquatic life with long lasting effects

Toxic to aquatic life

Unknown acute toxicity

77.4064% of the mixture has not undergone testing for acute toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	10 - 30	*
PRECIPITATED CALCIUM CARBONATE	471-34-1	10 - 30	*
EPOXYDIZED SOYBEAN OIL	8013-07-8	5 - 10	*
KAOLIN	1332-58-7	3 - 7	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of first aid measures** 

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

**Precautions for safe handling** 

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35  $^{\circ}\text{C}/$  95  $^{\circ}\text{F}$ **Storage Conditions** 

Incompatible materials None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m³ respirable fraction	-	-
PRECIPITATED CALCIUM CARBONATE 471-34-1	-	-	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
KAOLIN 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER RESIN 9002-86-2	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-
PRECIPITATED CALCIUM CARBONATE 471-34-1	TWA: 10 mg/m <sup>3</sup>	-	-	-
KAOLIN 1332-58-7	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-
RESIN				
9002-86-2				
PRECIPITATED CALCIUM	-	TWA: 5 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>
CARBONATE		TWA: 10 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>
471-34-1		_		_
KAOLIN	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
1332-58-7		TWA: 10 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-	-	-
PRECIPITATED CALCIUM CARBONATE 471-34-1	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m³ STEL: 20 mg/m³	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>
KAOLIN 1332-58-7	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m³ STEL: 4 mg/m³	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state liquid
Appearance viscous Odor Low

Color White to off-white Odor threshold No information available

Property Values Remarks • Method

pH 7

Melting point/freezing pointNo information availableBoiling point / boiling range232 °C / 450 °FFlash point96 °C / 205 °F

Evaporation rate

Flammability (solid, gas)

Flammability Limit in Air

No information available
No information available

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.2

Water solubility Insoluble in water

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

### **Other Information**

Softening point No information available Molecular weight No information available

VOC Content 15 g/L

Density
No information available
No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Extremes of temperature and direct sunlight.

## **Incompatible materials**

None known based on information supplied.

## **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin contact** No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
PRECIPITATED CALCIUM CARBONATE 471-34-1	= 6450 mg/kg(Rat)	-	-
EPOXYDIZED SOYBEAN OIL 8013-07-8	= 40 g/kg (Rat)	> 20 mL/kg(Rabbit)	-

#### Information on toxicological effects

Symptoms No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Germ cell mutagenicity**No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
PVC HOMOPOLYMER	-	Group 3	-	-
RESIN		-		
9002-86-2				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration hazard
No information available.
No information available.
Eyes, Respiratory system, Skin.
No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 9295 mg/kg **ATEmix (dermal)** 62225 mg/kg

ATEmix (inhalation-gas)
ATEmix (inhalation-dust/mist)
ATEmix (inhalation-vapor)

No information available
No information available
No information available

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

92.7455% of the mixture consists of components(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

<u>IATA</u> Not regulated

**IMDG** Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

### 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** Complies Complies **DSL/NDSL EINECS/ELINCS** Does not comply Does not comply **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies Complies **AICS** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

	Chemical Name	New Jersey	Massachusetts	Pennsylvania
Р	VC HOMOPOLYMER RESIN 9002-86-2	X	-	-
	KAOLIN 1332-58-7	X	X	X

## **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection B

Issue Date01-Jun-2015Revision Date01-Jun-2015

**Revision Note** 

No information available

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**