

Printing date 06/24/2015 Reviewed on 01/19/2015

### 1 Identification

· Product identifier

· Trade name: SPR-SCF Spot Cleaning Fluid

· Article number: SPR-SCF

· CAS Number:

75-09-2

· EC number:

200-838-9

· Index number:

602-004-00-3

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Screen Printers Resource, Inc.

1251 Burton Street

Fullerton, CA 92831

USA

(888) 435-2468

info@spresource.com

- · Information department: Product safety department
- · Emergency telephone number: INFOTRAC 1-800-535-5053

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

dichloromethane

· Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

(Contd. on page 2)

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

(Contd. of page 1)

#### · Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

*If swallowed: Call a poison center/doctor if you feel unwell.* 

IF exposed or concerned: Get medical advice/attention.

*If eye irritation persists: Get medical advice/attention.* 

Rinse mouth.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 0

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

75-09-2 dichloromethane

- · Identification number(s)
- · EC number: 200-838-9
- · Index number: 602-004-00-3

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 75-09-2 dichloromethane

PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052

(Contd. on page 4)

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

(Contd. of page 3)

REL See Pocket Guide App. A

TLV Long-term value: 174 mg/m³, 50 ppm

BEI

### · Ingredients with biological limit values:

#### 75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

· Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

**Occupational exposure limits** 

Chemical identity	Туре	Exposure Lir	nit values	Source
Methylene Chloride	TWA	50 ppm		US. ACGIH Threshold Limit Values (03 2013)
	STEL	125 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (03 2012)
	OSHA_A CT	12.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (03 2012)
	TWA	25 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) (03 2012)
	ST ESL		3,600 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		350 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	ST ESL		1,100 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		100 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	TWA PEL	25 ppm	87 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
	STEL	125 ppm	435 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
	TWA A LV	12.5 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

 $(Contd.\ on\ page\ 5)$ 

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

Information on basis wheel11	sk amical muon autica	
· Information on basic physical and c · General Information	enemical properties	
· Appearance:		
Form:	Fluid	
Color:	Colorless	
· Odor:	Like chlorine	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-95.1 °C (-139 °F)	
Boiling point/Boiling range:	40 °C (104 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	605 °C (1121 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	13 Vol %	
Upper:	22 Vol %	
· Vapor pressure at 20 °C (68 °F):	453 hPa (340 mm Hg)	
· Density at 20 °C (68 °F):	1.33 g/cm³ (11.099 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	

(Contd. on page 6)

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

(Contd. of page 5)

· Solubility in / Miscibility with

Water at 20 °C (68 °F): 20 g/l

- · Partition coefficient (n-octanol/water): Not determined.
- · Viscosity:

Dynamic at 22 °C (72 °F): 0.43 mPas Kinematic: Not determined. Organic solvents: 100.0 %

• Other information No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are	elevant for c	lassification:
---------------------------	---------------	----------------

#### 75-09-2 dichloromethane

Oral LD50 1600 mg/kg (rat)
Inhalative LC50/4 h 88 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC	(International	Agency	for R	esearch on	Cancer)

75-09-2 dichloromethane

2B

· NTP (National Toxicology Program)

75-09-2 dichloromethane

R

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

(Contd. of page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

UN1593  Dichloromethane DICHLOROMETHANE
=
=
DICHLOROMETHANE
6.1 Toxic substances
6.1
6.1 Toxic substances
6.1
III

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

	(Contd. of pag
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
Danger code (Kemler):	60
EMS Number:	F- $A$ , $S$ - $A$
Segregation groups	Liquid halogenated hydrocarbons
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
~ '	On cargo aircraft only: 220 L
Hazardous substance:	1000 lbs, 454 kg
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN1593, Dichloromethane, 6.1, III

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

This product contains a chemical known to the state of California to cause cancer

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

75-09-2 dichloromethane

(Contd. on page 9)

L

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

(Contd. of page 8)

#### · TLV (Threshold Limit Value established by ACGIH)

75-09-2 dichloromethane

*A3* 

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

dichloromethane

#### · Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

#### · Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If swallowed: Call a poison center/doctor if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Collins
- · Date of preparation / last revision 06/24/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

(Contd. on page 10)

Printing date 06/24/2015 Reviewed on 01/19/2015

Trade name: SPR-SCF Spot Cleaning Fluid

(Contd. of page 9)

LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Carc. 2: Carcinogenicity, Hazard Category 2