



Safety Data Sheet

Copyright,2016,3M Canada Company

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 07-6220-3 | Version number: | 12.00 |
| Issue Date: | 2016/07/13 | Supersedes Date: | 2015/05/13 |

SECTION 1: Identification

1.1. Product identifier

3M FT-30 QUALITATIVE FIT TEST KIT, BITTER

Product Identification Numbers

70-0707-0964-0

1.2. Recommended use and restrictions on use

Recommended use

Qualitative Fit Test Kit, Bitter

1.3. Supplier's details

Company: 3M Canada Company
Division: Personal Safety Division
Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1

Telephone: (800) 364-3577
E Mail:

1.4. Emergency telephone number

Medical Emergency Telephone: (519) 451-2500, Ext. 2222; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet (SDS) or Article Information Sheet (AIS) for each of these components is included. Please do not separate the component documents from this cover page. The document numbers for components of this product are:

07-6198-1, 07-6218-7

Transport in accordance with applicable regulations.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect

3M FT-30 QUALITATIVE FIT TEST KIT, BITTER

the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M Canada SDSs are available at www.3M.ca



Safety Data Sheet

Copyright, 2016, 3M Canada Company

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 07-6218-7 | Version number: | 12.00 |
| Issue Date: | 2016/05/24 | Supersedes Date: | 2015/01/23 |

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

FT-32, DENATONIUM BENZOATE FIT TEST SOLUTION

Product Identification Numbers

70-0707-0966-5

1.2. Recommended use and restrictions on use

Recommended use

Fit Test Solution.

1.3. Supplier's details

Company: 3M Canada Company
Division: Personal Safety Division
Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1
Telephone: (800) 364-3577
Website: www.3M.ca

1.4. Emergency telephone number

Medical Emergency Telephone: (519) 451-2500, Ext. 2222; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

FT-32, DENATONIUM BENZOATE FIT TEST SOLUTION

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | C.A.S. No. | % by Wt |
|---------------------|------------|----------|
| Water | 7732-18-5 | 90 - 100 |
| Sodium Chloride | 7647-14-5 | 3 - 10 |
| Denatonium Benzoate | 3734-33-6 | 0 - 1 |

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

No need for first aid is anticipated.

Eye Contact:

No need for first aid is anticipated.

If Swallowed:

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial or professional use only. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No protective gloves required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Physical state | Liquid |
| Appearance/Odour | Clear, odourless solution with a bitter taste. Freezing point = -4 degrees Centigrade. |
| Odour threshold | <i>No Data Available</i> |
| pH | Approximately 6.52 |
| Melting point/Freezing point | <i>Not Applicable</i> |
| Boiling point/Initial boiling point/Boiling range | ≥ 100 °C |
| Flash Point | No flash point |
| Evaporation rate | <i>Not Applicable</i> |
| Flammability (solid, gas) | Not Applicable |
| Flammable Limits(LEL) | <i>Not Applicable</i> |
| Flammable Limits(UEL) | <i>Not Applicable</i> |

FT-32, DENATONIUM BENZOATE FIT TEST SOLUTION

| | |
|---|-----------------------------------|
| Vapour Pressure | 2,399.8 Pa [@ 20 °C] |
| Vapour Density | <i>Not Applicable</i> |
| Density | 1.034 g/ml |
| Relative density | 1.034 [<i>Ref Std: WATER=1</i>] |
| Water solubility | Complete |
| Solubility- non-water | <i>No Data Available</i> |
| Partition coefficient: n-octanol/ water | <i>No Data Available</i> |
| Autoignition temperature | <i>Not Applicable</i> |
| Decomposition temperature | <i>No Data Available</i> |
| Viscosity | <i>Not Applicable</i> |
| Volatile Organic Compounds | <i>Not Applicable</i> |
| Percent volatile | <i>Not Applicable</i> |
| VOC Less H2O & Exempt Solvents | <i>Not Applicable</i> |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | Not Specified |

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

FT-32, DENATONIUM BENZOATE FIT TEST SOLUTION**Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---------------------|--------------------------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Sodium Chloride | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Sodium Chloride | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 10.5 mg/l |
| Sodium Chloride | Ingestion | Rat | LD50 3,550 mg/kg |
| Denatonium Benzoate | Inhalation-Dust/Mist | | LC50 estimated to be 1 - 5 mg/l |
| Denatonium Benzoate | Dermal | Rat | LD50 > 2,000 mg/kg |
| Denatonium Benzoate | Ingestion | Rat | LD50 584 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---------------------|---------|---------------------------|
| Sodium Chloride | Rabbit | No significant irritation |
| Denatonium Benzoate | Rabbit | Mild irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---------------------|---------|---------------------------|
| Overall product | Rabbit | No significant irritation |
| Sodium Chloride | Rabbit | Mild irritant |
| Denatonium Benzoate | Rabbit | Corrosive |

Skin Sensitization

| Name | Species | Value |
|---------------------|------------|--|
| Overall product | Guinea pig | Not sensitizing |
| Denatonium Benzoate | Human | Some positive data exist, but the data are not sufficient for classification |

Respiratory Sensitization

| Name | Species | Value |
|---------------------|---------|--|
| Denatonium Benzoate | Human | Some positive data exist, but the data are not sufficient for classification |

Germ Cell Mutagenicity

| Name | Route | Value |
|-----------------|----------|--|
| Sodium Chloride | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Sodium Chloride | In vivo | Some positive data exist, but the data are not sufficient for classification |

FT-32, DENATONIUM BENZOATE FIT TEST SOLUTION

| | | |
|---------------------|----------|---------------|
| Denatonium Benzoate | In Vitro | Not mutagenic |
| Denatonium Benzoate | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|---------------------|-----------|---------|------------------|
| Sodium Chloride | Ingestion | Rat | Not carcinogenic |
| Denatonium Benzoate | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-----------------|------------|------------------------|--|---------|---------------------|-------------------|
| Overall product | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 0.016 mg/l | 4 hours |

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---------------------|-----------|---|--|---------|--------------------------|-------------------|
| Sodium Chloride | Ingestion | blood kidney and/or bladder vascular system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 2,240 mg/kg/day | 9 months |
| Sodium Chloride | Ingestion | nervous system eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,700 mg/kg/day | 90 days |
| Sodium Chloride | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 33 mg/kg/day | 90 days |
| Sodium Chloride | Ingestion | respiratory system | All data are negative | Rat | NOAEL 33 mg/kg/day | 90 days |
| Denatonium Benzoate | Ingestion | endocrine system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 16 mg/kg/day | 2 years |
| Denatonium Benzoate | Ingestion | heart bone, teeth, nails, and/or hair hematopoietic system liver immune system muscles nervous system eyes kidney and/or bladder respiratory system | All data are negative | Rat | NOAEL 16 mg/kg/day | 2 years |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca



Safety Data Sheet

Copyright, 2016, 3M Canada Company

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 07-6198-1 | Version number: | 11.00 |
| Issue Date: | 2016/05/24 | Supersedes Date: | 2015/01/23 |

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

FT-31, DENATONIUM BENZOATE SENSITIVITY SOLUTION

Product Identification Numbers

70-0707-0965-7

1.2. Recommended use and restrictions on use

Recommended use

Sensitivity Test Solution.

1.3. Supplier's details

Company: 3M Canada Company
Division: Personal Safety Division
Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1
Telephone: (800) 364-3577
Website: www.3M.ca

1.4. Emergency telephone number

Medical Emergency Telephone: (519) 451-2500, Ext. 2222; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

FT-31, DENATONIUM BENZOATE SENSITIVITY SOLUTION

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | C.A.S. No. | % by Wt |
|---------------------|------------|----------|
| Water | 7732-18-5 | 90 - 100 |
| Sodium Chloride | 7647-14-5 | 3 - 10 |
| Denatonium Benzoate | 3734-33-6 | 0 - 1 |

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

No need for first aid is anticipated.

Eye Contact:

No need for first aid is anticipated.

If Swallowed:

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial or professional use only. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No protective gloves required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | Liquid |
| Appearance/Odour | Clear, odourless solution with a bitter taste. Freezing point = -4 degrees Centigrade |
| Odour threshold | <i>No Data Available</i> |
| pH | Approximately 6.52 Units not available or not applicable |
| Melting point/Freezing point | <i>Not Applicable</i> |
| Boiling point/Initial boiling point/Boiling range | ≥ 100 °C |
| Flash Point | No flash point |
| Flammability (solid, gas) | Not Applicable |
| Flammable Limits(LEL) | <i>Not Applicable</i> |
| Flammable Limits(UEL) | <i>Not Applicable</i> |
| Vapour Pressure | 2,399.8 Pa [@ 20 °C] |

FT-31, DENATONIUM BENZOATE SENSITIVITY SOLUTION

| | |
|---|--------------------------|
| Vapour Density | <i>Not Applicable</i> |
| Density | 1.034 g/ml |
| Relative density | 1.034 [Ref Std: WATER=1] |
| Water solubility | Complete |
| Solubility- non-water | <i>No Data Available</i> |
| Partition coefficient: n-octanol/ water | <i>No Data Available</i> |
| Autoignition temperature | <i>Not Applicable</i> |
| Decomposition temperature | <i>No Data Available</i> |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | Not Specified |

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

FT-31, DENATONIUM BENZOATE SENSITIVITY SOLUTION**Ingestion:**

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---------------------|--------------------------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Sodium Chloride | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Sodium Chloride | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 10.5 mg/l |
| Sodium Chloride | Ingestion | Rat | LD50 3,550 mg/kg |
| Denatonium Benzoate | Inhalation-Dust/Mist | | LC50 estimated to be 1 - 5 mg/l |
| Denatonium Benzoate | Dermal | Rat | LD50 > 2,000 mg/kg |
| Denatonium Benzoate | Ingestion | Rat | LD50 584 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---------------------|---------|---------------------------|
| Sodium Chloride | Rabbit | No significant irritation |
| Denatonium Benzoate | Rabbit | Mild irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---------------------|---------|---------------|
| Sodium Chloride | Rabbit | Mild irritant |
| Denatonium Benzoate | Rabbit | Corrosive |

Skin Sensitization

| Name | Species | Value |
|---------------------|------------|--|
| Overall product | Guinea pig | Not sensitizing |
| Denatonium Benzoate | Human | Some positive data exist, but the data are not sufficient for classification |

Respiratory Sensitization

| Name | Species | Value |
|---------------------|---------|--|
| Denatonium Benzoate | Human | Some positive data exist, but the data are not sufficient for classification |

Germ Cell Mutagenicity

| Name | Route | Value |
|---------------------|----------|--|
| Sodium Chloride | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Sodium Chloride | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Denatonium Benzoate | In Vitro | Not mutagenic |
| Denatonium Benzoate | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------|-----------|---------|------------------|
| Sodium Chloride | Ingestion | Rat | Not carcinogenic |

FT-31, DENATONIUM BENZOATE SENSITIVITY SOLUTION

| | | | |
|---------------------|-----------|-----|------------------|
| Denatonium Benzoate | Ingestion | Rat | Not carcinogenic |
|---------------------|-----------|-----|------------------|

Reproductive Toxicity**Reproductive and/or Developmental Effects**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---------------------|-----------|---|--|---------|-----------------------|-------------------|
| Sodium Chloride | Ingestion | blood kidney and/or bladder vascular system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 2,240 mg/kg/day | 9 months |
| Sodium Chloride | Ingestion | nervous system eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,700 mg/kg/day | 90 days |
| Sodium Chloride | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 33 mg/kg/day | 90 days |
| Sodium Chloride | Ingestion | respiratory system | All data are negative | Rat | NOAEL 33 mg/kg/day | 90 days |
| Denatonium Benzoate | Ingestion | endocrine system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 16 mg/kg/day | 2 years |
| Denatonium Benzoate | Ingestion | heart bone, teeth, nails, and/or hair hematopoietic system liver immune system muscles nervous system eyes kidney and/or bladder respiratory system | All data are negative | Rat | NOAEL 16 mg/kg/day | 2 years |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca