

## **Safety Data Sheet**

Copyright, 2018, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 32-3411-9
 Version Number:
 1.02

 Issue Date:
 02/14/18
 Supercedes Date:
 04/16/15

## **Product identifier**

3M™ESPE™ADPER™SCOTCHBOND MULTIPURPOSE PLUS ADHESIVE SYSTEM with UNIVERSAL ETCHANT

## **ID** Number(s):

70-2010-9404-5, 70-2014-1216-3

#### Recommended use

Dental Product, Dental Adhesive System **Restrictions on use**For use only by dental professionals.

### Supplier's details

MANUFACTURER: 3M

**DIVISION:** Oral Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

### **Emergency telephone number**

1-800-364-3577 or (651) 737-6501 (24 hours)

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet (SDS), Article Information Sheet (AIS), or Article Information Letter (AIL) for each of these components is included. Please do not separate the component documents from this cover page. The document numbers for components of this product are:

05-4869-3, 18-3855-6, 05-4866-9, 29-8286-6, 18-3819-2, 10-7892-2

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3Mproduct is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3Mproduct, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3Mproduct to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3Mmakes no representations as to its completeness or accuracy.

In addition, information obtained from a database may not be as current as the information in the SDS available directly from3M 3M USA SDSs are available at www.3M.com



## Safety Data Sheet

Copyright, 2022, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 10-7892-2
 Version Number:
 29.04

 Issue Date:
 11/16/22
 Supercedes Date:
 06/30/21

## **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>TM</sup> RelyX<sup>TM</sup> Ceramic Primer (2721)

## **Product Identification Numbers**

70-2010-1748-3, 70-2010-2492-7, 70-2014-2053-9 7000003086

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Primer

Restrictions on use

For use only by dental professionals

### 1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Oral Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

## 2.1. Hazard classification

Flammable Liquid: Category 2.

Serious Eye Damage/Irritation: Category 2A.

Specific Target Organ Toxicity (repeated exposure): Category 2.

## 2.2. Label elements

Signal word

Danger

## Symbols

Flame | Exclamation mark | Health Hazard |

### **Pictograms**



### **Hazard Statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure: respiratory system

### **Precautionary Statements**

### **Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Take precautionary measures against static discharge.

Keep container tightly closed.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

### **Response:**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### Storage:

Store in a well-ventilated place. Keep cool.

### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                         | C.A.S. No. | % by Wt                |
|------------------------------------|------------|------------------------|
| ETHYL ALCOHOL                      | 64-17-5    | 70 - 80 Trade Secret * |
| WATER                              | 7732-18-5  | 20 - 30 Trade Secret * |
| 3-                                 | 2530-85-0  | < 2 Trade Secret *     |
| METHACRYLOXYPROPYLTRIMETHOXYSILANE |            |                        |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

### **Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### **Eye Contact:**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

## **Hazardous Decomposition or By-Products**

<u>Substance</u> Carbon monoxide Carbon dioxide

### Condition

During Combustion During Combustion

### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### **6.2.** Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

## 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidizing agents.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient    | C.A.S. No.                    | Agency | Limit type               | Additional Comments |
|---------------|-------------------------------|--------|--------------------------|---------------------|
| ETHYL ALCOHOL | 64-17-5 ACGIH STEL:1000 ppm A |        | A3: Confirmed animal     |                     |
|               |                               |        |                          | carcin.             |
| ETHYL ALCOHOL | 64-17-5                       | OSHA   | TWA:1900 mg/m3(1000 ppm) |                     |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical stateLiquidColorColorless

Specific Physical Form: Liquid

OdorCharacteristic OdorOdor thresholdNo Data AvailablepHNot ApplicableMelting pointNot Applicable

**Boiling Point** 180 °F

Flash Point 70 °F [Test Method: Closed Cup]

**Evaporation rate**No Data Available
Flammability (solid, gas)
Not Applicable

Flammable Limits(LEL)3.3 % [Details: for Ethanol]Flammable Limits(UEL)19 % [Details: for Ethanol]Vapor Pressure55 mmHg [@ 25 °C]Vapor DensityNo Data Available

**Density** 0.86 g/ml

Specific Gravity 0.86 [Ref Std:WATER=1]

Solubility in Water Complete

Solubility- non-waterNo Data AvailablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data AvailableViscosity1.1 centipoiseMolecular weightNo Data AvailablePercent volatileNo Data Available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

Sparks and/or flames

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

**Substance Condition** 

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

### 11.1. Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### **Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

#### Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

### **Additional Health Effects:**

#### Prolonged or repeated exposure may cause target organ effects:

Respiratory Effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish colored skin (cyanosis), sputum production, changes in lung function tests, and/or respiratory failure.

### **Additional Information:**

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

| A contro | 1 | V 16 | 11 f x 7 |
|----------|---|------|----------|
| Acute    |   | ١ı   |          |
|          |   |      |          |

| Name | Route | Species | Value |  |
|------|-------|---------|-------|--|
|      |       |         |       |  |

**Page** 6 **of** 10

| Overall product                      | Ingestion   |        | No data available; calculated ATE >5,000 mg/kg |
|--------------------------------------|-------------|--------|--|
| ETHYL ALCOHOL                        | Dermal      | Rabbit | LD50 > 15,800 mg/kg                            |
| ETHYL ALCOHOL                        | Inhalation- | Rat    | LC50 124.7 mg/l                                |
|                                      | Vapor (4    |        |  |
|                                      | hours)      |        |  |
| ETHYL ALCOHOL                        | Ingestion   | Rat    | LD50 17,800 mg/kg                              |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | Dermal      | Rabbit | LD50 > 20,900 mg/kg                            |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | Inhalation- | Rat    | LC50 > 2.28  mg/l                              |
|                                      | Dust/Mist   |        |  |
|                                      | (4 hours)   |        |  |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | Ingestion   | Rat    | LD50 > 5,225 mg/kg                             |

ATE = acute toxicity estimate

## **Skin Corrosion/Irritation**

| Name                                 | Species | Value                     |
|--------------------------------------|---------|---------------------------|
| ETHYL ALCOHOL                        | Rabbit  | No significant irritation |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | Rabbit  | No significant irritation |

Serious Eye Damage/Irritation

| Name                                 | Species | Value           |
|--------------------------------------|---------|-----------------|
| ETHYL ALCOHOL                        | Rabbit  | Severe irritant |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | Rabbit  | Mild irritant   |

## **Skin Sensitization**

| Name                                 | Species | Value          |
|--------------------------------------|---------|----------------|
| ETHYL ALCOHOL                        | Human   | Not classified |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | Guinea  | Not classified |
|                                      | pig     |                |

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name                                 | Route    | Value  |
|--------------------------------------|----------|--|
| ETHYL ALCOHOL                        | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| ETHYL ALCOHOL                        | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | In Vitro | Not mutagenic  |
| 3-METHACRYLOXYPROPYLTRIMETHOXYSILANE | In vivo  | Not mutagenic  |

Carcinogenicity

| Name          | Route     | Species                       | Value  |
|---------------|-----------|-------------------------------|--|
| ETHYL ALCOHOL | Ingestion | Multiple<br>animal<br>species | Some positive data exist, but the data are not sufficient for classification |

## Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name          | Route      | Value                          | Species | Test Result | Exposure    |
|---------------|------------|--------------------------------|---------|-------------|-------------|
|               |            |                                |         |             | Duration    |
| ETHYL ALCOHOL | Inhalation | Not classified for development | Rat     | NOAEL 38    | during      |
|               |            |                                |         | mg/l        | gestation   |
| ETHYL ALCOHOL | Ingestion  | Not classified for development | Rat     | NOAEL 5,200 | premating & |
|               |            |                                |         | mg/kg/day   | during      |
|               |            |                                |         |             | gestation   |
| 3-            | Ingestion  | Not classified for development | Rat     | NOAEL 2,100 | during      |

| METHACRYLOXYPROPYLTRIMETHO |  | mg/kg/day | organogenesi |
|----------------------------|--|-----------|--------------|
| XYSILANE                   |  |           | S            |

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name          | Route      | Target Organ(s)                      | Value  | Species                       | Test Result          | Exposure<br>Duration |
|---------------|------------|--------------------------------------|--|-------------------------------|----------------------|----------------------|
| ETHYL ALCOHOL | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for classification | Human                         | LOAEL 9.4<br>mg/l    | not available        |
| ETHYL ALCOHOL | Inhalation | central nervous<br>system depression | Not classified   | Human<br>and<br>animal        | NOAEL not available  |                      |
| ETHYL ALCOHOL | Ingestion  | central nervous<br>system depression | Not classified   | Multiple<br>animal<br>species | NOAEL not available  |                      |
| ETHYL ALCOHOL | Ingestion  | kidney and/or<br>bladder             | Not classified   | Dog                           | NOAEL<br>3,000 mg/kg |                      |

Specific Target Organ Toxicity - repeated exposure

| Name   | Route      | Target Organ(s)  | Value  | Species | Test Result                 | Exposure<br>Duration |
|--|------------|--|--|---------|-----------------------------|----------------------|
| ETHYL ALCOHOL                                    | Inhalation | liver  | Some positive data exist, but the data are not sufficient for classification | Rabbit  | LOAEL 124<br>mg/l           | 365 days             |
| ETHYL ALCOHOL                                    | Inhalation | hematopoietic<br>system   immune<br>system                           | Not classified   | Rat     | NOAEL 25<br>mg/l            | 14 days              |
| ETHYL ALCOHOL                                    | Ingestion  | liver  | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL<br>8,000<br>mg/kg/day | 4 months             |
| ETHYL ALCOHOL                                    | Ingestion  | kidney and/or<br>bladder   | Not classified   | Dog     | NOAEL<br>3,000<br>mg/kg/day | 7 days               |
| 3-<br>METHACRYLOXYPROP<br>YLTRIMETHOXYSILAN<br>E | Dermal     | skin   liver   kidney<br>and/or bladder                              | Not classified   | Rabbit  | NOAEL<br>2,100<br>mg/kg/day | 17 days              |
| 3-<br>METHACRYLOXYPROP<br>YLTRIMETHOXYSILAN<br>E | Inhalation | respiratory system   | May cause damage to organs though prolonged or repeated exposure             | Rat     | LOAEL 0.05<br>mg/l          | 14 weeks             |
| 3-<br>METHACRYLOXYPROP<br>YLTRIMETHOXYSILAN<br>E | Inhalation | liver   hematopoietic<br>system   eyes  <br>kidney and/or<br>bladder | Not classified   | Rat     | NOAEL<br>0.244 mg/l         | 14 weeks             |

## **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable)

## **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

## **SECTION 15: Regulatory information**

## 15.1. US Federal Regulations

Contact 3M for more information.

### **EPCRA 311/312 Hazard Classifications:**

## Physical Hazards

Flammable (gases, aerosols, liquids, or solids)

### Health Hazards

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

## 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

### NFPA Hazard Classification

Health: 2 Flammability: 3 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include

| X <sup>TM</sup> Ceramic Primer (2721) 11/16/22 |
|--|
|--|

the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

 Document Group:
 10-7892-2
 Version Number:
 29.04

 Issue Date:
 11/16/22
 Supercedes Date:
 06/30/21

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com



## **Safety Data Sheet**

Copyright, 2017, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:05-4866-9Version Number:32.01Issue Date:12/28/17Supercedes Date:02/25/16

## **SECTION 1: Identification**

### 1.1. Product identifier

3008/7542 3MTM ESPETM ADPERTM SCOTCHBONDTM MULTIPURPOSE PRIMER

### **Product Identification Numbers**

LE-F100-0351-0, 70-2010-1610-5, 70-2010-3500-6, FH-5000-3628-7, FH-5000-3629-5

### 1.2. Recommended use and restrictions on use

### Recommended use

Dental Product, Adhesive

### Restrictions on use

For use only by dental professionals

## 1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Oral Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

### 2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2B.

Skin Sensitizer: Category 1.

### 2.2. Label elements

### Signal word

Warning

### **Symbols**

Exclamation mark |

## **Pictograms**



### **Hazard Statements**

Causes eye irritation.

May cause an allergic skin reaction.

### **Precautionary Statements**

### **Prevention:**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

## **Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                              | C.A.S. No. | % by Wt                |
|---|------------|------------------------|
| WATER                                   | 7732-18-5  | 40 - 50 Trade Secret * |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)      | 868-77-9   | 35 - 45 Trade Secret * |
| COPOLYMER OF ACRYLIC AND ITACONIC ACIDS | 25948-33-8 | 10 - 20 Trade Secret * |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

## **Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

### If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

## **Hazardous Decomposition or By-Products**

Substance

Carbon monoxide Carbon dioxide

### Condition

During Combustion
During Combustion

## 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

\_\_\_\_\_

### 7.2. Conditions for safe storage including any incompatibilities

Store away from strong bases.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

## 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

## Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**General Physical Form:**Liquid **Specific Physical Form:**Liquid

Odor, Color, Grade: Slight acrylate odor, Clear to slightly yellowish

**Odor threshold** No Data Available

pH 2.9 - 4
Melting point Not Applicable
Boiling Point >= 212 °F

Flash Point > 214 °F [Test Method: Closed Cup]

Evaporation rateNo Data AvailableFlammability (solid, gas)Not ApplicableFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not Applicable

Vapor Pressure <=16 psi [Ref Std: AIR=1]
Vapor Density No Data Available

**Density** 1.08 g/ml

Specific Gravity 1.08 [Ref Std:WATER=1]

Solubility in Water

Solubility- non-water

Partition coefficient: n-octanol/ water

Autoignition temperature

No Data Available

Not Applicable

Not Applicable

No Data Available

\_\_\_\_\_

12/28/17

Viscosity

Molecular weight

Volatile Organic Compounds

Percent volatile

VOC Less H2O & Exempt Solvents

9.9 centistoke

No Data Available

No Data Available

No Applicable

No Data Available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong bases

### 10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

## 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

## Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### **Eve Contact:**

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

| Name                                    | Route     | Species                      | Value  |
|---|-----------|------------------------------|--|
| Overall product                         | Ingestion |                              | No data available; calculated ATE >5,000 mg/kg |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)      | Dermal    | Rabbit                       | LD50 > 5,000 mg/kg                             |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)      | Ingestion | Rat                          | LD50 5,564 mg/kg                               |
| COPOLYMER OF ACRYLIC AND ITACONIC ACIDS | Ingestion | Rat                          | LD50 > 5,000 mg/kg                             |
| COPOLYMER OF ACRYLIC AND ITACONIC ACIDS | Dermal    | similar<br>health<br>hazards | LD50 estimated to be > 5,000 mg/kg             |

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name                               | Species | Value              |  |  |  |  |  |
|------------------------------------|---------|--------------------|--|--|--|--|--|
| 2-HYDROXYETHYL METHACRYLATE (HEMA) | Rabbit  | Minimal irritation |  |  |  |  |  |

Serious Eye Damage/Irritation

| Name                               | Species | Value             |
|------------------------------------|---------|-------------------|
| 2-HYDROXYETHYL METHACRYLATE (HEMA) | Rabbit  | Moderate irritant |

#### **Skin Sensitization**

| Name                               | Species | Value       |
|------------------------------------|---------|-------------|
| 2-HYDROXYETHYL METHACRYLATE (HEMA) | Human   | Sensitizing |
|                                    | and     |             |
|                                    | animal  |             |

### **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name                               | Route    | Value  |
|------------------------------------|----------|--|
| 2-HYDROXYETHYL METHACRYLATE (HEMA) | In vivo  | Not mutagenic                                  |
| 2-HYDROXYETHYL METHACRYLATE (HEMA) | In Vitro | Some positive data exist, but the data are not |
|                                    |          | sufficient for classification                  |

### Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

## **Reproductive Toxicity**

## Reproductive and/or Developmental Effects

Page 6 of 9

| Name                        | Route     | Value                                  | Species | Test Result | Exposure    |
|-----------------------------|-----------|--|---------|-------------|-------------|
|                             |           |  |         |             | Duration    |
| 2-HYDROXYETHYL METHACRYLATE | Ingestion | Not classified for female reproduction | Rat     | NOAEL 1,000 | premating & |
| (HEMA)                      |           | -                                      |         | mg/kg/day   | during      |
|                             |           |  |         |             | gestation   |
| 2-HYDROXYETHYL METHACRYLATE | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 1,000 | 49 days     |
| (HEMA)                      |           | _                                      |         | mg/kg/day   | -           |
| 2-HYDROXYETHYL METHACRYLATE | Ingestion | Not classified for development         | Rat     | NOAEL 1,000 | premating & |
| (HEMA)                      |           | *                                      |         | mg/kg/day   | during      |
|                             |           |  |         |             | gestation   |

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name                          | Route     | Target Organ(s) | Value          | Species | Test Result | Exposure<br>Duration |
|-------------------------------|-----------|-----------------|----------------|---------|-------------|----------------------|
| COPOLYMER OF                  | Ingestion | nervous system  | Not classified | Rat     | NOAEL       |                      |
| ACRYLIC AND<br>ITACONIC ACIDS |           |                 |                |         | 5,000 mg/kg |                      |

Specific Target Organ Toxicity - repeated exposure

| Name  | Route     | Target Organ(s)  | Value          | Species | Test Result                 | Exposure<br>Duration |
|---|-----------|--|----------------|---------|-----------------------------|----------------------|
| COPOLYMER OF<br>ACRYLIC AND<br>ITACONIC ACIDS | Ingestion | endocrine system  <br>hematopoietic<br>system   liver  | Not classified | Rat     | NOAEL 200<br>mg/kg/day      | 28 days              |
| COPOLYMER OF<br>ACRYLIC AND<br>ITACONIC ACIDS | Ingestion | heart   bone, teeth,<br>nails, and/or hair  <br>immune system  <br>muscles   nervous<br>system   eyes  <br>kidney and/or<br>bladder   respiratory<br>system   vascular<br>system | Not classified | Rat     | NOAEL<br>2,000<br>mg/kg/day | 28 days              |

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility.

Page 7 of

EPA Hazardous Waste Number (RCRA): Not regulated

## **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501

## **SECTION 15: Regulatory information**

### 15.1. US Federal Regulations

Contact 3M for more information.

### **EPCRA 311/312 Hazard Classifications:**

## Physical Hazards

Not applicable

### Health Hazards

Serious eye damage or eye irritation

### 15.2. State Regulations

Contact 3M for more information.

#### 15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

## NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 05-4866-9 **Version Number:** 32.01 **Issue Date:** 12/28/17 **Supercedes Date:** 02/25/16

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3Mproduct is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a3Mproduct, some of

9

12/28/17

which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3Mmakes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from3M

3M USA SDSs are available at www.3M.com



## Safety Data Sheet

Copyright, 2020, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 18-3819-2 **Version Number:** 4.02 **Issue Date:** 03/02/20 **Supercedes Date:** 12/29/17

## **SECTION 1: Identification**

## 1.1. Product identifier

7547 3MTM ADPERTM SCOTCHBONDTM MULTI-PURPOSE PLUS CATALYST 3.5

### **Product Identification Numbers**

70-2010-3504-8 7000054276

### 1.2. Recommended use and restrictions on use

### Recommended use

Dental Product, Adhesive

### Restrictions on use

For use only by dental professionals

### 1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Oral Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

### 2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2A. Skin Sensitizer: Category 1.

### 2.2. Label elements

Signal word

Warning

## **Symbols**

Exclamation mark |

### **Pictograms**



### **Hazard Statements**

Causes serious eye irritation. May cause an allergic skin reaction.

### **Precautionary Statements**

#### **Prevention:**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

## **Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

#### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                                  | C.A.S. No. | % by Wt                |
|---|------------|------------------------|
| Bisphenol A Diglycidyl Ether Dimethacrylate | 1565-94-2  | 60 - 70 Trade Secret * |
| (BISGMA)                                    |            |                        |
| 2-Hydroxyethyl Methacrylate (HEMA)          | 868-77-9   | 30 - 40 Trade Secret * |
| Benzoyl Peroxide                            | 94-36-0    | < 2.5 Trade Secret *   |
| Triphenylantimony                           | 603-36-1   | < 0.5 Trade Secret *   |
| Triphenylphosphine                          | 603-35-0   | < 0.5 Trade Secret *   |
| Hydroquinone                                | 123-31-9   | < 0.05 Trade Secret *  |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

## **Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

Page 2 of 11

### **Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### **Eye Contact:**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

## **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxideDuring CombustionCarbon dioxideDuring Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidizing agents.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient       | C.A.S. No. | Agency | Limit type  | Additional Comments                  |
|------------------|------------|--------|-------------|--------------------------------------|
| Hydroquinone     | 123-31-9   | ACGIH  | TWA:1 mg/m3 | A3: Confirmed animal carcin., Dermal |
|                  |            |        |             | Sensitizer                           |
| Hydroquinone     | 123-31-9   | OSHA   | TWA:2 mg/m3 |                                      |
| Benzoyl Peroxide | 94-36-0    | ACGIH  | TWA:5 mg/m3 | A4: Not class. as human carcin       |
| Benzoyl Peroxide | 94-36-0    | OSHA   | TWA:5 mg/m3 |                                      |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

## Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid

Color Transparent Yellow

Specific Physical Form: Liquid

OdorSlight AcrylateOdor thresholdNo Data AvailablePHNot Applicable

Melting pointNot ApplicableBoiling PointNot Applicable

Flash Point 214 °F [Test Method:Closed Cup]

Evaporation rateNo Data AvailableFlammability (solid, gas)Not ApplicableFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNo Data AvailableVapor DensityNo Data Available

**Density** 1.16 g/ml

Specific Gravity 1.16 [Ref Std:WATER=1]

Solubility in Water Negligible

**Solubility- non-water** No Data Available Partition coefficient: n-octanol/ water No Data Available **Autoignition temperature** No Data Available **Decomposition temperature** No Data Available Viscosity 320 - 460 centistoke **Volatile Organic Compounds** No Data Available Percent volatile No Data Available **VOC Less H2O & Exempt Solvents** No Data Available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

### 10.5. Incompatible materials

Strong oxidizing agents

## 10.6. Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

**Page** 5 **of** 11

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure. The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

### 11.1. Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### **Eve Contact:**

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### **Acute Toxicity**

| Name   | Route                                 | Species                           | Value  |
|--|---------------------------------------|-----------------------------------|--|
| Overall product                                      | Ingestion                             |                                   | No data available; calculated ATE >5,000 mg/kg |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Dermal                                | Professio<br>nal<br>judgeme<br>nt | LD50 estimated to be > 5,000 mg/kg             |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Ingestion                             | Rat                               | LD50 > 11,700 mg/kg                            |
| 2-Hydroxyethyl Methacrylate (HEMA)                   | Dermal                                | Rabbit                            | LD50 > 5,000 mg/kg                             |
| 2-Hydroxyethyl Methacrylate (HEMA)                   | Ingestion                             | Rat                               | LD50 5,564 mg/kg                               |
| Benzoyl Peroxide                                     | Dermal                                |                                   | LD50 estimated to be 2,000 - 5,000 mg/kg       |
| Benzoyl Peroxide                                     | Inhalation-<br>Dust/Mist<br>(4 hours) | Rat                               | LC50 > 24.3 mg/l                               |
| Benzoyl Peroxide                                     | Ingestion                             | Rat                               | LD50 > 5,000 mg/kg                             |
| Triphenylantimony                                    | Inhalation-<br>Dust/Mist              |                                   | LC50 estimated to be 1 - 5 mg/l                |
| Triphenylantimony                                    | Dermal                                | Rat                               | LD50 > 2,000 mg/kg                             |
| Triphenylantimony                                    | Ingestion                             | Rat                               | LD50 82.5 mg/kg                                |
| Triphenylphosphine                                   | Dermal                                | Rabbit                            | LD50 > 4,000 mg/kg                             |
| Triphenylphosphine                                   | Inhalation-                           | Rat                               | LC50 12.5 mg/l                                 |

**Page** 6 **of** 11

|                    | Dust/Mist |     |                    |
|--------------------|-----------|-----|--------------------|
|                    | (4 hours) |     |                    |
| Triphenylphosphine | Ingestion | Rat | LD50 700 mg/kg     |
| Hydroquinone       | Dermal    | Rat | LD50 > 4,800 mg/kg |
| Hydroquinone       | Ingestion | Rat | LD50 302 mg/kg     |

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

| Name   | Species | Value                     |
|--|---------|---------------------------|
|  |         |                           |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Rabbit  | No significant irritation |
| 2-Hydroxyethyl Methacrylate (HEMA)                   | Rabbit  | Minimal irritation        |
| Benzoyl Peroxide                                     | Rabbit  | Minimal irritation        |
| Triphenylantimony                                    | Rabbit  | Minimal irritation        |
| Triphenylphosphine                                   | Rabbit  | No significant irritation |
| Hydroquinone   | Human   | Minimal irritation        |
|  | and     |                           |
|  | animal  |                           |

Serious Eye Damage/Irritation

| Name   | Species  | Value                     |
|--|----------|---------------------------|
|  |          |                           |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | In vitro | No significant irritation |
|  | data     |                           |
| 2-Hydroxyethyl Methacrylate (HEMA)                   | Rabbit   | Moderate irritant         |
| Benzoyl Peroxide                                     | Rabbit   | Severe irritant           |
| Triphenylantimony                                    | Rabbit   | Mild irritant             |
| Triphenylphosphine                                   | Rabbit   | Mild irritant             |
| Hydroquinone   | Human    | Corrosive                 |

## **Skin Sensitization**

| Name   | Species | Value          |
|--|---------|----------------|
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | Mouse   | Not classified |
| 2-Hydroxyethyl Methacrylate (HEMA)                   | Human   | Sensitizing    |
|  | and     |                |
|  | animal  |                |
| Benzoyl Peroxide                                     | Guinea  | Sensitizing    |
|  | pig     |                |
| Triphenylphosphine                                   | Guinea  | Sensitizing    |
|  | pig     |                |
| Hydroquinone   | Guinea  | Sensitizing    |
|  | pig     |                |

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name   | Route    | Value  |  |  |
|--|----------|--|--|--|
|  |          |  |  |  |
| Bisphenol A Diglycidyl Ether Dimethacrylate (BISGMA) | In Vitro | Not mutagenic                                  |  |  |
| 2-Hydroxyethyl Methacrylate (HEMA)                   | In vivo  | Not mutagenic                                  |  |  |
| 2-Hydroxyethyl Methacrylate (HEMA)                   | In Vitro | Some positive data exist, but the data are not |  |  |
|  |          | sufficient for classification                  |  |  |
| Benzoyl Peroxide                                     | In Vitro | Not mutagenic                                  |  |  |
| Benzoyl Peroxide                                     | In vivo  | Not mutagenic                                  |  |  |
| Hydroquinone   | In Vitro | Some positive data exist, but the data are not |  |  |
|  |          | sufficient for classification                  |  |  |
| Hydroquinone   | In vivo  | Some positive data exist, but the data are not |  |  |
|  |          | sufficient for classification                  |  |  |

Carcinogenicity

| Name | Route | Species | Value |
|------|-------|---------|-------|
|      |       |         |       |

**Page** 7 **of** 11

| Benzoyl Peroxide | Ingestion | Multiple | Not carcinogenic   |
|------------------|-----------|----------|--|
|                  |           | animal   |  |
|                  |           | species  |  |
| Benzoyl Peroxide | Dermal    | Mouse    | Some positive data exist, but the data are not sufficient for classification |
| Hydroquinone     | Dermal    | Mouse    | Not carcinogenic   |
| Hydroquinone     | Ingestion | Multiple | Some positive data exist, but the data are not                               |
|                  |           | animal   | sufficient for classification  |
|                  |           | species  |  |

## Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name  | Route     | Value                                  | Species | Test Result              | Exposure<br>Duration         |
|---|-----------|--|---------|--------------------------|------------------------------|
| Bisphenol A Diglycidyl Ether<br>Dimethacrylate (BISGMA) | Ingestion | Not classified for development         | Rat     | NOAEL 1,000<br>mg/kg/day | during<br>gestation          |
| 2-Hydroxyethyl Methacrylate (HEMA)                      | Ingestion | Not classified for female reproduction | Rat     | NOAEL 1,000<br>mg/kg/day | premating & during gestation |
| 2-Hydroxyethyl Methacrylate (HEMA)                      | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 1,000<br>mg/kg/day | 49 days                      |
| 2-Hydroxyethyl Methacrylate (HEMA)                      | Ingestion | Not classified for development         | Rat     | NOAEL 1,000<br>mg/kg/day | premating & during gestation |
| Benzoyl Peroxide  | Ingestion | Not classified for female reproduction | Rat     | NOAEL 1,000<br>mg/kg/day | premating & during gestation |
| Benzoyl Peroxide  | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 500<br>mg/kg/day   | premating & during gestation |
| Benzoyl Peroxide  | Ingestion | Not classified for development         | Rat     | NOAEL 500<br>mg/kg/day   | premating & during gestation |
| Hydroquinone  | Ingestion | Not classified for female reproduction | Rat     | NOAEL 150<br>mg/kg/day   | 2 generation                 |
| Hydroquinone  | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 150<br>mg/kg/day   | 2 generation                 |
| Hydroquinone  | Ingestion | Not classified for development         | Rat     | NOAEL 100<br>mg/kg/day   | during<br>organogenesi<br>s  |

## Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

| Specime 1 miget org | promo ranger organ romeny single enjoyare |                 |                            |         |             |                |  |  |  |  |
|---------------------|---|-----------------|----------------------------|---------|-------------|----------------|--|--|--|--|
| Name                | Route                                     | Target Organ(s) | Value                      | Species | Test Result | Exposure       |  |  |  |  |
|                     |   |                 |                            |         |             | Duration       |  |  |  |  |
| Hydroquinone        | Ingestion                                 | nervous system  | May cause damage to organs | Rat     | NOAEL Not   | not applicable |  |  |  |  |
|                     |   | -               |                            |         | available   |                |  |  |  |  |
| Hydroquinone        | Ingestion                                 | kidney and/or   | Not classified             | Rat     | NOAEL 400   | not applicable |  |  |  |  |
|                     |   | bladder         |                            |         | mg/kg       |                |  |  |  |  |

**Specific Target Organ Toxicity - repeated exposure** 

| Name   | Route     | Target Organ(s)  | Value          | Species | Test Result                 | Exposure<br>Duration |
|--|-----------|--|----------------|---------|-----------------------------|----------------------|
| Bisphenol A Diglycidyl<br>Ether Dimethacrylate<br>(BISGMA) | Ingestion | endocrine system  <br>hematopoietic<br>system   liver   heart<br>  skin  <br>gastrointestinal tract<br>  bone, teeth, nails,<br>and/or hair  <br>immune system  <br>muscles   nervous<br>system   eyes | Not classified | Rat     | NOAEL<br>1,000<br>mg/kg/day | 90 days              |

**Page** 8 **of** 11

|                    |            | kidney and/or<br>bladder   respiratory<br>system   vascular<br>system |  |       |                       |                       |
|--------------------|------------|---|--|-------|-----------------------|-----------------------|
| Triphenylphosphine | Inhalation | nervous system  | May cause damage to organs though prolonged or repeated exposure | Dog   | NOAEL<br>0.0097 mg/l  | 5 weeks               |
| Triphenylphosphine | Ingestion  | nervous system  | May cause damage to organs though prolonged or repeated exposure | Dog   | NOAEL 1<br>mg/kg/day  | 5 weeks               |
| Hydroquinone       | Ingestion  | blood   | Not classified   | Rat   | NOAEL Not available   | 40 days               |
| Hydroquinone       | Ingestion  | bone marrow   liver   | Not classified   | Rat   | NOAEL Not available   | 9 weeks               |
| Hydroquinone       | Ingestion  | kidney and/or<br>bladder  | Not classified   | Rat   | LOAEL 50<br>mg/kg/day | 15 months             |
| Hydroquinone       | Ocular     | eyes  | Not classified   | Human | NOAEL Not available   | occupational exposure |

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

## **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

### 15.1. US Federal Regulations

Contact 3M for more information.

### **EPCRA 311/312 Hazard Classifications:**

03/02/20

Physical Hazards

Not applicable

**Health Hazards** 

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

Ingredient C.A.S. No % by Wt

Benzoyl Peroxide 94-36-0 Trade Secret < 2.5

## 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

## 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

### NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

 Document Group:
 18-3819-2
 Version Number:
 4.02

 Issue Date:
 03/02/20
 Supercedes Date:
 12/29/17

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.



## Safety Data Sheet

Copyright, 2022, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 05-4869-3
 Version Number:
 25.03

 Issue Date:
 10/03/22
 Supercedes Date:
 05/12/22

## **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>TM</sup> Adper<sup>TM</sup> Scotchbond<sup>TM</sup> Multi-Purpose Adhesive (3009/7543)

### **Product Identification Numbers**

LE-F100-0350-9, 70-2010-0402-8, 70-2010-1235-1, 70-2010-1611-3, 70-2010-3501-4, 70-2014-1803-8, FH-5000-3626-1, FH-5000-3627-9 7000003071, 7000054274, 7100263784

### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Adhesive

Restrictions on use

For use only by dental professionals

## 1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Oral Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

### 2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2B.

Skin Sensitizer: Category 1.

Reproductive Toxicity: Category 1B.

### 2.2. Label elements

Signal word

## Danger

## **Symbols**

Exclamation mark | Health Hazard |





### **Hazard Statements**

Causes eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

### **Precautionary Statements**

### **Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

## Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

## Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                             | C.A.S. No. | % by Wt                |
|--|------------|------------------------|
| BISPHENOL A DIGLYCIDYL ETHER           | 1565-94-2  | 55 - 65 Trade Secret * |
| DIMETHACRYLATE (BISGMA)                |            |                        |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)     | 868-77-9   | 35 - 45 Trade Secret * |
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB) | 10287-53-3 | <= 0.5 Trade Secret *  |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### **Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxideDuring CombustionCarbon dioxideDuring CombustionIrritant Vapors or GasesDuring Combustion

## 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate

Page 3 of 9

commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Do not get in eyes. Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

## 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid

Color Transparent Yellow

Specific Physical Form:Viscous LiquidOdorSlight AcrylateOdor thresholdNo Data AvailablepHNo Data Available

Melting point

No Data Availar

Not Applicable

Sepiling Point

No Data Availar

Not Applicable

>=95 °F

Flash Point > 214 °F [Test Method: Closed Cup]

Evaporation rateNo Data AvailableFlammability (solid, gas)Not ApplicableFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not Applicable

Vapor Pressure <=16 psi [Ref Std:AIR=1]

10/03/22

Vapor Density No Data Available

**Density** 1.15 g/ml

Specific Gravity 1.15 [Ref Std:WATER=1]

Solubility in Water Moderate

Solubility- non-waterNo Data AvailablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNo Data Available

Viscosity 355 centipoise - 455 centipoise

Molecular weightNo Data AvailableVolatile Organic CompoundsNo Data AvailablePercent volatileNo Data AvailableVOC Less H2O & Exempt SolventsNo Data Available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

## 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

**Substance** Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

#### 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### **Eve Contact:**

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

### **Additional Health Effects:**

### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

## **Acute Toxicity**

| Name   | Route     | Species                           | Value  |
|--|-----------|-----------------------------------|--|
| Overall product                                      | Ingestion |                                   | No data available; calculated ATE >5,000 mg/kg |
| BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA) | Dermal    | Professio<br>nal<br>judgeme<br>nt | LD50 estimated to be > 5,000 mg/kg             |
| BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA) | Ingestion | Rat                               | LD50 > 11,700 mg/kg                            |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                   | Dermal    | Rabbit                            | LD50 > 5,000 mg/kg                             |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                   | Ingestion | Rat                               | LD50 5,564 mg/kg                               |
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB)               | Dermal    | Rat                               | LD50 > 2,000 mg/kg                             |
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB)               | Ingestion | Rat                               | LD50 > 2,000 mg/kg                             |

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

| Name   |        | Value                     |
|--|--------|---------------------------|
|  |        |                           |
| BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA) | Rabbit | No significant irritation |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                   | Rabbit | Minimal irritation        |
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB)               | Rabbit | No significant irritation |

### Serious Eye Damage/Irritation

| Name   | Species  | Value                     |
|--|----------|---------------------------|
|  |          |                           |
| BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA) | In vitro | No significant irritation |
|  | data     |                           |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                   | Rabbit   | Moderate irritant         |
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB)               | Rabbit   | No significant irritation |

### **Skin Sensitization**

| Name   | Species      | Value          |
|--|--------------|----------------|
| BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA) | Mouse        | Not classified |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                   | Human<br>and | Sensitizing    |

|  | animal |                |
|--|--------|----------------|
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB) |        | Not classified |

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name   |          | Value  |
|--|----------|--|
|  |          |  |
| BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE (BISGMA) | In Vitro | Not mutagenic  |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                   | In vivo  | Not mutagenic  |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                   | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB)               | In vivo  | Not mutagenic  |
| ETHYL 4-DIMETHYL AMINOBENZOATE (EDMAB)               | In Vitro | Some positive data exist, but the data are not sufficient for classification |

## Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

## Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name  | Route     | Value                                  | Species | Test Result              | Exposure<br>Duration         |
|---|-----------|--|---------|--------------------------|------------------------------|
| BISPHENOL A DIGLYCIDYL ETHER<br>DIMETHACRYLATE (BISGMA) | Ingestion | Not classified for development         | Rat     | NOAEL 1,000<br>mg/kg/day | during<br>gestation          |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                      | Ingestion | Not classified for female reproduction | Rat     | NOAEL 1,000<br>mg/kg/day | premating & during gestation |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                      | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 1,000<br>mg/kg/day | 49 days                      |
| 2-HYDROXYETHYL METHACRYLATE (HEMA)                      | Ingestion | Not classified for development         | Rat     | NOAEL 1,000<br>mg/kg/day | premating & during gestation |
| ETHYL 4-DIMETHYL<br>AMINOBENZOATE (EDMAB)               | Ingestion | Not classified for female reproduction | Rat     | NOAEL 600<br>mg/kg/day   | premating into lactation     |
| ETHYL 4-DIMETHYL<br>AMINOBENZOATE (EDMAB)               | Ingestion | Not classified for development         | Rat     | NOAEL 50<br>mg/kg/day    | premating into lactation     |
| ETHYL 4-DIMETHYL<br>AMINOBENZOATE (EDMAB)               | Ingestion | Toxic to male reproduction             | Rat     | NOAEL 50<br>mg/kg/day    | 53 days                      |

## Target Organ(s)

## Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

| Name  | Route     | Target Organ(s)   | Value          | Species | Test Result                 | Exposure<br>Duration |
|---|-----------|---|----------------|---------|-----------------------------|----------------------|
| BISPHENOL A<br>DIGLYCIDYL ETHER<br>DIMETHACRYLATE<br>(BISGMA) | Ingestion | endocrine system   hematopoietic system   liver   heart   skin   gastrointestinal tract   bone, teeth, nails, and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular | Not classified | Rat     | NOAEL<br>1,000<br>mg/kg/day | 90 days              |

Page 7 of 9

|  |           | system   |  |     |                        |         |
|--|-----------|--|--|-----|------------------------|---------|
| ETHYL 4-DIMETHYL<br>AMINOBENZOATE<br>(EDMAB) | Ingestion | hematopoietic<br>system  | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 74<br>mg/kg/day  | 28 days |
| ETHYL 4-DIMETHYL<br>AMINOBENZOATE<br>(EDMAB) | Ingestion | liver   heart   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system | Not classified   | Rat | NOAEL 900<br>mg/kg/day | 28 days |

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

EPA Hazardous Waste Number (RCRA): D018 (Benzene)

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

## 15.1. US Federal Regulations

Contact 3M for more information.

### **EPCRA 311/312 Hazard Classifications:**

| Phy | sical | Hazards  |   |
|-----|-------|----------|---|
| ши  | sicai | Hazai us | ١ |

Not applicable

Page 8 of 9

### **Health Hazards**

Reproductive toxicity

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

## 15.2. State Regulations

Contact 3M for more information.

#### 15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

## 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

### NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

 Document Group:
 05-4869-3
 Version Number:
 25.03

 Issue Date:
 10/03/22
 Supercedes Date:
 05/12/22

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

### 3M USA SDSs are available at www.3M.com



# **Safety Data Sheet**

Copyright, 2017, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 18-3855-6
 Version Number:
 4.01

 Issue Date:
 12/29/17
 Supercedes Date:
 02/25/16

# **SECTION 1: Identification**

### 1.1. Product identifier

7546 3MTM ESPETM ADPERTM SCOTCHBONDTM MULTI PURPOSE PLUS ACTIVATOR

#### **Product Identification Numbers**

70-2010-3503-0

### 1.2. Recommended use and restrictions on use

Recommended use

Dental Product, Adhesive

Restrictions on use

For use only by dental professionals

1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Oral Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

# 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

### 2.1. Hazard classification

Flammable Liquid: Category 2.

Serious Eye Damage/Irritation: Category 2B.

Specific Target Organ Toxicity (single exposure): Category 3.

### 2.2. Label elements

Signal word

Danger

### **Symbols**

Flame | Exclamation mark |







### **Hazard Statements**

Highly flammable liquid and vapor.

Causes eye irritation.

May cause drowsiness or dizziness.

### **Precautionary Statements**

#### **Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only in a well-ventilated area.

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

### **Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### Storage:

Store in a well-ventilated place. Keep cool.

Keep container tightly closed.

### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

| Ingredient              | C.A.S. No. | % by Wt             |
|-------------------------|------------|---------------------|
| ETHYL ALCOHOL           | 64-17-5    | > 95 Trade Secret * |
| SODIUM BENZENESULFINATE | 873-55-2   | < 5 Trade Secret *  |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# **SECTION 4: First aid measures**

Page 2 of

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

### **Eve Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

## **Hazardous Decomposition or By-Products**

<u>Substance</u> Carbon monoxide Carbon dioxide

### Condition

**During Combustion During Combustion** 

### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### **6.2.** Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container

approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

## 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidizing agents.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient    | C.A.S. No. | Agency | Limit type               | Additional Comments  |
|---------------|------------|--------|--------------------------|----------------------|
| ETHYL ALCOHOL | 64-17-5    | ACGIH  | STEL:1000 ppm            | A3: Confirmed animal |
|               |            |        |                          | carcin.              |
| ETHYL ALCOHOL | 64-17-5    | OSHA   | TWA:1900 mg/m3(1000 ppm) |                      |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

## Skin/hand protection

See Section 7.1 for additional information on skin protection.

## Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

**Page 4 of** 10

### 9.1. Information on basic physical and chemical properties

**General Physical Form:**Specific Physical Form:
Liquid

Odor, Color, Grade:Clear, characteristic odorOdor thresholdNo Data AvailablepHNot ApplicableMelting pointNot Applicable

**Boiling Point** 173 °F

Flash Point 55 °F [Test Method: Closed Cup]

Evaporation rate

No Data Available
Flammability (solid, gas)

Not Applicable

Flammable Limits(LEL) 3.28 % Flammable Limits(UEL) 19 %

Vapor Pressure <=27 psia [@ 131 °F]

Vapor Density 1.59
Density 0.81 g/ml

Specific Gravity 0.81 [Ref Std:WATER=1]

Solubility in Water Complete

Solubility- non-waterNo Data AvailablePartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data Available

Viscosity 1,400 centistoke [@ 73.4 °F]

Volatile Organic CompoundsNo Data AvailablePercent volatileNo Data AvailableVOC Less H2O & Exempt SolventsNo Data Available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

Sparks and/or flames

## 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

**Substance Condition** 

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

**Page 5 of** 10

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure. The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

### 11.1. Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### **Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

### **Eye Contact:**

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

### Additional Health Effects:

### Single exposure may cause target organ effects:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

### **Carcinogenicity:**

| Ingredient                   | CAS No. | Class Description              | Regulation                                  |
|------------------------------|---------|--------------------------------|---|
| Generic: ALCOHOLIC BEVERAGES | 64-17-5 | Grp. 1: Carcinogenic to humans | International Agency for Research on Cancer |
| Generic: ALCOHOLIC BEVERAGES | 64-17-5 | Known human carcinogen         | National Toxicology Program Carcinogens     |

### **Additional Information:**

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

| Name                    | Route       | Species | Value  |
|-------------------------|-------------|---------|--|
| Overall product         | Ingestion   |         | No data available; calculated ATE >5,000 mg/kg |
| ETHYL ALCOHOL           | Dermal      | Rabbit  | LD50 > 15,800 mg/kg                            |
| ETHYL ALCOHOL           | Inhalation- | Rat     | LC50 124.7 mg/l                                |
|                         | Vapor (4    |         |  |
|                         | hours)      |         |  |
| ETHYL ALCOHOL           | Ingestion   | Rat     | LD50 17,800 mg/kg                              |
| SODIUM BENZENESULFINATE | Ingestion   | similar | LD50 estimated to be 300 - 2,000 mg/kg         |
|                         |             | compoun |  |
|                         |             | ds      |  |

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name          | Species | Value                     |
|---------------|---------|---------------------------|
| ETHYL ALCOHOL | Rabbit  | No significant irritation |

Serious Eye Damage/Irritation

| Name          | Species | Value           |
|---------------|---------|-----------------|
| ETHYL ALCOHOL | Rabbit  | Severe irritant |

#### **Skin Sensitization**

| Name          | Species | Value          |
|---------------|---------|----------------|
| ETHYL ALCOHOL | Human   | Not classified |

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name          | Route    | Value  |
|---------------|----------|--|
| ETHYL ALCOHOL | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| ETHYL ALCOHOL | In vivo  | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name          | Route     | Species         | Value  |
|---------------|-----------|-----------------|--|
| ETHYL ALCOHOL | Ingestion | Multiple animal | Some positive data exist, but the data are not sufficient for classification |
|               |           | species         |  |

## Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name          | Route      | Value                          | Species | Test Result              | Exposure<br>Duration         |
|---------------|------------|--------------------------------|---------|--------------------------|------------------------------|
| ETHYL ALCOHOL | Inhalation | Not classified for development | Rat     | NOAEL 38<br>mg/l         | during<br>gestation          |
| ETHYL ALCOHOL | Ingestion  | Not classified for development | Rat     | NOAEL 5,200<br>mg/kg/day | premating & during gestation |

## Target Organ(s)

**Page** 7 **of** 10

Specific Target Organ Toxicity - single exposure

| Name          | Route      | Target Organ(s)                      | Value  | Species                       | Test Result          | Exposure<br>Duration |
|---------------|------------|--------------------------------------|--|-------------------------------|----------------------|----------------------|
| ETHYL ALCOHOL | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness  | Human                         | LOAEL 2.6<br>mg/l    | 30 minutes           |
| ETHYL ALCOHOL | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for classification | Human                         | LOAEL 9.4<br>mg/l    | not available        |
| ETHYL ALCOHOL | Ingestion  | central nervous<br>system depression | May cause drowsiness or dizziness  | Multiple<br>animal<br>species | NOAEL not available  |                      |
| ETHYL ALCOHOL | Ingestion  | kidney and/or<br>bladder             | Not classified   | Dog                           | NOAEL<br>3,000 mg/kg |                      |

Specific Target Organ Toxicity - repeated exposure

| Name          | Route      | Target Organ(s)                            | Value  | Species | Test Result                 | Exposure<br>Duration |
|---------------|------------|--|--|---------|-----------------------------|----------------------|
| ETHYL ALCOHOL | Inhalation | liver                                      | Some positive data exist, but the data are not sufficient for classification | Rabbit  | LOAEL 124<br>mg/l           | 365 days             |
| ETHYL ALCOHOL | Inhalation | hematopoietic<br>system   immune<br>system | Not classified   | Rat     | NOAEL 25<br>mg/l            | 14 days              |
| ETHYL ALCOHOL | Ingestion  | liver                                      | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL<br>8,000<br>mg/kg/day | 4 months             |
| ETHYL ALCOHOL | Ingestion  | kidney and/or<br>bladder                   | Not classified   | Dog     | NOAEL<br>3,000<br>mg/kg/day | 7 days               |

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

## **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable)

# **SECTION 14: Transport Information**

**Page 8 of** 10

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

### 15.1. US Federal Regulations

Contact 3M for more information.

### **EPCRA 311/312 Hazard Classifications:**

### Physical Hazards

Flammable (gases, aerosols, liquids, or solids)

#### Health Hazards

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

### 15.2. State Regulations

Contact 3M for more information.

#### 15.3. Chemical Inventories

The components of this product are in compliance with the new substance notification requirements of CEPA.

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## **SECTION 16: Other information**

### NFPA Hazard Classification

Health: 1 Flammability: 3 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 18-3855-6 **Version Number:** 4 01 **Issue Date:** 12/29/17 **Supercedes Date:** 02/25/16

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3Mproduct is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a3Mproduct, some of

Page 9 of 10 which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3Mmakes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from3M

3M USA SDSs are available at www.3M.com



# **Safety Data Sheet**

Copyright, 2021, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 29-8286-6
 Version Number:
 5.00

 Issue Date:
 09/02/21
 Supercedes Date:
 09/16/20

# **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Etchant (41263)

### **Product Identification Numbers**

ID Number UPC ID Number UPC
LE-F100-1014-5 LE-F100-1040-4
70-2011-3906-3 70-2011-4006-1
70-2011-4007-9

7000055181, 7000055191, 7100007505

#### 1.2. Recommended use and restrictions on use

### Recommended use

Dental Product, Etching gel

### Restrictions on use

For use only by dental professionals

#### 1.3. Supplier's details

MANUFACTURER: 3M

**DIVISION:** Oral Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

## 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

### 2.1. Hazard classification

Corrosive to metal: Category 1.

Serious Eye Damage/Irritation: Category 1. Skin Corrosion/Irritation: Category 1C.

### 2.2. Label elements

# Signal word

Danger

### **Symbols**

Corrosion |

### **Pictograms**



### **Hazard Statements**

May be corrosive to metals.

Causes severe skin burns and eye damage.

### **Precautionary Statements**

### **Prevention:**

Keep only in original container.

Wear protective gloves, protective clothing, and eye/face protection.

Wash thoroughly after handling.

### **Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Absorb spillage to prevent material damage.

### Storage:

Store in a corrosive resistant container with a resistant inner liner.

### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

## 2.3. Hazards not otherwise classified

May cause chemical gastrointestinal burns.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                         | C.A.S. No.  | % by Wt                |
|------------------------------------|-------------|------------------------|
| WATER                              | 7732-18-5   | 50 - 65 Trade Secret * |
| PHOSPHORIC ACID                    | 7664-38-2   | 30 - 40 Trade Secret * |
| SYNTHETIC AMORPHOUS SILICA, FUMED, | 112945-52-5 | 1 - 10 Trade Secret *  |
| CRYSTALLINE FREE                   |             |                        |
| POLYETHYLENE GLYCOL                | 25322-68-3  | 1 - 5 Trade Secret *   |
| ALUMINUM OXIDE                     | 1344-28-1   | < 2 Trade Secret *     |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

#### **Eye Contact:**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin burns (localized redness, swelling, itching, intense pain, blistering, and tissue destruction). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxideDuring CombustionCarbon dioxideDuring Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Do not get in eyes.

## 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Keep only in original container. Store in a corrosive resistant container with a resistant inner liner. Store away from strong bases.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient                    | C.A.S. No. | Agency | Limit type                 | Additional Comments     |
|-------------------------------|------------|--------|----------------------------|-------------------------|
| SILICA, AMORPHOUS             | 112945-52- | OSHA   | TWA:20 millions of         |                         |
|                               | 5          |        | particles/cu. ft.;TWA      |                         |
|                               |            |        | concentration:0.8 mg/m3    |                         |
| ALUMINUM OXIDE                | 1344-28-1  | OSHA   | TWA(as total dust):15      |                         |
|                               |            |        | mg/m3;TWA(respirable       |                         |
|                               |            |        | fraction):5 mg/m3          |                         |
| Aluminum, insoluble compounds | 1344-28-1  | ACGIH  | TWA(respirable fraction):1 | A4: Not class. as human |
|                               |            |        | mg/m3                      | carcin                  |
| POLYETHYLENE GLYCOL           | 25322-68-3 | AIHA   | TWA:10 mg/m3               |                         |
| PHOSPHORIC ACID               | 7664-38-2  | ACGIH  | TWA:1 mg/m3;STEL:3         |                         |
|                               |            |        | mg/m3                      |                         |
| PHOSPHORIC ACID               | 7664-38-2  | OSHA   | TWA:1 mg/m3                |                         |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

## 8.2.1. Engineering controls

Use in a well-ventilated area.

## 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

10

Safety Glasses with side shields

## Skin/hand protection

See Section 7.1 for additional information on skin protection.

### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical stateLiquidColorBlue

**Specific Physical Form:** Gel

Odor Slight Odor, Characteristic Odor

**Odor threshold** No Data Available

**pH** <1

Melting pointNot ApplicableBoiling PointNo Data Available

Flash Point > 100 °C [Test Method: Closed Cup]

Evaporation rateNo Data AvailableFlammability (solid, gas)Not ApplicableFlammable Limits(LEL)No Data AvailableFlammable Limits(UEL)No Data AvailableVapor PressureNo Data AvailableVapor DensityNo Data AvailableDensity1.1 - 1.2 g/ml

Specific Gravity 1.1 - 1.2 [Ref Std: WATER=1]

Solubility in Water Complete

**Solubility- non-water** No Data Available Partition coefficient: n-octanol/ water No Data Available **Autoignition temperature** No Data Available **Decomposition temperature** No Data Available Viscosity No Data Available No Data Available Molecular weight **Volatile Organic Compounds** No Data Available Percent volatile No Data Available **VOC Less H2O & Exempt Solvents** No Data Available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

### 10.5. Incompatible materials

Strong bases

### 10.6. Hazardous decomposition products

**Substance** 

**Condition** 

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

This document has been prepared in accordance with the U.S. OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or ingredients regardless of the potential risk. The risks of the hazards communicated in this document may vary depending on the potential for exposure.

The information below represents toxicological information associated with the individual components of the uncured product. Once properly mixed and/or cured, the product is safe for its intended use.

### 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation:

This product may have a characteristic odor; however, no adverse health effects are anticipated.

### **Skin Contact:**

Corrosive (Skin Burns): Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

### **Eye Contact:**

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

### **Ingestion:**

May be harmful if swallowed.

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### **Acute Toxicity**

| Name            | Route     | Species | Value  |
|-----------------|-----------|---------|--|
| Overall product | Dermal    |         | No data available; calculated ATE >5,000 mg/kg       |
| Overall product | Ingestion |         | No data available; calculated ATE2,000 - 5,000 mg/kg |
| PHOSPHORIC ACID | Dermal    | Rabbit  | LD50 2,740 mg/kg                                     |
| PHOSPHORIC ACID | Ingestion | Rat     | LD50 1,530 mg/kg                                     |

**Page** 6 **of** 10

| SYNTHETIC AMORPHOUS SILICA, FUMED,<br>CRYSTALLINE FREE | Dermal                                | Rabbit | LD50 > 5,000 mg/kg                 |
|--|---------------------------------------|--------|------------------------------------|
| SYNTHETIC AMORPHOUS SILICA, FUMED,<br>CRYSTALLINE FREE | Inhalation-<br>Dust/Mist<br>(4 hours) | Rat    | LC50 > 0.691 mg/l                  |
| SYNTHETIC AMORPHOUS SILICA, FUMED,<br>CRYSTALLINE FREE | Ingestion                             | Rat    | LD50 > 5,110 mg/kg                 |
| POLYETHYLENE GLYCOL                                    | Dermal                                | Rabbit | LD50 > 20,000 mg/kg                |
| POLYETHYLENE GLYCOL                                    | Ingestion                             | Rat    | LD50 32,770 mg/kg                  |
| ALUMINUM OXIDE   | Dermal                                |        | LD50 estimated to be > 5,000 mg/kg |
| ALUMINUM OXIDE   | Inhalation-<br>Dust/Mist<br>(4 hours) | Rat    | LC50 > 2.3 mg/l                    |
| ALUMINUM OXIDE   | Ingestion                             | Rat    | LD50 > 5,000 mg/kg                 |

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

|   | 3mm - G011 G510m/11110m010m                         |         |                           |
|---|---|---------|---------------------------|
|   | Name  | Species | Value                     |
| Į |   |         |                           |
|   | PHOSPHORIC ACID                                     | Rabbit  | Corrosive                 |
|   | SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE | Rabbit  | No significant irritation |
|   | POLYETHYLENE GLYCOL                                 | Rabbit  | Minimal irritation        |
| ĺ | ALUMINUM OXIDE                                      | Rabbit  | No significant irritation |

Serious Eye Damage/Irritation

| Name  | Species    | Value                     |
|---|------------|---------------------------|
|   |            |                           |
| PHOSPHORIC ACID                                     | official   | Corrosive                 |
|   | classifica |                           |
|   | tion       |                           |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE | Rabbit     | No significant irritation |
| POLYETHYLENE GLYCOL                                 | Rabbit     | Mild irritant             |
| ALUMINUM OXIDE                                      | Rabbit     | No significant irritation |

### **Skin Sensitization**

| Name  | Species | Value          |
|---|---------|----------------|
| PHOSPHORIC ACID                                     | Human   | Not classified |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE | Human   | Not classified |
|   | and     |                |
|   | animal  |                |
| POLYETHYLENE GLYCOL                                 | Guinea  | Not classified |
|   | pig     |                |

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

| Name  | Route    | Value         |
|---|----------|---------------|
|   |          |               |
| PHOSPHORIC ACID                                     | In Vitro | Not mutagenic |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE | In Vitro | Not mutagenic |
| POLYETHYLENE GLYCOL                                 | In Vitro | Not mutagenic |
| POLYETHYLENE GLYCOL                                 | In vivo  | Not mutagenic |
| ALUMINUM OXIDE                                      | In Vitro | Not mutagenic |

Carcinogenicity

| Name   | Route      | Species | Value  |
|--|------------|---------|--|
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE | Not        | Mouse   | Some positive data exist, but the data are not |
| FREE   | Specified  |         | sufficient for classification                  |
| POLYETHYLENE GLYCOL                            | Ingestion  | Rat     | Not carcinogenic                               |
| ALUMINUM OXIDE                                 | Inhalation | Rat     | Not carcinogenic                               |

## Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name   | Route            | Value  | Species | Test Result                         | Exposure<br>Duration        |
|--|------------------|--|---------|-------------------------------------|-----------------------------|
| PHOSPHORIC ACID  | Ingestion        | Not classified for female reproduction             | Rat     | NOAEL 750<br>mg/kg/day              | 2 generation                |
| PHOSPHORIC ACID  | Ingestion        | Not classified for male reproduction               | Rat     | NOAEL 750<br>mg/kg/day              | 2 generation                |
| PHOSPHORIC ACID  | Ingestion        | Not classified for development                     | Rat     | NOAEL 750<br>mg/kg/day              | 2 generation                |
| SYNTHETIC AMORPHOUS SILICA,<br>FUMED, CRYSTALLINE FREE | Ingestion        | Not classified for female reproduction             | Rat     | NOAEL 509<br>mg/kg/day              | 1 generation                |
| SYNTHETIC AMORPHOUS SILICA,<br>FUMED, CRYSTALLINE FREE | Ingestion        | Not classified for male reproduction               | Rat     | NOAEL 497<br>mg/kg/day              | 1 generation                |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE    | Ingestion        | Not classified for development                     | Rat     | NOAEL 1,350<br>mg/kg/day            | during<br>organogenesi<br>s |
| POLYETHYLENE GLYCOL                                    | Ingestion        | Not classified for female reproduction             | Rat     | NOAEL 1,125<br>mg/kg/day            | during<br>gestation         |
| POLYETHYLENE GLYCOL                                    | Ingestion        | Not classified for male reproduction               | Rat     | NOAEL 5699<br>+/- 1341<br>mg/kg/day | 5 days                      |
| POLYETHYLENE GLYCOL                                    | Not<br>Specified | Not classified for reproduction and/or development |         | NOEL N/A                            |                             |
| POLYETHYLENE GLYCOL                                    | Ingestion        | Not classified for development                     | Mouse   | NOAEL 562<br>mg/animal/da           | during<br>gestation         |

# Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

| Name                   | Route      | Target Organ(s)        | Value  | Species | Test Result         | Exposure<br>Duration  |
|------------------------|------------|------------------------|--|---------|---------------------|-----------------------|
| PHOSPHORIC ACID        | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human   | NOAEL Not available | occupational exposure |
| POLYETHYLENE<br>GLYCOL | Inhalation | respiratory irritation | Not classified   | Rat     | NOAEL<br>1.008 mg/l | 2 weeks               |

Specific Target Organ Toxicity - repeated exposure

| Name   | Route      | Target Organ(s)   | Value  | Species | Test Result                 | Exposure<br>Duration  |
|--|------------|---|--|---------|-----------------------------|-----------------------|
| SYNTHETIC<br>AMORPHOUS SILICA,<br>FUMED, CRYSTALLINE<br>FREE | Inhalation | respiratory system   silicosis  | Not classified   | Human   | NOAEL Not<br>available      | occupational exposure |
| POLYETHYLENE<br>GLYCOL                                       | Inhalation | respiratory system  | Not classified   | Rat     | NOAEL<br>1.008 mg/l         | 2 weeks               |
| POLYETHYLENE<br>GLYCOL                                       | Ingestion  | kidney and/or<br>bladder   heart  <br>endocrine system  <br>hematopoietic<br>system   liver  <br>nervous system | Not classified   | Rat     | NOAEL<br>5,640<br>mg/kg/day | 13 weeks              |
| ALUMINUM OXIDE   | Inhalation | pneumoconiosis  | Some positive data exist, but the data are not sufficient for classification | Human   | NOAEL Not<br>available      | occupational exposure |
| ALUMINUM OXIDE   | Inhalation | pulmonary fibrosis  | Not classified   | Human   | NOAEL Not available         | occupational exposure |

## **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Page 8 of 1

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

## **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility.

**EPA Hazardous Waste Number (RCRA):** D002 (Corrosive)

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501

# **SECTION 15: Regulatory information**

## 15.1. US Federal Regulations

Contact 3M for more information.

## **EPCRA 311/312 Hazard Classifications:**

### Physical Hazards

Corrosive to metal

### Health Hazards

Hazard Not Otherwise Classified (HNOC)

Serious eye damage or eye irritation

Skin Corrosion or Irritation

### Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

| Ingredient                     | C.A.S. No | <u>% by Wt</u>   |
|--------------------------------|-----------|------------------|
| ALUMINUM OXIDE                 | 1344-28-1 | Trade Secret < 2 |
| ALUMINUM OXIDE (ALUMINUM OXIDE | 1344-28-1 | Trade Secret < 2 |
| (FIBROUS FORMS ONLY))          |           |                  |

## 15.2. State Regulations

Contact 3M for more information.

10

### 15.3. Chemical Inventories

The components of this product are in compliance with the new substance notification requirements of CEPA.

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

## 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

NFPA Hazard Classification

Health: 3 Flammability: 1 Instability: 0 Special Hazards: None

Corrosive: Yes

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

 Document Group:
 29-8286-6
 Version Number:
 5.00

 Issue Date:
 09/02/21
 Supercedes Date:
 09/16/20

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com

**Page** 10 **of** 10