

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

1 Identification

- **Product identifier**
- **Trade name:** *OpalDam™ Green*
- **Article number:** SDS 242-001.08, 71004
- **Application of the substance / the mixture** Professional Light Cure Resin Barrier
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
- **Information department:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** GHS07, GHS08
- **Signal word** Warning
- **Health Hazard-determining components of labeling:**
Diurethane Dimethacrylate
Amine Methacrylate
- **Hazard statements**
Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer. Route of exposure: Inhalation.
- **Precautionary statements**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P264 Wash thoroughly after handling.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: **OpalDam™ Green**

(Contd. of page 1)

- P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 If on skin: Wash with plenty of water.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

72869-86-4	Diurethane Dimethacrylate ⚠ Skin Sens. 1, H317	≥1-<90%
36653-82-4	1-Hexadecanol ⚠ Eye Irrit. 2A, H319	>10-≤25%
112926-00-8	Synthetic Amorphous Silica ⚠ Acute Tox. 3, H331	1-10%
12001-26-2	Mica	≥0-≤10%
13463-67-7	Titanium Dioxide ⚠ Carc. 2, H351	≥0.1-<25%
	Amine Methacrylate ⚠ Skin Corr. 1C, H314; ⚠ Acute Tox. 4, H302; ⚠ Acute Tox. 4, H312; ⚠ Eye Irrit. 2A, H319; ⚠ Skin Sens. 1, H317; ⚠ Flam. Liq. 4, H227	≥0.1-<1%

4 First-aid measures

· **Description of first aid measures**· **After inhalation:**

Seek medical treatment in case of complaints.
 Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: OpalDam™ Green

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
See product labelling.
Keep receptacle tightly sealed.
- **Specific end use(s)** Professional Light Cure Resin Barrier

US

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: **OpalDam™ Green**

(Contd. of page 3)

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

112926-00-8 Synthetic Amorphous Silica	
PEL	20mppcf or 80mg/m ³ /%SiO ₂
REL	Long-term value: 6 mg/m ³ See Pocket Guide App. C
TLV	TLV withdrawn
12001-26-2 Mica	
PEL	Long-term value: 20 mppcf ppm <1% crystalline silica
REL	Long-term value: 3* mg/m ³ *respirable dust; containing < 1% quartz
TLV	Long-term value: 3* NIC-0.1** mg/m ³ *resp.fraction; **no asbestos, <1%crystalline silica
13463-67-7 Titanium Dioxide	
ACGIH TLV	Short-term value: 10* 5 mg/m ³
PEL	Long-term value: 15* mg/m ³ *total dust
REL	See Pocket Guide App. A
TLV	Long-term value: 10 mg/m ³
TWA	Short-term value: 15* 5 mg/m ³

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: **OpalDam™ Green**

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material is based on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Gel
Color:	Green
Odor:	Acrylic
Odor threshold:	Not determined.

- **pH-value:** Not applicable (non-aqueous)

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined

- **Flash point:** Not applicable

- **Flammability (solid, gaseous):** Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

- **Vapor pressure:** Not determined.

- **Density at 20 °C:** 1.123 g/cm³

- **Relative density** Not determined

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with**

Water: Fully miscible.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: **OpalDam™ Green**

(Contd. of page 5)

- | | |
|---|--|
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined |
| · Solvent content: | |
| VOC content: | 0.35-0.59 % |
| | 6.6 g/l / 0.06 lb/gal |
| VOC (EC) | 0.35-0.59 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity Stable**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Inhalative	LC50/4 h	12.5 mg/l
------------	----------	-----------

72869-86-4 Diurethane Dimethacrylate

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

36653-82-4 1-Hexadecanol

Oral	LD50	3,200 mg/kg (mouse) 5,000 mg/kg (rat)
Dermal	LD50	<10,000 mg/kg (Guinea pig) >2,600 mg/kg (rabbit)

112926-00-8 Synthetic Amorphous Silica

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

13463-67-7 Titanium Dioxide

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

Amine Methacrylate

Oral	LD50	1,550 mg/kg (rat)
	LC50 Fish	19 mg/l (Fish)

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: **OpalDam™ Green**

(Contd. of page 6)

Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	96 mg/l (rat)
<ul style="list-style-type: none"> · Primary irritant effect: · on the skin: No irritant effect. · on the eye: Irritating effect. · Sensitization: Sensitization possible through skin contact. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant · Carcinogenic categories 		
· IARC (International Agency for Research on Cancer)		
64-17-5	Ethyl Alcohol	I
68187-11-1	Co-Cr-AL Spinel Blue Green	2B
14808-60-7	Silica Glass	I
· NTP (National Toxicology Program)		
14808-60-7	Silica Glass	K
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

· Toxicity	
· Aquatic toxicity:	
72869-86-4 Diurethane Dimethacrylate	
EC50	>0.6 mg/kg (Algae)
Biodegradability	28 days (Aerobic) (Biodegradability testing)
36653-82-4 1-Hexadecanol	
EC50	676 mg/kg (Algae)
13463-67-7 Titanium Dioxide	
EC50	>100 mg/kg (Algae) >1,000 mg/kg (Fish)
Amine Methacrylate	
EC50	42 mg/kg (Algae)
· Persistence and degradability No further relevant information available.	
· Behavior in environmental systems:	
· Bioaccumulative potential No further relevant information available.	
· Mobility in soil No further relevant information available.	
· Additional ecological information:	
· General notes:	
Water hazard class 1 (Self-assessment): slightly hazardous for water	
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.	
· Results of PBT and vPvB assessment	
· PBT: Not applicable.	
· vPvB: Not applicable.	

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: **OpalDam™ Green**

(Contd. of page 7)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Do not allow product to reach sewage system.
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | Not Regulated |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | Not Regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | Not Regulated |
| · Packing group | |
| · DOT, IMDG, IATA | Not Regulated |
| · Environmental hazards: | Not Applicable. |
| · Special precautions for user | Not Applicable |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not Applicable. |
| · UN "Model Regulation": | Not Regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
- **Sara**

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1	Aluminium Oxide
68187-11-1	Co-Cr-AL Spinel Blue Green

· TSCA (Toxic Substances Control Act):

72869-86-4	Diurethane Dimethacrylate	ACTIVE
36653-82-4	1-Hexadecanol	ACTIVE
13463-67-7	Titanium Dioxide	ACTIVE

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: **OpalDam™ Green**

(Contd. of page 8)

	Amine Methacrylate	ACTIVE
· Hazardous Air Pollutants		
68187-11-1	Co-Cr-AL Spinel Blue Green	
· Proposition 65		
· Chemicals known to cause cancer:		
14808-60-7	Silica Glass	
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:		
64-17-5	Ethyl Alcohol	
· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
None of the ingredients is listed.		
· ACGIH Carcinogenicity (American Conference of Governmental Industrial Hygienists)		
1344-28-1	Aluminium Oxide	A4
64-17-5	Ethyl Alcohol	A3
14808-60-7	Silica Glass	A2
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
14808-60-7	Silica Glass	
· Chemical safety assessment:		
Device is biocompatible when used as directed by dental professionals per ISO 10993-1		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environmental, Health, and Safety
- **Contact:** Customer Service
- **Date of preparation / last revision** 09/16/2021 / -
- **Abbreviations and acronyms:**
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMIS: Hazardous Materials Identification System (USA)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - Flam. Liq. 4: Flammable liquids – Category 4

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Printing date 09/16/2021

Reviewed on 04/30/2018

Trade name: OpalDam™ Green

(Contd. of page 9)

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 2: Carcinogenicity – Category 2

US